in the treatment of peptic ulcer

ROTER

has <u>particular</u> advantages





ROTER achieves a high cure rate and often gives effective control of even refractory chronic cases which have resisted other treatments.

ROTER in many cases obviates the need for hospitalization or surgical intervention.

ROTER helps patients to keep ambulant and symptom-free with a minimum of medication and with few, if any, dietary restrictions.

ROTER in general practice enables the physician to take adequate care of his gastric cases without frequent or prolonged supervision.

ROTER has no known side effects.

ROTER requires no supplementary medication such as sedatives or anti-spasmodics.

ROTER shows a saving in cost when compared with conventional methods of treatment.

REFERENCES

Therapie der Gegenwart, 1953, 3, 108 Gazz. Med. Ital., 1954, 113, 343 Die Medizinische, 1955, 4, 163 British Medical Journal, 1955, 2, 827 C.R.S. Biol., 1956, 150, 1019 Am J. Gastroenterology, 1957, 28, 439 Wiener Med. W., 1958, 108, 218 Ärztliche Praxis, 1958, 10, 766 Journal Lancet, 1960, 80, 37

FORMULA

Each Roter tablet contains:
Bismuth Subnitrate Roter (350 mg.), Magnesium
Carbonate (400 mg.), Sodium Bicarbonate
(200 mg.) and Cortex Rhamni Frangulae (25 mg.).

PACKINGS OF ROTER TABLETS

Tins of 40 and 120, also dispensing sizes, 360 and 720 (P.T. exempt). Basic N.H.S. price: Under 1/- for 10 tablets.

ROTER TABLETS are in Category "S" Literature on Request

ALUHYDE

for prompt, safe symptomatic medication in hyperchlorhydria and peptic ulcer

'ALUHYDE' tablets present a new combination with these advantages...

'ALUHYDE' effects safe, reliable, nonsystemic neutralization by means of two of the most preferred modern antacid adsorbents...



'ALUHYDE' permits of quick mental sedative-effect by its inclusion of a barbiturate recognized for minimal cumulative potential...



'ALUHYDE' provides antispasmodic action through its content of an agent long known for its favourable influence against hypermotility...



Formula-

Each tablet: Dried Aluminium

Hydroxide Gel. B.P.C. - 3.75 gr Magnesium trisilicate B.P. - 3.75 gr. Quinalbarbitone sodium B.P. - 0.50 gr. Tinct. Belladonnæ B.P. - 3 m.

Packings—Regular packs of 50; bottles of 500 (dispensing)


Samples available on personally signed request of qualified physicians only

MULTIPAX CHEMICALS LTD

121 NORWOOD ROAD, LONDON, S.E.24

M C L

Phone: TULse Hill 3276



People in every walk of life, subjected to everyday stresses and strains, may suffer from gastric disorders. And if mental stress has not actually caused the condition, it will almost certainly aggravate it. 'Stelabid' is specific for such disorders. It reduces gastric secretion and, by inhibiting motility and spasm, relieves physical pain; and it protects against nausea and vomiting. Furthermore, 'Stelabid' combats the underlying cause by effectively relieving the anxiety and tension that provoke the condition.

Each 'Stelabid' tablet contains 1 mg. 'Stelazine' (brand of trifluoperazine) and 5 mg. 'Tyrimide' (brand of isopropamide). In containers of 30 and 250.

Literature containing prescribing information is available on request.

is a daid gives complete symptomatic actual night and day




SMITH KLINE & FRENCH LABORATORIES LTD Welwyn Garden City, Herts

"Stelabid", "Stelazine" and "Tyrimide" are trade marks Brit. Patt. Nos 772**921, 813861, 8**57547 Irish Pat. No. **23609** SBD:P.A74 (col)



LONDON HOSPITAL CATGUT

new catalogue with simplified product coding now available



The new coding system in clear and easy to follow. All codes now bear where possible a direct relationship with the product and are planned to simplify stock keeping and ordering. The catalogue shows you

The new comprehensive range of LHC eyeless needles with non-absorbable sutures.

An increased range of eyeless needles with catout.

Non-absorbable materials in stock lengths of varying quantities.

New braided stainless steel suture wires.

An increased range of ligatures.


Emergency sutures.

B.P. (1963) and B.P.C. (1963) Summary of Monographs.

For your copy of the LHC January 1964 catalogue, please contact any authorized agent or write direct to

THE LONDON HOSPITAL (LIGATURE DEPT.) LIMITED FARINGDON AVENUE HAROLD HILL · ROMFORD · ESSEX Telephone INGREBOURNE 41101-4

Gut June 1964




Nacton halves gastric acid secretion: lessens gastric spasm without side-effects in therapeutic doses

During a 3-year follow-up trial* with Nacton when the patients' food was entirely of their own choosing:

- Antacids were found unnecessary
- Duodenal deformity was reduced in 42% of the patients
- Average loss of time from work was reduced from 4 weeks to only half a day per year.
 *Brit. med. J., (1961), i, 1575





Salazopyrin was first used in Sweden in the early 1940's. Since then it has become the universally recognised treatment for ulcerative colitis. Its action is believed to depend on its specific affinity for connective tissues. Remission, or considerable improvement, has been seen in 70-80% of patients treated with Salazopyrin.

Positive Results

In patients with active ulcerative colitis, Salazopyrin achieves positive results-

- number of stools decreases
- abdominal cramp disappears
- fever subsides
- appetite improves
- rectal mucosa heals rapidly

NEW SALAZOPYRIN EN-tabs.

are better tolerated because of their special enteric coating and convenient, easily-swallowed shape. They dissolve easily in the small intestine, so reducing to a minimum gastric upset or nausea, which have been noted in some patients.


SALAZOPYRIN(plain) in bottles of 100 and 500 tablets SALAZOPYRIN EN-tabs in bottles of 100 tablets

Each tablet of Salazopyrin, coated or uncoated, contains 0.5G of Salicylazosulphapyridine|sulphasalazine.

PHARMACIA Sinclair House · The Avenue (GREAT BRITAIN) LTD West Ealing · London W13 Distributed by Savory & Moore Ltd · 60-61 Welbeck St · London WI

Gut June 1964

VII



PORTYN* is a potent agent for effectively controlling gastric secretion, gastro-intestinal motility and spasm. This action is achieved with the minimum of unwanted anticholinergic effects. PORTYN Kapseals* each contain 10 mg. benzilonium bromide and are supplied in packages of 30 and 250.

*Trade Mark

PARKE-DAVIS

Taste GASTRILS

the first antacid pastilles

SMOOTH, EFFECTIVE-REALLY DELICIOUS

NOW, for the very first time, you can prescribe smooth effective antacid *pastilles* that buffer gastric pH to the optimum physiological level and keep it there. Gastrils have no chalky 'antacid' taste—they really *are* delicious! Even your ulcer patients can forget the misery of antacid therapy with Gastrils—the more so because each Gastrils prescription is dispensed in equal quantities of mint and fruit flavours to relieve the monotony of constant antacid treatment. Give your patients a smile in the face of an ulcer—prescribe Gastrils.

'Gastrils' is a registered trade mark of T.J. Smith ♂ Nephew Ltd.





TWO FLAVOURS

Equal quantities of mint and fruit Gastrils are dispensed on every prescription. Each pastille contains 500 mg. co-dried gel of aluminium hydroxide and magnesium carbonate. Basic N.H.S. cost of 24 Gastrils from the dispensing pack is 2/6½d. Subject to Purchase Tax.

Gastrils are indicated in hyperacidity, peptic ulcer, gastritis, heartburn, oesophagitis and hiatus hernia.

don't use Merbentyl to inhibit gastric secretion

because

Merbentyl is not an antisecretory drug. Do use it to control gastrointestinal spasm because here Merbentyl is a remarkably effective antispasmodic. Moreover, Merbentyl is so selective that its use is rarely followed by side effects commonly seen with other drugs used for this purpose. It can even be administered to patients with chronic simple glaucoma or prostatic hypertrophy.

Merbentyl (dicyclomine hydrochloride B.P.C.) was first described in 1947, and has been widely used clinically to control gastrointestinal spasm and hypermotility in many countries for over 12 years. It acts both on the neuroreceptor sites innervated by post-ganglionic parasympathetic fibres, and directly on smooth muscle tissue.

Indications

- 1 Primary functional disorders of the gastro-intestinal tract: spastic colon, pylorospasm, post-cholecystectomy syndrome.
- 2 Adjunctive therapy in organic disorders, e.g. ulcerative colitis, diverticulitis.
- 3 Infant colic (here the drug is regarded as specific therapy).

Low NHS. cost An average week's treatment—2/8d.

Merbentyl tablets each tablet contains 10mg. dicyclomine hydrochloride B.P.C. Recommended adult dosage, 2 t.d.s.

Also available with phenobarbitone and as Merbentyl Syrup.

Full clinical information available on request.



Merrell-National (Laboratories) Limited, 20 Savile Row, London, W.1.

INSTAN PROTEIN Yes, AMINOSOL FRUCTOSE ETHANOL

Yes, AMINOSOL FRUCTOSE ETHANOL really is 'instant' protein. Predigested, dialyzed and combined with fructose and ethanol as a caloric source, it is rapidly utilised for the restoration and maintenance of nitrogen equilibrium in the seriously debilitated patient.


Available in 500 ml. and 1,000 ml. infusion bottles AMINOSOL F.E. contains 4.25 G. Nitrogen and 875 calories per litre.

AMINOSOL

Other VITRUM products for parenteral nutrition include AMINOSOL GLUCOSE AMINOSOL 10% INTRALIPID (intravenous fat)

Vitrum

PAINES & BYRNE LTD., PABYRN LABORATORIES, GREENFORD, MIDDX.



Available in 15 mg. tablets. Also supplied in tablets combined with Dartalan for peptic ulcer and functional dyspepsia associated with anxiety, and with Phenobarbitone for patients requiring sedation.

BASIC N.H.S. COST: 1/2d daily

□ recognized as the standard anticholinergic □ rapidly relieves the pain of peptic ulcer

A1370

Hemochromatosis and Hemosiderosis

By RICHARD A. MacDONALD, M.D.

Harvard Medical School Boston, Massachusetts

Hemochromatosis has been an intriguing but puzzling condition for over one hundred years. A number of subjects must be reviewed in an attempt to understand it—normal iron absorption and metabolism, iron absorption and metabolism in anemias and in hemochromatosis, effects of iron on tissues, cirrhosis of the liver, heart disease and altered carbohydrate metabolism in cirrhosis. In discussing these and other relevant topics, Doctor MacDonald has drawn on material from the literature, extensive personal experience, and personal visits and collaborative studies with workers in related fields in Africa, Asia, Europe, the Middle East, and the United States.

experience, and personal visits and collaborative studies with workers in related fields in Africa, Asia, Europe, the Middle East, and the United States. June 1964 388 pages 71 illustrations \$12.75 NEUROLOGIC **MANIFESTATIONS** OF THE MEDICAL TREATMENT OF PEPTIC GENERAL DISEASE by John A. Aita, Univ. of ULCER by George Gordon McHardy, Louisiana State Univ., New Orleans, La. Sept. '63, 88 pp., Nebraska, Omaha, Nebr. March '64, 936 pp., \$24.50. 2 tables (Amer. Lec. Abdominal Viscera edited by Lester R. Dragstedt), \$4.75. ☐ MANUAL OF SURGICAL TECHNIQUE by Warner F. Bowers, New York Med. Coll., New York DISEASES OF MEDICAL PROGRESS: City: Thomas H. Hewlett, Fitzsimons General Hosp., Denver, Colo.; and George J. Thomas, Brooke General Hosp., Ft. Sam Houston, Texas. Oct. '63, 328 pp. $(8\frac{1}{2} \times 11)$, 977 il., \$14.00. Contemporary Analysis of Illness Produced by Drugs and Other Therapeutic Procedures (2nd Ed.) edited by Robert H. Moser, U. S. Army Tripler General Hosp., Honolulu, Hawaii. (With 12 Con-tributors) March '64, 572 pp., \$19.75. STATISTICALLY SPEAKING by Warren K. Garlington, Long Beach State Coll., Long Beach, Calif., and Helen E. Shimota, Univ. of Southern Calif., Los Angeles, Calif. May '64, 120 pp., 48 il., ELECTRONIC AND COMPUTER-ASSISTED STUDIES OF BIO-MEDICAL PROBLEMS edited by Otto H. Schmitt, Univ. of Minnesota, Minneapolis, \$5.50. Minn. and Cesar A. Caceres, U. S. Public Health Service, Washington, D.C. March '64, 344 pp., PSYCHOLOGICAL ASPECTS THE \$12.50. DIABETES or How to Live in Emotional Balance with Diabetes by Harold Geist, Berkeley, Calif. SMOOTH MUSCLE TUMOURS OF THE Jan. '64, 96 pp., 2 il., \$4.75. ALIMENTARY TRACT: Leiomyomas and Leiomyosarcomas—A Review of 2525 Cases by John E. Skandalakis, The Piedmont Hospital and Emory **□ PHYSIOLOGICAL PROBLEMS IN SPACE** EXPLORATION edited by James D. Hardy, Yale Univ., New Haven, Conn. (With 7 Contributors) Univ., and Stephen W. Gray, Emory Univ. With May '64, 344 pp., 100 il. (Amer. Lec. Physiology), \$12.50. Duncan Shepard, The Piedmont Hosp., and Geoffrey H. Bourne, Emory Univ. All of Atlanta, Ga. '62, 484 pp., 85 il., \$17.50. OCCLUSION OF THE SUPERIOR MES-THE COLOR ATLAS OF INTESTINAL PARA-ENTERIC ARTERY by Benjamin B. Jackson, Univ. SITES by Francis M. Spencer, San Angelo Medical of Louisville, Louisville, Ky. June '63, 156 pp., 39 il. (Amer. Lec. Surgery edited by Michael E. DeBakey and Surgical Clinic, San Angelo, Texas, and Lee S. Monroe, Scripps Clinic and Research Foundation, La Jolla, Calif. '61, 160 pp., 260 il. (232 in full color), and R. Glen Spurling), \$7.50. \$9.50. □ THE ZYMOGRAM IN CLINICAL MEDICINE by S. H. Lawrence, Univ. of Calif., Los Angeles, Calif. May '64, 124 pp., 33 il. (Amer Lec. Living Chemistry edited by I. Newton Kugelmass), \$5.75. THE POSTGASTRECTOMY SYNDROMES by E. R. Woodward, Univ. of Florida. Gainesville, Fla. Nov. '63, 64 pp., 14 il. (Amer. Lec. Abdominal Viscera), \$3.75. ☐ CASE CAPSULES: The Droll, Diverting, Devilish, Definitely Different by Arnold Lieberman, New York THE LOWER EOSPHAGEAL VESTIBULAR City. June '64, about 360 pp., 107 il., about \$8.00. COMPLEX by Costantino Zaino, Maxwell H. Poppel, and Harold G. Jacobson, all of New York Univ., New York City, and Harold Lepow, Albert Einstein College of Medicine, New York City. GASTRO-INTESTINAL PHYSIOLOGY by D. F. Magee, Univ. of Washington, Seattle, Wash. '62, April '63, 288 pp., 137 figs., \$12.75. 236 pp., 133 il., \$11.50.

BRITISH MEDICAL ASSOCIATION PUBLICATIONS

ONE of the primary objects of the British Medical Association is the promotion of medical and allied sciences and each year a considerable portion of its income is spent in publishing a wide range of general and specialist journals.

BRITISH MEDICAL JOURNAL

A comprehensive general medical journal. Essential for every medical man or student who wishes to keep informed of research in medical science, of trends in clinical medicine and of professional activities.

Weekly. Annual Subscription, United Kingdom, Irish Republic, £9 9s.; Abroad, £5 5s. (\$15.00).

—Specialist Journals—

BRITISH JOURNAL OF OPHTHALMOLOGY

Designed for the clinician and research worker and includes original articles, case notes, information on new appliances, book reviews.

Monthly. Annual Subscription, Inland £6 6s.; Overseas £7 (\$20.00).

(Combined subscription for the two Ophthalmic journals, Inland £9 9s.; Overseas £10 10s. (\$30.00)).

OPHTHALMIC LITERATURE

Abstracts of articles on the wide field of ophthalmology published throughout the world. Each volume contains some 5,000 abstracts—covering one year.

Annual Subscription, Inland £4 4s.; Overseas £4 15s. (\$13.50). (For combined subscription see above).

JOURNAL OF CLINICAL PATHOLOGY

Original and specially commissioned articles on each branch of pathology, with prominence given to its clinical application. Technical methods, notes on new or improved apparatus, book reviews.

Annual Subscription (six issues), Inland £4 4s.; Overseas £4 15s. (\$13.50).

BRITISH HEART JOURNAL

Original work on the heart and circulation—anatomical, physiological and pathological.

Annual Subscription (six issues), Inland £4 4s.; Overseas £4 15s. (\$13.50).

ARCHIVES OF DISEASE IN CHILDHOOD

Devoted to child health and disease, with emphasis on clinical paediatrics. Original articles by paediatricians and other specialists.

Annual Subscription (six issues), Inland £4 4s.; Overseas £4 15s. (\$13.50).

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

Reports of original work in all branches of the subject, including experimental chemotherapy. Biochemical and pathological studies.

Annual Subscription (six issues), Inland £6 6s.; Overseas £7 (\$20.00).

JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY

Original articles on current research, throwing light on practice in neurology, neurosurgery and psychiatry.

Annual Subscription (six issues), Inland £4 4s.; Overseas £4 15s. (\$13.50).

ANNALS OF THE RHEUMATIC DISEASES

Original articles by authorities in the U.K., U.S.A. and elsewhere on every manifestation of the rheumatic diseases. Summaries in English, French and Spanish.

Annual Subscription (six issues), Inland £4 4s.; Overseas £4 15s. (\$13.50).

THORAX

Original work on the anatomy, physiology and pathology of the chest and heart. Descriptions of techniques and apparatus used in modern cardiac surgery.

Annual Subscription (six issues), Inland £4 4s.; Overseas £4 15s. (\$13.50).

GUT

Journal of the British Society of Gastroenterology. A new journal for physicians, surgeons, radiologists and pathologists, carrying authoritative articles on all aspects of gastroenterology.

Annual Subscription (six issues), Inland £4 4s.; Overseas £4 15s. (\$13.50).

BRITISH JOURNAL OF VENEREAL DISEASES

Designed to disseminate, exchange and increase knowledge among consultants, practitioners, research workers, teachers and others concerned with the problem of venereal diseases.

Quarterly. Annual Subscription, Inland £3 3s.; Overseas £3 10s. (\$10.00).

BRITISH JOURNAL OF INDUSTRIAL MEDICINE

Authoritative papers on all aspects of occupational medicine, e.g., the pneumoconioses, occupational cancers, industrial toxicology and psychology.

Quarterly. Annual Subscription, Inland £3 3s.; Overseas £3 10s. (\$10.00).

BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

Original work in the field, the emphasis on epidemiological methods in medical research.

Quarterly. Annual Subscription, Inland £3 3s.; Overseas £3 10s. (\$10.00).

MEDICAL AND BIOLOGICAL ILLUSTRATION

Illustration and its application to the requirements of the medical and biological sciences.

Quarterly. Annual Subscription, Inland £3 3s.; Overseas £3 10s. (\$10.00).

—General—

ABSTRACTS OF WORLD MEDICINE

Critical abstracts of important articles appearing in medical periodicals in every part of the world. Accent on what is new.

Monthly. Annual Subscription, Inland and Overseas £6 6s. (\$18.00).

Write to The Subscription Manager, BRITISH MEDICAL JOURNAL, B.M.A. House, Tavistock Square, London W.C.1

or order through any leading subscription agent or bookseller (All dollar rates quoted refer to the U.S. dollar)





SECRETIN and

PANCREOZYMIN

These preparations may be confidently used in the serum enzyme test and the duodenal aspiration test. Although solutions should be used almost immediately, unopened vials kept in a refrigerator will retain their activity for 2 years.

For the diagnosis of:

Chronic pancreatitis

Carcinoma of the head of the pancreas

Steatorrhoea of pancreatic origin

Obstruction of the biliary duct system

Impaired gall-bladder function

SECRETIN is supplied in 10cc rubber-capped vials each containing 80—120 units. The potency is declared on each vial following biological assay

PANCREOZYMIN is supplied in 20cc rubber-capped vials each containing 100 units



Please write for further information and supplies too BOOTS PURE DRUG CO. LTD., NOTTINGHAM, ENGLAND