

Author index

- Abdullahi M** see Zhang Z-W et al
Abreu L see Tilg H et al
Abuksis G see Niv Y et al
Achkar E see Vaezi MF et al
Afonso AJ see Cravo M et al
Agréus L. Natural history of dyspepsia: review, iv2
Albuquerque C see Cravo M et al
Alexandrou A see Broelsch CE et al
Alison MR, Hunt T. Minichromosome maintenance (MCM) proteins may be pre-cancer markers, 290
Alison MR see Brittan M et al
Allemand Y see Waidmann M et al
Allescher H-D see Stier AW et al
Allum WH et al. Guidelines for the management of oesophageal and gastric cancer, v1
Alpen B see Stolte M et al
Amaris MA et al. Microprocessor controlled movement of solid colonic content using sequential neural electrical stimulation, 475
Amsellem R see Moal VL et al
Anai M see Saitoh T et al
Anand R et al. Endothelin is an important determinant of renal function in a rat model of acute liver and renal failure, 111
Anderloni A see Parente F et al
Andresen L see Cameron EAB et al
Andrén-Sandberg Å see Threadgold J et al
Angus PW see Gow PJ et al
Antolin M see Kennedy RJ et al
Aponte JJ see Llovet JM et al
Applebaum-Shapiro S see Pfützer R et al
Apte M see Mews P et al
Arasaradnam RP, Bolton RP. Hypomagnesaemia due to malabsorption is not always responsive to oral magnesium oxide supplementation alone: letter, 897
Arden NK. Osteoporosis in patients with inflammatory bowel disease, 9
Argenzio RA see Blikslager AT et al
Arizono N see Hyoh Y et al
Arnold R see Kulaksiz H et al
 see Schirra J et al
Aromaa A see Perez-Perez GI et al
Arosio P see Miyazaki E et al
Arulampalam V. Uncoupling the p38 MAPK kinase in IBD: a double edged sword?, 446
Asano T see Saitoh T et al
Assassa RP see Perry S et al
Asselah T see Moreau R et al
Atherton JC. The chips are down for *Helicobacter pylori*, 293
Auricchio S see Salvati VM et al
Autenrieth IB see Waidmann M et al
Axon A et al. pH-Hp: implications for dyspepsia management, 1
Axon A. Management of uninvestigated dyspepsia: review and commentary: review, iv51
Azam U see Perry S et al
Azooz O see Ballinger A and Azooz O
Bajaj-Elliott M see Fitzgerald RC et al
 see Salvati VM et al
Baker ME see Vaezi MF et al
Balian A see Bardou M et al
Ballinger A, Azooz O. Calpain inhibitor I and colonic inflammation induced by DNBS in the rat: letter, 440
Baqué P see Pierrefite-Carle V et al
Barber A see Barrenetxe J et al
Bardou M et al. Excessive alcohol consumption favours high risk polyp or colorectal cancer occurrence among patients with adenomas: a case control study, 38
Baron JH, Sonnenberg A. Hospital admissions for peptic ulcer and indigestion in London and New York in the 19th and early 20th centuries: review, 568
Barrenetxe J et al. Distribution of the long leptin receptor isoform in brush border, basolateral membrane, and cytoplasm of enterocytes, 797
Baru A see Strassburg CP et al
Bassendine MF see Newton JL et al
Bateman AC et al. Apoptosis and proliferation of acinar and islet cells in chronic pancreatitis: evidence for differential cell loss mediating preservation of islet function, 542
Bateman AC see Wheeler JMD et al
Bauditz J et al. Thalidomide reduces tumour necrosis factor α and interleukin 12 production in patients with chronic active Crohn's disease, 196
Bauer M see Raetsch C et al
Bayerdörffer E see Stolte M et al
Bazzoli F et al. *Helicobacter pylori* and functional dyspepsia: review of previous studies and commentary on new data: review, iv33
Bücheler N see Waidmann M et al
Büchler M see Friess H et al
Beales ILP. Regulation of gastric function by gastrin releasing peptide: letter, 897
Beck NE see Wheeler JMD et al
Beginnger C et al. Regulation of gastric function by gastrin releasing peptide: letter, 897
Beilby J see Shannon B et al
Bell CMJ see Evans HS et al
Bell TR. book reviews, 583
Benchimol D see Pierrefite-Carle V et al
Bernard B see Moreau R et al
Bernardi M see Trevisani F et al
Berretti D see Bazzoli F et al
Berstad A see Tefera S et al
Bertelli M see Trevisani F et al
Bhagat L see Frossard J-L et al
Bianco R see Parente F et al
Biancone L see Monteleone I et al
Biankin AV et al. Aberrant p16^{INK4A} and DPC4/Smad4 expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma, 861
Biankin SA see Biankin AV et al
Biasi F et al. Associated changes of lipid peroxidation and transforming growth factor β 1 levels in human colon cancer during tumour progression, 361
Biddolph SC see Wheeler JMD et al
Biessy C see Palmqvist R et al
Bilzer M see Gerbes AL et al
Binn M see Moreau R et al
Bishop L see Varro A et al
Bisschops R et al. A survey on gastroenterology training in Europe, 724
Blackman GM see Spencer GM et al
Blake MA see Chaoui AS and Blake MA
Blaser MJ see Perez-Perez GI et al
Blikslager AT et al. Recovery of ischaemic injured porcine ileum: evidence for a contributory role of COX-1 and COX-2, 615
Blum AL see van Zanten SJOV et al
Boccagni P see Guido M et al
Bodmer WF see Wheeler JMD et al
Boigk G see Raetsch C et al
Bolin TD see Riordan SM et al
Bollani S see Maconi G et al
 see Parente F et al
Bolling-Sternevald E see van Zanten SJOV et al
Bolton RP see Arasaradnam RP and Bolton RP
Bonilla F see Silva JM et al
Book reviews Blanchard EB. Irritable Bowel Syndrome: Psychosocial Assessment and Treatment, 583
 Freston JW, editor. Diseases of the Gastroesophageal Mucosa. The Acid-Related Disorders, 442
 Greenhalgh T. How to Read a Paper, 442
 Interactive Continuing Education in Gastroenterology, 582
 Nightingale J, editor. Intestinal Failure, 583
Born TL see Sivakumar PV et al
Borotto E see Bardou M et al
Borrelli M see Salvati VM et al
Bosch J see Burroughs AK et al
Bourgeon A see Pierrefite-Carle V et al
Bousóñio C see Lopez-Vazquez A et al
Bowes KL see Amaris MA et al
Bown SG et al. Photodynamic therapy for cancer of the pancreas, 549
Bown SG see Spencer GM et al
Bradesi S et al. Acute restraint stress activates functional NK1 receptor in the colon of female rats: involvement of steroids, 349
Brading AF see Jones OM et al
Bramble MG, Ironside JW. Creutzfeldt-Jakob disease: implications for gastroenterology: review, 888
Bretthauer M et al. NORCCAP (Norwegian colorectal cancer prevention): a randomised trial to assess the safety and efficacy of carbon dioxide versus air insufflation in colonoscopy, 604
Brewer GJ. Diagnosis of Wilson's disease: an experience over three decades: letter, 136
Brittain KR see Perry S et al
Brittan M et al. Bone marrow derivation of pericycral myofibroblasts in the mouse and human small intestine and colon, 752

- Broelsch CE** *et al.* Living related liver transplantation: medical and social aspects of a controversial therapy: review, 143
- Bronckart Y** *see* Nagy N *et al*
- Brossette N** *see* Pierrefite-Carle V *et al*
- Bruix J** *see* Llovet JM *et al*
- Bueno L** *see* Bradesi S *et al*
- Buhr HJ** *see* Kroesen AJ *et al*
- Burnham WR** *see* Fitzgerald RC *et al*
- Burra P** *see* Guido M *et al*
- Burroughs AK** *et al.* Assessment of therapeutic benefit of antiviral therapy in chronic hepatitis C: is hepatic venous pressure gradient a better end point?: review, 425
- Burt AD** *see* Prince MI *et al*
- Bytzer P.** H₂ receptor antagonists and prokinetics in dyspepsia: a critical review: review, iv58
- Cale CM.** The link between rotavirus vaccination and intussusception: implications for vaccine strategies, 11
- Callion KM** *see* White JS *et al*
- Camarero C** *see* Leon F *et al*
- Camby I** *see* Nagy N *et al*
- Cameron EAB** *et al.* Expression of isoforms of nitric oxide synthase in collagenous colitis: letter, 899
- Campbell NB** *see* Blitslager AT *et al*
- Campieri M.** New steroids and new salicylates in inflammatory bowel disease: a critical appraisal: review, iii43
- Capron F** *see* Bardou M *et al*
- Carlson M** *et al.* Human neutrophil lipocalin is a unique marker of neutrophil inflammation in ulcerative colitis and proctitis, 501
- Castelli E** *see* Trevisani F *et al*
- Castillo J** *see* Lorente S *et al*
- Castleden CM** *see* Perry S *et al*
- Cetin Y** *see* Kulaksiz H *et al*
- Chan ACW** *see* Wong SKH *et al*
- Chang F-Y** *see* Fung C-P *et al*
- Chauqui AS, Blake MA.** CT colonography and colorectal screening: letter, 284
- Chaput JC** *see* Bardou M *et al*
- Charnley R** *see* Threadgold J *et al*
- Chaves P** *see* Cravo M *et al*
- Cherqui D** *see* Luciani A *et al*
- Chiarpotto E** *see* Biasi F *et al*
- Chionne P** *see* Kondili LA *et al*
- Chopin S** *see* Real FX *et al*
- Christensen E** *see* Llovet JM *et al*
- Christensen M** *see* Katballe N *et al*
- Chung SCS** *see* Wong SKH *et al*
- Cicala M** *et al.* Outcome of endoscopic sphincterotomy in post cholecystectomy patients with sphincter of Oddi dysfunction as predicted by manometry and quantitative choledochoscopy, 665
- Cillo U** *see* Guido M *et al*
- Cincu RN** *see* Rodríguez-Ortigosa CM *et al*
- Clarke M** *see* Perry S *et al*
- Classen M** *see* Meining A *et al*
- Coconnier M-H** *see* Moal VL *et al*
- Cohard M** *see* Meresse B *et al*
 see also Tilg H *et al*
- Collier JD** *et al.* Guidelines on the management of osteoporosis associated with chronic liver disease, ii1
- Collin P** *see* Kainulainen H *et al*
- Collins JSA** *see* White JS *et al*
- Colombel JF** *see* Meresse B *et al*
- Compston JE** *see* Collier JD *et al*
- Condat B** *see* Moreau R *et al*
- Corazziari E** *see* Cicala M *et al*
- Costamagna G** *see* Cicala M *et al*
- Costantino A** *see* Kondili LA *et al*
- Cotichini R** *see* Greco L *et al*
- Coto I** *see* Greco L *et al*
- Cravo M** *et al.* Pathogenicity of missense and splice site mutations in *hMSH2* and *hMLH1* mismatch repair genes: implications for genetic testing, 405
- Cristaldi M** *see* Maconi G *et al*
 see also Parente F *et al*
- Cruz C** *see* Cravo M *et al*
- Cummins AG** *see* Riordan SM *et al*
- Curry G** *see* Thorburn D *et al*
- Cutrin JC** *see* Biasi F *et al*
- Cuzzocrea S** *see* Thiemermann C and Cuzzocrea S
- D'Agate C** *see* Greco L *et al*
- Dagher L** *see* Burroughs AK *et al*
- Daigo Y** *see* Takayama I *et al*
- Dalle I** *see* Geboes K and Dalle I
- Dallozzo H** *see* Perry S *et al*
- Danguy A** *see* Nagy N *et al*
- Dashwood M** *see* Anand R *et al*
- Daverman B** *see* Perez-Perez GI *et al*
- Day CP.** Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?: review, 585
- de Kerguenec C** *see* Moreau R *et al*
- de Luca L** *see* Bazzoli F *et al*
- de Muckadell OBS** *see* Threadgold J *et al*
- Delhayé M** *see* Threadgold J *et al*
- Dent J.** Definitions of reflux disease and its separation from dyspepsia: review, iv17
 Management of reflux disease: review, iv67
- Dent J** *see* Zhang Q *et al*
- Derry JMJ** *see* Sivakumar PV *et al*
- Desreumaux P** *see* Meresse B *et al*
- Dessaint JP** *see* Meresse B *et al*
- Dhumeaux D** *see* Luciani A *et al*
- di Bisceglie AM.** Combination therapy for hepatitis B: review, 443
- di Cosmo N** *see* Greco L *et al*
- di Genaro S** *see* Waidmann M *et al*
- Dick EA** *et al.* Ablative therapy for liver tumours: review, 733
- Dillon JF** *see* Steinke DT *et al*
- Dittler HJ** *see* Meining A *et al*
- Dockray GJ** *see* Varro A *et al*
- Doiz O** *see* Lorente S *et al*
- Dollard C** *see* Stadnyk AW *et al*
- Domenicali M** *see* Trevisani F *et al*
- Dominguez G** *see* Silva JM *et al*
- Domon-Dell C** *et al.* Stimulation of the intestinal Cdx2 homeobox gene by butyrate in colon cancer cells, 525
- Dono K** *see* Xue F *et al*
- Dottorini F** *see* Maconi G *et al*
- Dougan G** *see* Fitzhenry RJ *et al*
- Drenth JPH** *et al.* Mutations in serine protease inhibitor Kazal type 1 are strongly associated with chronic pancreatitis, 687
- Drillenburg P** *see* Hove TT *et al*
- Drucker DJ.** Gut adaptation and the glucagon-like peptides: review, 428
- Du MQ** *see* Hao XP *et al*
- Dubucquois S** *see* Meresse B *et al*
- Duncombe VM** *see* Riordan SM *et al*
- Dussaix E** *see* Roque-Afonso AM *et al*
- Eckstein RP** *see* Biannik AV *et al*
- Eggo MC** *see* Picton R *et al*
- Eherer AJ** *et al.* Effect of sildenafil on oesophageal motor function in healthy subjects and patients with oesophageal motor disorders, 758
- Eiras P** *see* Leon F *et al*
- Eissele R** *see* Kulaksiz H *et al*
- Elia G** *see* Wheeler JMD *et al*
- Ell C** *see* Muehldorfer SM *et al*
- Ellis I** *see* Pfützer R *et al*
 see also Threadgold J *et al*
- El-Serag HB** *et al.* Epidemiological differences between adenocarcinoma of the oesophagus and adenocarcinoma of the gastric cardia in the USA, 368
- Emile J-F** *see* Roque-Afonso AM *et al*
- España P** *see* Silva JM *et al*
- Eurohepy gast Study Group.** Risk factors for atrophic chronic gastritis in a European population: results of the Eurohepy gast study, 779
- Eutamene H** *see* Bradesi S *et al*
- Evans HS** *et al.* The risk of subsequent primary cancers after colorectal cancer in southeast England, 647
- Evers BM** *see* Domon-Dell C *et al*
- Fagioli S** *see* Guido M *et al*
- Fahmy R** *see* Mews P *et al*
- Fan ST** *see* Ho DWY *et al*
- Farthing MJG.** New horizons in gastroenterology: infection, inflammation, and immunity: review, iii1
- Novel targets for the control of secretory diarrhoea: review, iii15
- Farthing MJG** *see* Fitzgerald RC *et al*
 see also Zhang Z-W *et al*
- Fasano A.** Toxins and the gut: role in human disease: review, iii9
- Fedail SS.** Getting our journal to developing countries: letter, 284
- Feith M** *see* Stier AW *et al*
- Fenger C** *see* Jørgensen OD *et al*
- Fennerty MB.** Use of antisecretory agents as a trial of therapy: review, iv63
- Feray C** *see* Roque-Afonso AM *et al*
- Fidalgo P** *see* Cravo M *et al*
- Fielding JW** *see* Whiting JL *et al*
- Finch R** *see* Pfützer R *et al*
- Fine DR** *see* Bateman AC *et al*
- Fiocca F** *see* Cicala M *et al*
- Fioramonti J** *see* Bradesi S *et al*
- Fitzgerald RC** *et al.* Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants, 451
- Fitzhenry RJ** *et al.* Intimip type influences the site of human intestinal mucosal colonisation by enterohaemorrhagic *Escherichia coli* O157:H7, 180
- Floreani A.** Osteoporosis is not a specific complication of primary biliary cirrhosis (PBC): letter, 898
- Forbes SJ** *see* Brittan M *et al*
- Foschi FG** *see* Trevisani F *et al*

- Fossi S** see Bazzoli F et al
Fox JG. The non-*H pylori* helicobacters: their expanding role in gastrointestinal and systemic diseases: review, 273
Fox R see Thorburn D et al
Franceschelli N see Parente F et al
Frankel G see Fitzhenry RJ et al
Franzén LE see Söderholm JD et al
Fraser AG et al. The efficacy of azathioprine for the treatment of inflammatory bowel disease: a 30 year review, 485
Fraser G see Niv Y et al
Frayling IM see Hao XP et al
Freund J-N see Domon-Dell C et al
Friess H et al. Neural alterations in surgical stage chronic pancreatitis are independent of the underlying aetiology, 682
Fromm M see Kroesen AJ et al
Frossard J-L et al. Both thermal and non-thermal stress protect against caerulein induced pancreatitis and prevent trypsinogen activation in the pancreas, 78
Frulloni L see Threadgold J et al
Fuentes D see Lopez-Vazquez A et al
Fujino MA see Takayama I et al
Fujiwara A see Hyoh Y et al
Fukuda Y see Shimizu H et al
Fukushima Y see Saitoh T et al
Fung C-P et al. A global emerging disease of *Klebsiella pneumoniae* liver abscess: is serotype K1 an important factor for complicated endophthalmitis?, 420
Fuster J see Llovet JM et al
Gabe S. book reviews, 583
Gabius H-J see Nagy N et al
Garcia JM see Silva JM et al
Garcia SB see Wong W-M et al
Garcia-Fernandez S see Lopez-Vazquez A et al
Garcia-Lafuente A see Kennedy RJ et al
Garcia-Pagan JC see Burroughs AK et al
Garcia-Tsao G see Burroughs AK et al
Gardiner KR see Kennedy RJ et al
 see White JS et al
Garka K see Sivakumar PV et al
Gasche C see Tilg H et al
Gasperi V see Greco L et al
Gastroenterology TBSO see Allum WH et al
Gavelli A see Pierrefite-Carle V et al
Geboes K, Dalle I. Influence of treatment on morphological features of mucosal inflammation: review, iii37
Gedroyc WMW see Dick EA et al
Geerts A see Reynaert H et al
Genta RM see Yoon D et al
Gerbes AL et al. Evaluation of serum cystatin C concentration as a marker of renal function in patients with cirrhosis of the liver, 106
Göke B see Schirra J et al
Giampaoli S see Kondili LA et al
Gigou M see Roque-Afonso AM et al
Gilja OH see Tefera S et al
Gillams A see Bown SG et al
Giraud V see Bardou M et al
Gisselsson L see Breithauer M et al
Gülb erg V see Gerbes AL et al
Glücker T. CT colonography and colorectal screening: letter, 284
Gnanasampathan S see Shannon B et al
Godio L see Phillips RKS et al
Going JJ et al. Aberrant expression of minichromosome maintenance proteins 2 and 5, and Ki-67 in dysplastic squamous oesophageal epithelium and Barrett's mucosa, 373
Goldman J see Brittan M et al
Gonzalez S see Lopez-Vazquez A et al
Goodier D see Anand R et al
Goodlad RA see Wong W-M et al
Gordon GB see Phillips RKS et al
Gow PJ et al. Diagnosis of Wilson's disease: an experience over three decades: letter, 136
Grace N see Burroughs AK et al
Grangé J see Moreau R et al
Greco L et al. The first large population based twin study of coeliac disease, 624
Greenhalf W see Threadgold J et al
Gregor M see Tilg H et al
Gress TM see Threadgold J et al
Griffin SM see Allum WH et al
Grint P see Tilg H et al
Groot JA see Oprins JCJ et al
Groszmann R see Burroughs AK et al
Grotmol T see Breithauer M et al
Groves CJ et al. Duodenal cancer in patients with familial adenomatous polyposis (FAP): results of a 10 year prospective study, 636
Guarino MPL see Cicala M et al
Guarner F see Kennedy RJ et al
Guembe L see Barrenetxe J et al
Guido M et al. Histology predicts cirrhotic evolution of post transplant hepatitis C, 697
Habib FI see Cicala M et al
Hadari Y see Nagy N et al
Hahn EG see Muehldorfer SM et al
 see Raetsch C et al
Hallisey MT see Whiting JL et al
Hallmans G see Palmqvist R et al
Halls D see Thorburn D et al
Halttunen T see Kainulainen H et al
Hamann A see Waidmann M et al
Hammer HF see Eherer AJ et al
Hao XP et al. The spectrum of p53 mutations in colorectal adenomas differs from that in colorectal carcinomas, 834
Hardcastle JD see Scholefield JH et al
Hardy RG et al. Aberrant P-cadherin expression is an early event in hyperplastic and dysplastic transformation in the colon, 513
Harrison PM see Zolfini T et al
Harry D see Anand R et al
Hartland EL see Fitzhenry RJ et al
Hatfield AWR see Bown SG et al
Hatlebakke JG see Tefera S et al
Hausken T see Tefera S et al
Hawk E see Phillips RKS et al
Hawkey CJ. Cyclooxygenase inhibition: between the devil and the deep blue sea: review, iii25
Hayakawa T see Shimizu H et al
Head DR see Biankin AV et al
Heatley MK, Nagarajan DV. The ulcer and the clip: which came first?: Filler, 129
Heikkinen M see Janatuinen EK et al
Heneghan MA see Zolfini T et al
Henshall SM see Biankin AV et al
Herfarth H. IL-10 therapy in Crohn's disease: at the crossroads, 146
Heydtmann M. Understanding selective trafficking of lymphocyte subsets, 150
Hälgren R see Carlson M et al
Höfler H see Meining A et al
Hölt V see Kulaksiz H et al
Hietaranta AJ see Frossard J-L et al
Higham J et al. Recent trends in admissions and mortality due to peptic ulcer in England: increasing frequency of haemorrhage among older subjects, 460
Hildebrand P see Beglinger C et al
Hiraishi H see Shimada T et al
Hirata Y see Maeda S et al
Hirayama F see Yoshida N et al
Hizawa K see Matsumoto T et al
Hjelm NM see Mann DV et al
Ho DWY et al. Selective plasma filtration for treatment of fulminant hepatic failure induced by d-galactosamine in a pig model, 869
Ho M see Fung C-P et al
Hodgson SV see Evans HS et al
Hodivala-Dilke K see Brittan M et al
Hoensch H et al. Influence of clinical factors, diet, and drugs on the human upper gastrointestinal glutathione system, 235
Hoff G see Breithauer M et al
Hollema H see Rijken FEM et al
Holloway RH see Zhang Q et al
Holt S see Anand R et al
Honda T see Shimizu H et al
Hori M see Won K-J et al
Horiguchi N see Toyoda M et al
Horii T see Hyoh Y et al
Horowitz B see Takayama I et al
Houdayer C see Bardou M et al
Houghton LA et al. The menstrual cycle affects rectal sensitivity in patients with irritable bowel syndrome but not healthy volunteers, 471
Hove TT et al. Dichotomal role of inhibition of p38 MAPK with SB 203580 in experimental colitis, 507
 Infliximab treatment induces apoptosis of lamina propria T lymphocytes in Crohn's disease, 206
Howes N see Threadgold J et al
Hoyle J see Hardy RG et al
Hu B-S see Fung C-P et al
Hu YB see Xiao SD et al
Hugh TB see Biankin AV et al
Hunt T see Alison MR and Hunt T
 see Brittan M et al
Huppertz-Hauss G see Breithauer M et al
Hyoh Y et al. Activation of caspases in intestinal villus epithelial cells of normal and nematode infected rats, 71
Iacopetta B see Shannon B et al
Ichikawa H see Yoshida N et al
Ido K see Tamada K et al
Ihse I see Threadgold J et al
Iida M see Matsumoto T et al
Imrie CW see Threadgold J et al

- Iredale JP see Bateman AC et al
 Ironside JW see Bramble MG and Ironside JW
 Ishikawa M see Saitoh T et al
 Ishikawa T see Saitoh T et al
 Ishizaka S see Hyoh Y et al
 Isolauri E et al. Probiotics: a role in the treatment of intestinal infection and inflammation?: review, **ii54**
 Issekutz AC see Stadnyk AW et al
 Issekutz TB see Stadnyk AW et al
 Jackson N see Houghton LA et al
 Jagger C see Perry S et al
 James OFW see Newton JL et al
 Janatuinen EK et al. No harm from five year ingestion of oats in coeliac disease, **332**
 Jang MH see Kweon M-N et al
 Jankowski JAZ see Hardy RG et al
 Jansen JBMJ see Drent JPH et al
 Jansen J see Threadgold J et al
 Jaramillo E see Lindgren G et al
 Jarmulowicz M see Anand R et al
 Jeffery R see Brittan M et al
 Jewell DP see Fraser AG et al
 Järvinen H see Moisio A-L et al
 Jia JD see Raetsch C et al
 Johnson CD see Bateman AC et al
 Johnson PA see Bateman AC et al
 Jolobe O. Recurrent diarrhoea and weight loss associated with cessation of smoking in undiagnosed coeliac disease: letter, **582**
 Jones DEJ see Newton JL et al
 see Prince MI et al
 Jones L see Bown SG et al
 Jones OM et al. A shake of the head to a wink of the anus: letter, **440**
 Jones RH. Approaches to uninvestigated dyspepsia: review, **iv42**
 Jørgensen OD et al. A randomised study of screening for colorectal cancer using faecal occult blood testing: results after 13 years and seven biennial screening rounds, **29**
 Julkunen RJK see Janatuinen EK et al
 Junghard O see van Zanten SJOV et al
 Kaaks R see Palmqvist R et al
 Kager PA see Schipper HG et al
 Kainulainen H et al. Blisters in the small intestinal mucosa of coeliac patients contain T cells positive for cyclooxygenase 2, **84**
 Kajiwara T see Saitoh T et al
 Kakizaki S see Toyoda M et al
 Kaltner H see Nagy N et al
 Kamm MA see Jones OM et al
 Kanaly S see Sivakumar PV et al
 Kang J-Y see Higham J et al
 Kant JA see Pfützer R et al
 Kappeler A see Friess H et al
 Karaki H see Won K-J et al
 Kaser A see Tilg H et al
 Katballe N et al. Frequency of hereditary non-polyposis colorectal cancer in Danish colorectal cancer patients, **43**
 Kato J see Miyazaki E et al
 Katschinski M see Schirra J et al
 Katsube T see Saitoh T et al
 Kaukinen K see Kainulainen H et al
 Kaup F-J see Schäfer F et al
 Kedinger M see Domon-Dell C et al
 Kee F see White JS et al
 Keith WN see Going JJ et al
 Kelloff G see Phillips RKS et al
 Kemppainen TA see Janatuinen EK et al
 Kench JG see Biankin AV et al
 Kennedy RJ et al. Mucosal barrier function and the commensal flora: letter, **441**
 Kernochan LE et al. Endothelin-1 stimulates human colonic myofibroblast contraction and migration, **65**
 Kewenig S see Schäfer F et al
 Key CR see El-Serag HB et al
 Khaoustov VI see Yoon D et al
 Kim HC see Wheeler JMD et al
 Kim S see Domon-Dell C et al
 Kirch W see Hoensch H et al
 Kiriyama S see Shimizu H et al
 Kirjavainen PV see Isolauri E et al
 Kirk SJ see Kennedy RJ et al
 Kiss R see Nagy N et al
 Kiyono H see Kweon M-N et al
 Kleibeuker JH see Rijken FEM et al
 Klintmalm GB see Yoon D et al
 Kneip S see Strassburg CP et al
 Knekt P see Perez-Perez GI et al
 Kobeiter H see Luciani A et al
 Kobori Y see Matsumoto T et al
 Kobune M see Miyazaki E et al
 Kojima K see Shimada T et al
 Kondili LA et al. Infection rate and spontaneous seroreversion of anti-hepatitis C virus during the natural course of hepatitis C virus infection in the general population, **693**
 Koningsberger JC see Tilg H et al
 Korsten M see Mews P et al
 Kosma V-M see Janatuinen EK et al
 Kosunen TU see Perez-Perez GI et al
 Krejs GJ see Eherer AJ et al
 Kroesen AJ et al. Impairment of epithelial transport but not of barrier function in idiopathic pouchitis after ulcerative colitis, **821**
 Kronborg O see Jørgensen OD et al
 Kueppers F see Yoon D et al
 Kuhn I see Tilg H et al
 Kulaksiz H et al. Identification of somatostatin receptor subtypes 1, 2A, 3, and 5 in neuroendocrine tumours with subtype specific antibodies, **52**
 Kulli C see Friess H et al
 Kumada T see Shimizu H et al
 Kuo BI-T see Fung C-P et al
 Kweon M-N et al. Development of antigen induced colitis in SCID mice reconstituted with spleen derived memory type CD4⁺ CD45RB^{+/-} T cells, **299**
 Lacerda C see Cravo M et al
 Lage P see Cravo M et al
 Lahm H see Nagy N et al
 Lam S-K see Wong W-M et al
 Lam WWM see Mann DV et al
 Lam Y-H see Wong SKH et al
 Laméris JS see Schipper HG et al
 Lanas A see Lorente S et al
 Langman MJS see Picton R et al
 Lau C see Ho DWY et al
 Lau JYW see Wong SKH et al
 Lau WY see Mann DV et al
 Laugier R see Threadgold J et al
 Laurberg S see Katballe N et al
 Lauritsen K see Talley NJ and Lauritsen K
 Lea R see Houghton LA et al
 Leandro G see Guido M et al
 Lebeaut A see Tilg H et al
 Lebrec D see Moreau R et al
 Lee C-S see Biankin AV et al
 Lee HS see Frossard J-L et al
 Lee S-C see Fung C-P et al
 Lees WR see Bown SG et al
 Legendre H see Nagy N et al
 Lehmann A see Zhang Q et al
 Lehmann FS see Beglinger C et al
 Lehmann J see Waidmann M et al
 Lenoir GM see Real FX et al
 Leon F et al. Intestinal intraepithelial lymphocytes and anti-transglutaminase in a screening algorithm for coeliac disease: letter, **740**
 Lerch MM see Threadgold J et al
 Lesca G see Real FX et al
 Lev-EI M see Niv Y et al
 Levin B see Phillips RKS et al
 Levy I et al. Staging of hepatocellular carcinoma: assessment of the CLIP, Okuda, and Child-Pugh staging systems in a cohort of 257 patients in Toronto, **881**
 Lewis CM see Evans HS et al
 Lillegren A see Lindgren G et al
 Limongelli MG see Greco L et al
 Lindblom A see Lindgren G et al
 Lindfors K see Kainulainen H et al
 Lindgren G et al. Adenoma prevalence and cancer risk in familial non-polyposis colorectal cancer, **228**
 Lindmark T see Söderholm JD et al
 Little D see Blkslager AT et al
 Liu C-Y see Fung C-P et al
 Llovet JM et al. Cost effectiveness of adjuvant therapy for hepatocellular carcinoma during the waiting list for liver transplantation, **123**
 Lochs H see Bauditz J et al
 Loggi E see Trevisani F et al
 Lopez-Larrea C see Lopez-Vazquez A et al
 Lopez-Vazquez A et al. MHC class I chain related gene A (MICA) modulates the development of coeliac disease in patients with the high risk heterodimer DQA10501/DQB10201, **336**
 Lorente S et al. *Helicobacter pylori* stimulates pepsinogen secretion from isolated human peptic cells, **13**
 Lorenz R see Meining A et al
 Lostao MP see Barrenetxe J et al
 Lovat LB see Bown SG et al
 see Spencer GM et al
 Luciani A et al. Focal nodular hyperplasia of the liver in men: is presentation the same in men and women?, **877**
 Ludwigczek O see Tilg H et al
 Lynch PM see Phillips RKS et al

- MacDonald TM** see Steinke DT et al
MacDonald TT see Salvati VM et al
Maconi G et al. The vascularity of internal fistulae in Crohn's disease: an in vivo power Doppler ultrasonography assessment, 496
Maconi G see Parente F et al
MacSween RNM see Thorburn D et al
Maeda S et al. Analysis of apoptotic and antiapoptotic signalling pathways induced by *Helicobacter pylori*, 771
Maglio M see Greco L et al
Maia L see Cravo M et al
Maison P see Luciani A et al
Majeed A see Higham J et al
Malagelada J-R see Kennedy RJ et al
Malagó M see Broelsch CE et al
Malats N see Real FX et al
Malchow H see Meresse B et al
Mandir N see Wong W-M et al
Mangham CM see Scholefield JH et al
Mann DA, Smart DE. Transcriptional regulation of hepatic stellate cell activation: review, 891
Mann DV et al. Biliary drainage for obstructive jaundice enhances hepatic energy status in humans: a 31-phosphorus magnetic resonance spectroscopy study, 118
Manns MP see Strassburg CP et al
Martignoni M see Friess H et al
Martinek J see Threadgold J et al
Martinez-Borra J see Lopez-Vazquez A et al
Martus P see Muehldorfer SM et al
Mas X see Llovet JM et al
Mason AC see El-Serag HB et al
Mason J see Moayyedi P and Mason J
Mathieu D see Luciani A et al
Matsumoto T et al. Serrated adenoma in familial adenomatous polyposis: relation to germline APC gene mutation, 402
Matthews G see Hardy RG et al
Matthews RJ see Perry S et al
Mayne C see Perry S et al
Mazzolini G see Schmitz V et al
McCradden PR see Bateman AC et al
McCruden EAB see Thorburn D et al
McFarlane IG see Zolfino T et al
McGrother C see Perry S et al
McIver CJ see Riordan SM et al
Meijer HP see Oprins JCJ et al
Meining A et al. You get what you expect? A critical appraisal of imaging methodology in endosonographic cancer staging, 599
Mele A see Kondili LA et al
Melero I see Schmitz V et al
Melotti C see Trevisani F et al
Melton AC see Kernochan LE et al
Meng XJ see Xiao SD et al
Meresse B et al. Low ileal interleukin 10 concentrations are predictive of endoscopic recurrence in patients with Crohn's disease, 25
Merrill GA see Picton R et al
Metreweli C see Mann DV et al
Mews P et al. Pancreatic stellate cells respond to inflammatory cytokines: potential role in chronic pancreatitis, 535
Mäki M see Janatainen EK et al
 see Kainulainen H et al
Middleton SJ see Cameron EAB et al
Mills PR see Thorburn D et al
Milner P see Anand R et al
Minemura M see Xue F et al
Mintchev MP see Amaris MA et al
Mitchell RMS see White JS et al
Mitsui-Saito M see Won K-J et al
Mitsuno Y see Maeda S et al
Miyazaki E et al. Denatured H-ferritin subunit is a major constituent of haemosiderin in the liver of patients with iron overload, 413
Mizuno M see Matsumoto T et al
Moil VL et al. *Lactobacillus acidophilus* (strain LB) from the resident adult human gastrointestinal microflora exerts activity against brush border damage promoted by a diarrhoeagenic *Escherichia coli* in human enterocyte-like cells, 803
Moayyedi P, Mason J. Clinical and economic consequences of dyspepsia in the community: review, iv10
Moayyedi P. *Helicobacter pylori* test and treat strategy for young dyspeptic patients: new data: review, iv47
Moisio A-L et al. Genetic and clinical characterisation of familial adenomatous polyposis: a population based study, 845
Møller H see Evans HS et al
Monteleone G see Monteleone I et al
 see Salvati VM et al
Monteleone I et al. Immunoregulation in the gut: success and failures in human disease: review, iii60
Montembault S see Bardou M et al
Moore K see Anand R et al
Moreau R et al. Comparison of the effect of terlipressin and albumin on arterial blood volume in patients with cirrhosis and tense ascites treated by paracentesis: a randomised pilot study, 90
Morey AL see Biankin AV et al
Morgenstern I see Hoensch H et al
Morgner A see Stolte M et al
Mori H see Saitoh T et al
Mori M see Toyoda M et al
Morioka CY see Xue F et al
Morris AD see Steinke DT et al
Morsche RT see Drenth JPH et al
Mortensen NJM see Jones OM et al
 see Wheeler JMD et al
Morton D see Hardy RG et al
Moschetta A see van Ooteghem NAM et al
Moss S see Scholefield JH et al
Mountford R see Threadgold J et al
Muehldorfer SM et al. Diagnostic accuracy of forceps biopsy versus polypectomy for gastric polyps: a prospective multicentre study, 465
Muñoz C see Silva JM et al
Muñoz-Navas M see Barrenetxe J et al
Munnik T see Oprins JCJ et al
Myers E see Pfützer R et al
Naccarato R see Guido M et al
Nagarajan DV see Heatley MK and Nagarajan DV
Nagree A see Riordan SM et al
Nagy N et al. Galectin-8 expression decreases in cancer compared with normal and dysplastic human colon tissue and acts significantly on human colon cancer cell migration as a suppressor, 392
Naito Y see Yoshida N et al
Nakamura S see Matsumoto T et al
Nakamura Y see Yoshida N et al
Nakano I see Shimizu H et al
Nakano S see Shimizu H et al
Narvaiza I see Schmitz V et al
Navasa M see Llovet JM et al
Naveau S see Bardou M et al
Neilson L see Going JJ et al
Neoptolemos J see Pfützer R et al
Neoptolemos JP see Threadgold J et al
Neubauer A see Stolte M et al
Neuberger J see Sutton I and Neuberger J
Newton JL et al. Osteoporosis is not a specific complication of primary biliary cirrhosis (PBC): letter, 898
Ng EKW see Wong SKH et al
Nicolini G see Bazzoli F et al
Niitsu Y see Miyazaki E et al
Ninkovic M see Collier JD et al
Niv Y et al. Protective effect of faecal occult blood test screening for colorectal cancer: worse prognosis for screening refusers, 33
Noble PJ see Varro A et al
Nobre-Leitão C see Cravo M et al
Noce CL see Kondili LA et al
Norris S see Zolfino T et al
Ogawa K see Saitoh T et al
Ogura K see Maeda S et al
Ohashi A see Tamada K et al
Ohkawa S see Saitoh T et al
Oien K see Thorburn D et al
Okumura K see Miyazaki E et al
Olafsdottir E see Tefera S et al
Olaïson G see Söderholm JD et al
Oláh A see Threadgold J et al
Omata M see Maeda S et al
 see Saitoh T et al
Onwuegbusi BA see Fitzgerald RC et al
Oprins JCJ et al. Tumour necrosis factor α potentiates ion secretion induced by histamine in a human intestinal epithelial cell line and in mouse colon: involvement of the phospholipase D pathway, 314
Orchard TR see Fraser AG et al
Ørntoft TF see Katballe N et al
Otsuka H see Saitoh T et al
Owen RJ. Molecular testing for antibiotic resistance in *Helicobacter pylori*: review, 285
Ozaki H see Won K-J et al
Pallone F see Monteleone I et al
Pallotta N see Cicala M et al
Palmqvist R et al. Plasma insulin-like growth factor 1, insulin-like growth factor binding protein 3, and risk of colorectal cancer: a prospective study in northern Sweden, 642
Pannozzo F see Kondili LA et al
Paparo F see Greco L et al
Parazza M see Trevisani F et al

- Parente F** *et al.* Bowel ultrasound in assessment of Crohn's disease and detection of related small bowel strictures: a prospective comparative study versus x ray and intraoperative findings, **490**
- Parente F** see Maconi G *et al*
- Pascual I** see Barrenetxe J *et al*
- Patch D** see Burroughs AK *et al*
- Paul MCS** see Pierrefite-Carle V *et al*
- Pector J-C** see Nagy N *et al*
- Peltomäki P** see Moisio A-L *et al*
- Peppelenbosch MP** see Hove TT *et al*
- Percopo S** see Greco L *et al*
- Perez-Perez GI** *et al.* Evidence that *cagA⁺* *Helicobacter pylori* strains are disappearing more rapidly than *cagA⁻* strains, **295**
- Perner A** see Cameron EAB *et al*
- Perry S** *et al.* Prevalence of faecal incontinence in adults aged 40 years or more living in the community, **480**
- Pessione F** see Moreau R *et al*
- Ptereit G** see Hoensch H *et al*
- Peters WHM** see Hoensch H *et al*
- Petersen N** see El-Serag HB *et al*
- Peterson KH** see Söderholm JD *et al*
- Petnehazy T** see Eherer AJ *et al*
- Päävärinne H** see Kainulainen H *et al*
- Pfützer R** *et al.* Novel cationic trypsinogen (PRSS1) N29T and R122C mutations cause autosomal dominant hereditary pancreatitis, **271**
- Phillips AD** see Fitzhenry RJ *et al*
- Phillips P** see Mews P *et al*
- Phillips RKS** *et al.* A randomised, double blind, placebo controlled study of celecoxib, a selective cyclooxygenase 2 inhibitor, on duodenal polyposis in familial adenomatous polyposis, **857**
- Phillips RKS** see Groves CJ *et al*
- Pickard DJ** see Fitzhenry RJ *et al*
- Picton R** *et al.* Mucosal protection against sulphide: importance of the enzyme rhodanese, **201**
- Pierrefite-Carle V** *et al.* Subcutaneous or intrahepatic injection of suicide gene modified tumour cells induces a systemic antitumour response in a metastatic model of colon carcinoma in rats, **387**
- Pirola R** see Mews P *et al*
- Poli G** see Biasi F *et al*
- Porro GB** see Maconi G *et al*
- see Parente F *et al*
- Porta M** see Real FX *et al*
- Portmann BC** see Zolfino T *et al*
- Poulson R** see Brittan M *et al*
- Poynard T** see Moreau R *et al*
- Pozzato P** see Bazzoli F *et al*
- Pretlow TP** see Hardy RG *et al*
- Prieto J** see Rodríguez-Ortigosa CM *et al*
see Schmitz V *et al*
- Primrose JN**. Treatment of colorectal metastases: surgery, cryotherapy, or radiofrequency ablation: *review*, **1**
- Prince MI** *et al.* Hepatitis and liver dysfunction with rifampicin therapy for pruritus in primary biliary cirrhosis, **436**
- Pronk I** see Hove TT *et al*
- Provencio M** see Silva JM *et al*
- Qian C** see Schmitz V *et al*
- Quiroga J** see Rodríguez-Ortigosa CM *et al*
- Raab Y** see Carlson M *et al*
- Raetsch C** *et al.* Pentoxifylline downregulates profibrogenic cytokines and procollagen I expression in rat secondary biliary fibrosis, **241**
- Ramesh H** see Friess H *et al*
- Ransco C** see Kroesen AJ *et al*
- Rantala I** see Kainulainen H *et al*
- Rapicetta M** see Kondili LA *et al*
- Rashev PZ** see Amaris MA *et al*
- Rask-Madsen J** see Cameron EAB *et al*
- Rautelin H** see Perez-Perez GI *et al*
- Rauws EA** see Schipper HG *et al*
- Real FX** *et al.* Family history of cancer and germline BRCA2 mutations in sporadic exocrine pancreatic cancer, **653**
- Reece S** see Fitzhenry RJ *et al*
- Rehfeld JF** see van Ooteghem NAM *et al*
- Reynaert H** *et al.* Hepatic stellate cells: role in microcirculation and pathophysiology of portal hypertension: *review*, **571**
- Rösch T** see Meining A *et al*
- Rössler D** see Kulaksiz H *et al*
- Riboli E** see Palmqvist R *et al*
- Ricciardiello L** see Bazzoli F *et al*
- Richter JE** see Vaezi MF *et al*
- Riecken E-O** see Raetsch C *et al*
- Riestra S** see Lopez-Vazquez A *et al*
- Rigda R** see Zhang Q *et al*
- Rijcken FEM** *et al.* Proximal adenomas in hereditary non-polyposis colorectal cancer are prone to rapid malignant transformation, **382**
- Rinaldi S** see Palmqvist R *et al*
- Riordan SM** *et al.* Small intestinal bacterial overgrowth, intestinal permeability, and non-alcoholic steatohepatitis: *letter*, **136**
- Ripley P** see Bown SG *et al*
- Roberts PJ** see Cameron EAB *et al*
- Robinson D** see Evans HS *et al*
- Roche B** see Roque-Afonso AM *et al*
- Roda E** see Bazzoli F *et al*
- Rodeck B** see Strassburg CP *et al*
- Rodés J** see Llovet JM *et al*
- Rodríguez-Ortigosa CM** *et al.* Effect of ursodeoxycholic acid on methionine adenosyltransferase activity and hepatic glutathione metabolism in rats, **701**
- Rodrigo L** see Lopez-Vazquez A *et al*
- Rodrigues-Bigas M** see Phillips RKS *et al*
- Rodriguez R** see Silva JM *et al*
- Roelofs HMJ** see Hoensch H *et al*
- Rogowska AZ** see Bown SG *et al*
- Romino R** see Greco L *et al*
- Roque-Afonso AM** *et al.* Antibodies to hepatitis B surface antigen prevent viral reactivation in recipients of liver grafts from anti-HBc positive donors, **95**
- Rosenberg W** see Stein K *et al*
- Rossi B** see Pierrefite-Carle V *et al*
- Rowlands DC** see Whiting JL *et al*
- Roy G** see Leon F *et al*
- Rubio CA**. A Paneth cell surrogate?: *letter*, **741**
- Rubio C** see Lindgren G *et al*
- Rugge M** see Guido M *et al*
- Ruiz F** see Rodríguez-Ortigosa CM *et al*
- Ruiz J** see Schmitz V *et al*
- Russo A** see Maconi G *et al*
- Rutgeerts P** see Meresse B *et al*
see Tilg H *et al*
- Ruuska T** see Kainulainen H *et al*
- Sacchetti L** see Greco L *et al*
- Saeed IT** see Fitzgerald RC *et al*
- Saitoh T** *et al.* Effects of *N*-alpha-methyl-histamine on human H₂ receptors expressed in CHO cells, **786**
- Salminen S** see Isolauri E *et al*
- Salmon I** see Nagy N *et al*
- Salomaa A** see Perez-Perez GI *et al*
- Saluja AK** see Frossard J-L *et al*
- Salvati VM** *et al.* Interleukin 18 and associated markers of T helper cell type 1 activity in coeliac disease, **186**
- Sampietro G** see Parente F *et al*
- Sampietro GM** see Maconi G *et al*
- Samsom M** see van Ooteghem NAM *et al*
- Samuel D** see Roque-Afonso AM *et al*
- Sanders DSA** see Hardy RG *et al*
- Sanders KM** see Takayama I *et al*
- Sangro B** see Schmitz V *et al*
- Sanonetti P**. Host-pathogen interactions: the seduction of molecular cross talk: *review*, **ii2**
- Sanz S** see Rodríguez-Ortigosa CM *et al*
- Sasaki K** see Miyazaki E *et al*
- Sato K** see Toyoda M *et al*
see Won K-J *et al*
- Satoh Y** see Tamada K *et al*
- Satsangi J** see Watts DA and Satsangi J
- Saunders BP** see Groves CJ *et al*
see Phillips RKS *et al*
- Scheidl SJ** see Eherer AJ *et al*
- Schäfer F** *et al.* Lack of simian immunodeficiency virus (SIV) specific IgA response in the intestine of SIV infected rhesus macaques, **608**
- Schillaci O** see Cicala M *et al*
- Schipper HG** *et al.* Percutaneous evacuation (PEVAC) of multivesicular echinococcal cysts with or without cystobiliary fistulas which contain non-drainable material: first results of a modified PAIR method, **718**
- Schirra J** *et al.* Effects of glucagon-like peptide-1(7–36)amide on motility and sensation of the proximal stomach in humans, **341**
- Schmitz V** *et al.* Gene therapy for liver diseases: recent strategies for treatment of viral hepatitis and liver malignancies: *review*, **130**
- Schneider T** see Schäfer F *et al*
- Scholefield JH** *et al.* Effect of faecal occult blood screening on mortality from colorectal cancer: results from a randomised controlled trial, **840**
- Schreiber S** see Tilg H *et al*
- Schulz S** see Kulaksiz H *et al*
- Schulzke JD** see Kroesen AJ *et al*
- Schuppan D** see Raetsch C *et al*
- Schusdziarra V** see Meining A *et al*
- Schwaiger M** see Stier AW *et al*
- Schwetz I** see Eherer AJ *et al*
- Scopinaro F** see Cicala M *et al*
- Serrano MT** see Lorente S *et al*
- Serviddio G** see Biasi F *et al*
- Servin AL** see Moal VL *et al*

- Sevénus L** see Carlson M et al
Sewell RB see Gow PJ et al
Söderholm JD et al. Augmented increase in tight junction permeability by luminal stimuli in the non-inflamed ileum of Crohn's disease, 307
Sgouros JG see Hao XP et al
Shannon B et al. A polymorphism in the methylenetetrahydrofolate reductase gene predisposes to colorectal cancers with microsatellite instability, 520
Shaw C see Perry S et al
Shen Y see Phillips RKS et al
Shepherd NA see Wheeler JMD et al
Sherman J see Phillips RKS et al
Sherman M see Levy I et al
Shi Y see Xiao SD et al
Shimada T et al. Characteristics of the peroxisome proliferator activated receptor γ (PPAR γ) ligand induced apoptosis in colon cancer cells, 658
Shimizu H et al. Liver dysfunction among workers handling 5-nitro-o-toluidine, 266
Shintani N see Miyazaki E et al
Shiratori Y see Maeda S et al
Shouval D see Roque-Afonso AM et al
Shrikhande M see Friess H et al
Shrikhande S see Friess H et al
Siepmann M see Hoensch H et al
Siewert J-R see Meining A et al
Sigurdsson A see Whiting JL et al
Silva J see Silva JM et al
Silva JM et al. Detection of epithelial tumour RNA in the plasma of colon cancer patients is associated with advanced stages and circulating tumour cells, 530
Simon P see Threadgold J et al
Simoneau D see Roque-Afonso AM et al
Singh S see Picton R et al
Singh VP see Frossard J-L et al
Siu LK see Fung C-P et al
Sivakumar PV et al. Interleukin 18 is a primary mediator of the inflammation associated with dextran sulphate sodium induced colitis: blocking interleukin 18 attenuates intestinal damage, 812
Sjödahl R see Söderholm JD et al
Skovlund E see Brethauer M et al
Smallwood RA see Gow PJ et al
Smart DE see Mann DA and Smart DE
Smith AL see Gow PJ et al
So NMC see Mann DV et al
Solano J see Spencer GM et al
Sone Y see Shimizu H et al
Song AM see Frossard J-L et al
Sonnenberg A see Baron JH and Sonnenberg A
Spence E see Thorburn D et al
Spencer GM et al. Laser augmented by brachytherapy versus laser alone in the palliation of adenocarcinoma of the oesophagus and cardia: a randomised study, 224
Spigelman AD see Groves CJ et al
Spooner R see Thorburn D et al
Staccini P see Pierrefite-Carle V et al
Stadnyk AW et al. Neutrophil migration into indomethacin induced rat small intestinal injury is CD11a/CD18 and CD11b/CD18 co-dependent, 629
Stahl-Hennig C see Schäfer F et al
Staiano A see Salvati VM et al
Stallmach A see Schäfer F et al
Stazi MA see Greco L et al
Steer ML see Frossard J-L et al
Stein HJ see Stier AW et al
Stein K et al. Cost effectiveness of combination therapy for hepatitis C: a decision analytic model, 253
Steinbach G see Phillips RKS et al
Steinke DT et al. Epidemiology and economic burden of viral hepatitis: an observational population based study, 100
Stenling R see Palmqvist R et al
Stier AW et al. A scintigraphic study of local oesophageal bolus transit: differences between patients with Barrett's oesophagus and healthy controls, 159
Stockmann M see Kroesen AJ et al
Stoeber K see Going JJ et al
Stolte M et al. Helicobacter and gastric MALT lymphoma: review, iii19
Stolte M see Muehldorfer SM et al
Stolte N see Schäfer F et al
Strassburg A see Strassburg CP et al
Strassburg CP et al. Developmental aspects of human hepatic drug glucuronidation in young children and adults, 259
 Polymorphisms of the human UDP-glucuronosyltransferase (UGT) 1A7 gene in colorectal cancer, 851
Stuart RC see Going JJ et al
Sturm A. Life and death in the gut: more killing, less Crohn's, 148
Su L-K see Phillips RKS et al
Suenobu N see Kweon M-N et al
Sufi F see Scholefield JH et al
Sugano K see Tamada K et al
Sugimoto N see Yoshida N et al
Sundin M see van Zanten SJOV et al
Sung JJJ see Wong SKH et al
Sutherland RL see Blankin AV et al
Sutton I, Neuberger J. Primary biliary cirrhosis: seeking the silent partner of autoimmunity: review, 743
Suzuki T see Won K-J et al
Tack J. Anti-relaxation therapy in GORD, 6
 see Bisschops R et al
Tagesson C see Söderholm JD et al
Takagi H see Toyoda M et al
Takahara S see Xue F et al
Takahara T see Xue F et al
Takahashi H see Saitoh T et al
Takahashi I see Kweon M-N et al
Takayama H see Toyoda M et al
Takayama I et al. Novel human and mouse genes encoding an acid phosphatase family member and its downregulation in *W/W^v* mouse jejunum, 790
Talbot IC see Hao XP et al
Talbot I see Hardy RG et al
Talley NJ, Lauritsen K. The potential role of acid suppression in functional dyspepsia: the BOND, OPERA, PILOT, and ENCORE studies: review, iv36
Talley NJ. Dyspepsia: management guidelines for the millennium: review, iv72
Talley NJ see Axon A et al
 see van Zanten SJOV et al
Tam SP see Kernochan LE et al
Tamada K et al. Endoscopic transpapillary bile duct biopsy with the combination of intraductal ultrasonography in the diagnosis of biliary strictures, 326
Tamai M see Saitoh T et al
Tamir A see Niv Y et al
Tangjivanich P see Kernochan LE et al
Taschieri AM see Parente F et al
Taylor-Robinson SD see Dick EA et al
Team ATLMIS see Perry S et al
Tefera S et al. Intragastric maldistribution of a liquid meal in patients with reflux oesophagitis assessed by three dimensional ultrasonography, 153
Tegoshi T see Hyoh Y et al
Terano A see Shimada T et al
Tessari G see Guido M et al
Tessitore L see Biasi F et al
Testa G see Broelsch CE et al
Thiede C see Stolte M et al
Thiemermann C, Cuzzocrea S. Calpain inhibitor I and colonic inflammation induced by DNBS in the rat: letter, 440
Thiis-Evensen E see Brethauer M et al
Thomas HC see Dick EA et al
Thomas KSA see Bateman AC et al
Thomas MC see Riordan SM et al
Thomas T see Reynaert H et al
Thompson MG see Reynaert H et al
Thorburn D et al. The role of iron and haemochromatosis gene mutations in the progression of liver disease in chronic hepatitis C, 248
Thorpe SM see Spencer GM et al
Threadgold J et al. The N34S mutation of SPINK1 (PSTI) is associated with a familial pattern of idiopathic chronic pancreatitis but does not cause the disease, 675
Tilg H et al. Treatment of Crohn's disease with recombinant human interleukin 10 induces the proinflammatory cytokine interferon γ , 191
Tinto N see Greco L et al
To J see Ho DWY et al
Tobias JS see Spencer GM et al
Tomiyama T see Tamada K et al
Tomlinson IPM see Hao XP et al
Torihashi S see Won K-J et al
Torsoli A see Cicala M et al
Tosi R see Greco L et al
Toyoda M et al. A ligand for peroxisome proliferator activated receptor γ inhibits cell growth and induces apoptosis in human liver cancer cells, 563
Tran BN see Kernochan LE et al
Trevisani F et al. Impaired tuftsin activity in cirrhosis: relationship with splenic function and clinical outcome, 707
Troncone R see Salvati VM et al
Tselepis C see Hardy RG et al
Tukey RH see Strassburg CP et al
Turner SM see Bateman AC et al
Tytgat GNJ. Role of endoscopy and biopsy in the work up of dyspepsia: review, iv13
Uusitupa MIJ see Janatuinen EK et al
Vaezi MF et al. Timed barium oesophagram: better predictor of long term success after pneumatic dilation in achalasia than symptom assessment, 765

- Valla D** see Moreau R et al
Valori R. book reviews, 582
van Berge-Henegouwen GP see van Ooteghem NAM et al
van Delden OM see Schipper HG et al
van den Blink B see Hove TT et al
van den Ende A see Tilg H et al
van der Burg C see Oprins JCJ et al
van Deventer SJH see Hove TT et al
 see Hove TT et al
 see Tilg H et al
van Deventer SJH. Small therapeutic molecules for the treatment of inflammatory bowel disease: review, iii47
van Erpecum KJ see van Ooteghem NAM et al
van Ham P see Nagy N et al
van Montfrans C see Hove TT et al
 see Tilg H et al
van Ooteghem NAM et al. Intraduodenal conjugated bile salts exert negative feedback control on gall bladder emptying in the fasting state without affecting cholecystokinin release or antroduodenal motility, 669
van Zanten SJOV see Axon A et al
van Zanten SJOV et al. Combined analysis of the ORCHID and OCAY studies: does eradication of *Helicobacter pylori* lead to sustained improvement in functional dyspepsia symptoms?: review, iv26
van Zanten SJOV. Assessment of outcome in dyspepsia: has progress been made?: review, iv23
 Recurrent diarrhoea and weight loss associated with cessation of smoking in undiagnosed coeliac disease: letter, 582
Varro A et al. Gastrin-cholecystokinin_B receptor expression in AGS cells is associated with direct inhibition and indirect stimulation of cell proliferation via paracrine activation of the epidermal growth factor receptor, 827
Vavassori P see Cicala M et al
 see Monteleone I et al
Venge P see Carlson M et al
Villano U see Kondili LA et al
Villaro AC see Barrenetxe J et al
Viney JL see Sivakumar PV et al
Vogel A see Strassburg CP et al
Vogeser M see Gerbes AL et al
Wada S see Tamada K et al
Waidmann M et al. Microflora reactive IL-10 producing regulatory T cells are present in the colon of IL-2 deficient mice but lack efficacious inhibition of IFN-γ and TNF-α production, 170
Wakabayashi N see Phillips RKS et al
Walker RL see Takayama I et al
Walker-Smith J. A god for guts, 886
Wall AJ see Gow PJ et al
Wallace MH see Phillips RKS et al
Wallis Y see Hardy RG et al
Wang CW see Xiao SD et al
Wang Q see Domon-Dell C et al
Wank U see Schirra J et al
Ward SM see Takayama I et al
Warren BF see Wheeler JMD et al
Watanabe A see Xue F et al
Watanabe K see Shimizu H et al
Watson A see Allum WH et al
Watson RP see White JS et al
Watts DA, Satsangi J. The genetic jigsaw of inflammatory bowel disease: review, iii31
Weber K see Eherer AJ et al
Wedel S see Bauditz J et al
Weiss G see Tilg H et al
Weston TL see Steinke DT et al
Westrich GM see Sivakumar PV et al
Wheeler JMD et al. An insight into the genetic pathway of adenocarcinoma of the small intestine, 218
Whitcomb DC see Pfützer R et al
Whitcomb D see Threadgold J et al
White JS et al. The changing scope of colorectal cancer: letter, 741
Whitelaw DE see Bown SG et al
Whiting JL et al. The long term results of endoscopic surveillance of premalignant gastric lesions, 378
Whorwell PJ see Houghton LA et al
Wigg AJ see Riordan SM et al
Wikman FP see Katballe N et al
Willcocks TC see Hao XP et al
Williams GH see Going JJ et al
Williams GT see Wheeler JMD et al
Williams K see Perry S et al
Williams R see Riordan SM et al
Wilmer A see Bisschops R et al
Wilson J see Mews P et al
Wilson RH see White JS et al
Wirén M see Söderholm JD et al
Wündisch T see Stolte M et al
Wolf A see Meining A et al
Won K-J et al. Increased smooth muscle contractility of intestine in the genetic null of the endothelin ETB receptor: a rat model for long segment Hirschsprung's disease, 355
Wong BCY see Wong W-M et al
Wong J see Ho DWY et al
 see Stein K et al
Wong SKH et al. Prediction of therapeutic failure after adrenaline injection plus heater probe treatment in patients with bleeding peptic ulcer, 322
Wong W-M et al. Histogenesis of human colorectal adenomas and hyperplastic polyps: the role of cell proliferation and crypt fission, 212
Woo YH see Ho DWY et al
Wright NA see Brittan M et al
 see Wong W-M et al
Wroblewski LE see Varro A et al
Wyld P see Bown SG et al
Xiao SD et al. Interventional study of high dose folic acid in gastric carcinogenesis in beagles, 61
Xu S see Carlson M et al
Xue F et al. Attenuated acute liver injury in mice by naked hepatocyte growth factor gene transfer into skeletal muscle with electroporation, 558
Yamada M see Hyoh Y et al
Yamamoto M see Kweon M-N et al
Yamanaka T see Takayama I et al
Yamato E see Xue F et al
Yao T see Matsumoto T et al
Yata Y see Xue F et al
Yeaton P see Nagy N et al
Yee Jr HF see Kernochan LE et al
Yeung DKW see Mann DV et al
Yoffe B see Yoon D et al
Yoon D et al. Role of alpha-1-antichymotrypsin deficiency in promoting cirrhosis in two siblings with heterozygous alpha-1-antitrypsin deficiency phenotype SZ, 730
Yoshida H see Maeda S et al
Yoshida N et al. *Helicobacter pylori* infection potentiates aspirin induced gastric mucosal injury in Mongolian gerbils, 594
Yoshikawa T see Yoshida N et al
Yoshiura K see Shimada T et al
Young KM see Blikslager AT et al
Yu L-M see Wong SKH et al
Zafrani E-S see Luciani A et al
Zagari R see Bazzoli F et al
Zanetti D see Biasi F et al
Zarkovic N see Biasi F et al
Zeitz M see Schäfer F et al
Zhang Q et al. Control of transient lower oesophageal sphincter relaxations and reflux by the GABA_B agonist baclofen in patients with gastro-oesophageal reflux disease, 19
Zhang Z see Ho DWY et al
Zhang Z-W et al. Effect of physiological concentrations of vitamin C on gastric cancer cells and *Helicobacter pylori*, 165
Zhu SS see Xiao SD et al
Zick Y see Nagy N et al
Zimmel DN see Blikslager AT et al
Zimmerman S see Phillips RKS et al
Zimmermann A see Friess H et al
Zingaro B see Biasi F et al
Zolfino T et al. Characteristics of autoimmune hepatitis in patients who are not of European Caucasoid ethnic origin, 713
Zoli G see Trevisani F et al