

Subject index

- 5' non-translated region**, Association between severity of type A hepatitis and nucleotide variations in the 5' non-translated region of hepatitis A virus RNA: strains from fulminant hepatitis have fewer nucleotide substitutions, **82**
- 5-aminosalicylic acid**, Which 5-ASA?, **548**
- 5-HT agonist**, Pharmacotherapy, **196**
Serotonergic modulation of visceral sensation: upper gastrointestinal tract, **177**
- 5-HT antagonist**, Pharmacotherapy, **196**
Serotonergic modulation of visceral sensation: upper gastrointestinal tract, **177**
- α_2 **adrenoceptor agonists** Pharmacotherapy: non-serotonergic mechanisms, **187**
- α_2 **adrenoceptor agonists** Pharmacotherapy, **196**
- ABCG5/8**, Comparison of the hepatic clearances of campesterol, sitosterol, and cholesterol in healthy subjects suggests that efflux transporters controlling intestinal sterol absorption also regulate biliary secretion, **860**
- acetaldehyde**, Cocarcinogenic effects of alcohol in hepatocarcinogenesis: review, **132**
- acid secretion**, Impact of acid secretion, gastritis, and mucus thickness on gastric transfer of antibiotics in rats, **490**
- acid suppression**, Upper gastrointestinal bleeding and surrogate end points: letter, **140**
Upper gastrointestinal bleeding and surrogate end points: letter, **140**
- acromegaly**, Screening guidelines for colorectal cancer and polyps in patients with acromegaly, **v13**
- activation peptide**, Serum levels of procarboxypeptidase B and its activation peptide in patients with acute pancreatitis and non-pancreatic diseases, **229**
- acupuncture**, Acupuncture for gastrointestinal disorders: myth or magic, **617**
- acute cholangitis**, A randomised controlled trial of endoscopic sphincterotomy in acute cholangitis without common bile duct stones, **245**
Evaluating ERCP is important but difficult, **287**
- acute fatty liver of pregnancy**, Prospective study of liver dysfunction in pregnancy in Southwest Wales, **876**
- acute hepatitis**, Association between severity of type A hepatitis and nucleotide variations in the 5' non-translated region of hepatitis A virus RNA: strains from fulminant hepatitis have fewer nucleotide substitutions, **82**
- acute pancreatitis**, Pancreatic stellate cells contribute to regeneration early after acute necrotising pancreatitis in humans, **574**
Serum levels of procarboxypeptidase B and its activation peptide in patients with acute pancreatitis and non-pancreatic diseases, **229**
- acute phase proteins**, Overexpression of α_1 -acid glycoprotein in transgenic mice leads to sensitisation to acute colitis, **398**
- adenomatous polyposis coli**, Intraductal papillary and mucinous pancreatic tumour: a new extracolonic tumour in familial adenomatous polyposis, **446**
- adenomatous polyps**, Effect of folate supplementation on mucosal cell proliferation in high risk patients for colon cancer, **195**
- adhesion molecules**, High frequency of autoantibodies in patients with primary sclerosing cholangitis that bind biliary epithelial cells and induce expression of CD44 and production of interleukin 6, **120**
- afferent nervous system**, Visceral perception: sensory transduction in visceral afferents and nutrients, **i11**
- age**, Current guidelines fail young patients with oesophagogastric cancer, **296**
- airway protection**, Effect of chronic and acute cigarette smoking on the pharyngoglottal closure reflex, **771**
- alcohol**, Alcohol abuse and the risk of pancreatic cancer, **236**
Cocarcinogenic effects of alcohol in hepatocarcinogenesis: review, **132**
Rectal proliferation and alcohol abuse, **611**
- alicaforfen**, Double blind, placebo controlled trial of the remission inducing and steroid sparing properties of an ICAM-1 antisense oligodeoxynucleotide, alicaforfen (ISIS 2302), in active steroid dependent Crohn's disease, **30**
- allergy**, Aberrant composition of gut microbiota of allergic infants: a target of bifidobacterial therapy at weaning?, **51**
- amylase**, Serum levels of procarboxypeptidase B and its activation peptide in patients with acute pancreatitis and non-pancreatic diseases, **229**
- anismus**, Is anorectal endosonography valuable in dyschesia?, **695**
- anorectal endosonography**, Is anorectal endosonography valuable in dyschesia?, **695**
- anterior cingulate nucleus**, Role of the brain and sensory pathways in gastrointestinal sensory disorders in humans, **i29**
- antibiotics**, Impact of acid secretion, gastritis, and mucus thickness on gastric transfer of antibiotics in rats, **490**
- antiendomysial antibodies**, Invasive or non-invasive methods for the diagnosis of subclinical coeliac disease?, **455**
- antigen presenting cell**, T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- antireflux surgery**, Laparoscopic fundoplication is the treatment of choice for gastro-oesophageal reflux disease, **468**
Laparoscopic fundoplication is the treatment of choice for gastro-oesophageal reflux disease, **472**
- antisense oligonucleotides**, ICAM-1 and VCAM-1 antisense oligonucleotides attenuate in vivo leucocyte adherence and inflammation in rat inflammatory bowel disease, **529**
- anti-tissue transglutaminase antibodies**, Anti-tissue transglutaminase antibodies from coeliac patients inhibit transglutaminase activity both in vitro and in situ, **177**
- APC**, Explaining variation in familial adenomatous polyposis: relationship between genotype and phenotype and evidence for modifier genes, **420**
Infection and irritability, **305**
- apolipoprotein A-IV**, Visceral perception: sensory transduction in visceral afferents and nutrients, **i11**
- apoptosis resistance**, Pk11195, a mitochondrial benzodiazepine receptor antagonist, reduces apoptosis threshold in Bcl-X_L and Mcl-1 expressing human cholangiocarcinoma cells, **556**
- apoptosis**, Regression of Peyer's patches in Gxi2 deficient mice prior to colitis is associated with reduced expression of Bcl-2 and increased apoptosis, **392**
Relationship between *Helicobacter pylori* babA2 status with gastric epithelial cell turnover and premalignant gastric lesions, **480**
- appendectomy**, Cigarette smoking, appendectomy, and tonsillectomy as risk factors for the development of primary sclerosing cholangitis: a case control study, **567**
- appendicectomy**, Appendix redux, **764**
Effects of appendicectomy on the course of ulcerative colitis, **803**
Protective role of appendicectomy on onset and severity of ulcerative colitis and Crohn's disease, **808**
- appendicitis**, Acute appendicitis in Japanese soldiers in Burma: support for the "fibre" theory, **297**
Appendix redux, **764**
Protective role of appendicectomy on onset and severity of ulcerative colitis and Crohn's disease, **808**
- argon plasma coagulation**, Argon plasma coagulation therapy for ablation of Barrett's oesophagus, **763**
Efficacy and one year follow up of argon plasma coagulation therapy for ablation of Barrett's oesophagus: factors determining persistence and recurrence of Barrett's epithelium, **776**
- arterial blood volume**, Terlipressin and arterial blood volume after paracentesis for tense ascites in cirrhosis, **755**
- ascites**, Renal tubular events following passage from the supine to the standing position in patients with compensated liver cirrhosis: loss of tubuloglomerular feedback, **736**
- asymptomatic carrier**, Histological features and HLA class II alleles in hepatitis C virus chronically infected patients with persistently normal alanine aminotransferase levels, **585**
- atrophic gastritis**, Hepatocellular carcinoma: is current therapy really altering outcome?, **459**
Impact of *Helicobacter pylori* infection and mucosal atrophy on gastric lesions in patients with familial adenomatous polyposis, **485**
Risk of gastric carcinoma in patients with atrophic gastritis and intestinal metaplasia, **899**
Timing and sampling in surveillance of premalignant gastric lesions, **896**
- autism**, Effect of Pentavac and measles-mumps-rubella (MMR) vaccination on the intestine, **816**
- autoimmune disease**, Coeliac disease and the risk of autoimmune disorders, **897**
Coeliac disease and the risk of autoimmune disorders, **897**
- autoimmune disorders**, Gluten exposure and risk of autoimmune disorders: letter, **140**
- autoimmune hepatitis**, Establishment of standardised SLA/LP immunoassays: specificity for autoimmune hepatitis, worldwide occurrence, and clinical characteristics, **259**
- autoimmune liver diseases**, High frequency of autoantibodies in patients with primary sclerosing cholangitis that bind biliary epithelial cells and induce expression of CD44 and production of interleukin 6, **120**
- autoimmune pancreatitis**, Autoimmune related pancreatitis: review, **1**
- autonomic innervation**, Slow transit constipation: more than one disease?, **610**
- autophagocytosis**, Autophagocytosis of the apical membrane in microvillus inclusion disease, **514**

- azathioprine**, TPMT in the treatment of Crohn's disease with azathioprine, **143**
- β -defensin** Modulation of host antimicrobial peptide (β -defensins 1 and 2) expression during gastritis, **356**
- babA2*** Relationship between *Helicobacter pylori babA2* status with gastric epithelial cell turnover and premalignant gastric lesions, **480**
- B cell attracting chemokine 1**, B cell attracting chemokine 1 (CXCL13) and its receptor CXCR5 are expressed in normal and aberrant gut associated lymphoid tissue, **364**
- barostat**, Non-invasive measurement of gastric accommodation in humans, **159**
- Role of nitric oxide in gastric motor and sensory functions in healthy subjects, **212**
- Testing the sensitivity hypothesis in practice: tools and methods, assumptions and pitfalls, **134**
- Barrett's oesophagus**, Argon plasma coagulation therapy for ablation of Barrett's oesophagus, **763**
- Cytokeratin immunoreactivity of intestinal metaplasia, **894**
- Cytokeratin immunoreactivity of intestinal metaplasia, **894**
- Efficacy and one year follow up of argon plasma coagulation therapy for ablation of Barrett's oesophagus: factors determining persistence and recurrence of Barrett's epithelium, **776**
- Endoscopic surveillance of patients with Barrett's oesophagus, **313**
- Endoscopic surveillance of patients with Barrett's oesophagus, **314**
- Familial aggregation of Barrett's oesophagus, oesophageal adenocarcinoma, and oesophagogastric junctional adenocarcinoma in Caucasian adults, **323**
- Inflammatory gradient in Barrett's oesophagus: implications for disease complications, **316**
- Bcl-X_L**, Pk11195, a mitochondrial benzodiazepine receptor antagonist, reduces apoptosis threshold in Bcl-X_L and Mcl-1 expressing human cholangiocarcinoma cells, **556**
- Bhutani MS, Tandon RK, editors**. Recent Advances in Gastrointestinal Endoscopy book reviews, **298**
- bifidobacteria**, Aberrant composition of gut microbiota of allergic infants: a target of bifidobacterial therapy at weaning?, **51**
- bile reflux**, Bile reflux gastritis and intestinal metaplasia at the cardia, **351**
- biliary cancer**, Guidelines for the diagnosis and treatment of cholangiocarcinoma: consensus document, **vi1**
- biliary excretion**, Comparison of the hepatic clearances of campesterol, sitosterol, and cholesterol in healthy subjects suggests that efflux transporters controlling intestinal sterol absorption also regulate biliary secretion, **860**
- bilirubin**, Causes of obvious jaundice in South West Wales, **613**
- biofeedback**, Slow transit constipation: more than one disease?, **610**
- biomaterial injection**, Injectable silicone biomaterial for faecal incontinence due to internal anal sphincter dysfunction, **225**
- biopsy**, Non-alcoholic steatohepatitis (NASH): why biopsy?, **898**
- Non-alcoholic steatohepatitis (NASH): why biopsy?, **898**
- bleeding varices**, Mortality with oesophageal varices: different things to different people, **894**
- body mass index**, Serum leptin and body mass index in children with *H. pylori* infection: letter, **142**
- body weight**, Obesity and colorectal cancer risk in women, **191**
- TPMT in the treatment of Crohn's disease with azathioprine, **143**
- bone mineral density**, High prevalence of osteoporotic vertebral fractures in patients with Crohn's disease, **654**
- breast feeding**, Aberrant composition of gut microbiota of allergic infants: a target of bifidobacterial therapy at weaning?, **51**
- Breast milk against coeliac disease, **767**
- Effect of breast milk and weaning on epithelial growth of the small intestine in humans, **748**
- C peptide deconvolution**, Mechanisms of hyperinsulinaemia in Child's disease grade B liver cirrhosis investigated in free living conditions, **870**
- cagA**, Toxigenic *Helicobacter pylori* induces changes in the gastric mucosal microcirculation in rats, **641**
- calcium**, Extracellular calcium sensing receptor in human pancreatic cells, **705**
- calorie restriction**, A long hard look at Dukes' B, **6**
- Effect of weight reduction on liver histology and biochemistry in patients with chronic hepatitis C, **89**
- campesterol**, Comparison of the hepatic clearances of campesterol, sitosterol, and cholesterol in healthy subjects suggests that efflux transporters controlling intestinal sterol absorption also regulate biliary secretion, **860**
- Campylobacter** Trends in indigenous foodborne disease and deaths, England and Wales: 1992 to 2000, **832**
- cancer registries**, Colon cancer in France: evidence for improvement in management and survival, **60**
- cancer**, Expression of CDX2 in normal and neoplastic human colon tissue and during differentiation of an in vitro model system, **184**
- carboxypeptidase B**, Serum levels of procarboxypeptidase B and its activation peptide in patients with acute pancreatitis and non-pancreatic diseases, **229**
- carcinoma**, Acupuncture for gastrointestinal disorders: myth or magic, **617**
- Gastrointestinal epithelial neoplasia: Vienna revisited: review, **130**
- Observer variation in the diagnosis of superficial oesophageal adenocarcinoma, **671**
- cardiovascular disease**, Hyperlipidaemic state and cardiovascular risk in primary biliary cirrhosis, **265**
- CD30**, Heterogeneity of intraepithelial lymphocytes in refractory sprue: potential implications of CD30 expression, **372**
- T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- CDX1**, Expression of CDX2 in normal and neoplastic human colon tissue and during differentiation of an in vitro model system, **184**
- CDX2**, Expression of CDX2 in normal and neoplastic human colon tissue and during differentiation of an in vitro model system, **184**
- cell adhesion molecules**, ICAM-1 and VCAM-1 antisense oligonucleotides attenuate in vivo leucocyte adherence and inflammation in rat inflammatory bowel disease, **529**
- cell cycle deregulation**, INK4a-ARF alterations in liver cell adenoma, **253**
- cellular glucose transport**, Visceral perception: sensory transduction in visceral afferents and nutrients, **111**
- cellular immunology**, Suppressor T cells, rebranded as regulatory T cells, emerge from the wilderness bearing surface markers, **311**
- central nervous system**, Role of nerves in enteric infection, **759**
- chemokine**, Colonic epithelial cells are a major site of macrophage inflammatory protein 3 α (MIP-3 α) production in normal colon and inflammatory bowel disease, **818**
- chemoprevention**, Effect of folate supplementation on mucosal cell proliferation in high risk patients for colon cancer, **195**
- children**, Adult height in patients with early onset of Crohn's disease, **26**
- Chinese**, Double blind, randomised, placebo controlled study of four weeks of lansoprazole for the treatment of functional dyspepsia in Chinese patients, **502**
- Functional dyspepsia: bye-bye to PPIs, **464**
- cholangiocarcinoma**, Guidelines for the diagnosis and treatment of cholangiocarcinoma: consensus document, **vi1**
- Natural history of primary sclerosing cholangitis and prognostic value of cholangiography in a Dutch population, **562**
- Patients with small duct primary sclerosing cholangitis have a favourable long term prognosis, **731**
- Pk11195, a mitochondrial benzodiazepine receptor antagonist, reduces apoptosis threshold in Bcl-X_L and Mcl-1 expressing human cholangiocarcinoma cells, **556**
- cholecystokinin**, Food and hypersensitivity in functional dyspepsia, **i50**
- Neuroanatomy of visceral nociception: vagal and splanchnic afferent, **i2**
- The role of fat and cholecystokinin in functional dyspepsia, **i54**
- Visceral perception: sensory transduction in visceral afferents and nutrients, **i11**
- cholestasis**, Hepatoprotection with tauroursodeoxycholate and β muricholate against tauroolithocholate induced cholestasis: involvement of signal transduction pathways, **113**
- cholestatic pruritus**, Rifampicin and treatment of cholestatic pruritus, **756**
- cholesterol**, Comparison of the hepatic clearances of campesterol, sitosterol, and cholesterol in healthy subjects suggests that efflux transporters controlling intestinal sterol absorption also regulate biliary secretion, **860**
- Hyperlipidaemic state and cardiovascular risk in primary biliary cirrhosis, **265**
- chromatin crosslinking and immunoprecipitation**, Gastroprotective peptide trefoil factor family 2 gene is activated by upstream stimulating factor but not by c-Myc in gastrointestinal cancer cells, **685**
- chronic gastritis**, Regression of fundic gland polyps following acquisition of *Helicobacter pylori*, **742**
- chronic hepatitis B carriers**, Acute hepatitis C virus (HCV) infection in chronic carriers of hepatitis B virus (HBV): the impact of underlying active HBV replication on persistence of HCV infection and antibody responses to HCV, **95**
- chronic hepatitis**, Histological features and HLA class II alleles in hepatitis C virus chronically infected patients with persistently normal alanine aminotransferase levels, **585**
- Regulation of circulating immune complexes by complement receptor type 1 on erythrocytes in chronic viral liver diseases, **591**
- chronic pancreatitis**, Risk of pancreatic adenocarcinoma in chronic pancreatitis, **849**
- Risk of pancreatic ductal adenocarcinoma in chronic pancreatitis, **765**
- cirrhosis**, Cardiac response to exercise in cirrhosis, **755**

- Renal tubular events following passage from the supine to the standing position in patients with compensated liver cirrhosis: loss of tubuloglomerular feedback, **736**
- Terlipressin and arterial blood volume after paracentesis for tense ascites in cirrhosis, **755**
- cirrhotic rats**, In vivo gene transfer of endothelial nitric oxide synthase decreases portal pressure in anaesthetised carbon tetrachloride cirrhotic rats, **440**
- classification**, Distinction between "high grade MALT" and diffuse large B cell lymphoma, **893**
- Distinction between "high grade MALT" and diffuse large B cell lymphoma, **893**
- clonality**, Polyclonal nature of diffuse proliferation of interstitial cells of Cajal in patients with familial and multiple gastrointestinal stromal tumours, **793**
- Clostridium difficile** Intravenous immunoglobulin for recurrent *Clostridium difficile* diarrhoea, **456**
- Clostridium difficile** toxins Antidiarrhoeal properties of a novel sigma ligand (JO 2871) on toxigenic diarrhoea in mice: mechanisms of action, **522**
- c-Myc**, Gastroprotective peptide trefoil factor family 2 gene is activated by upstream stimulating factor but not by c-Myc in gastrointestinal cancer cells, **685**
- cocarcinogen**, Cocarcinogenic effects of alcohol in hepatocarcinogenesis: *review*, **132**
- coeliac disease**, Anti-tissue transglutaminase antibodies from coeliac patients inhibit transglutaminase activity both in vitro and in situ, **177**
- Breast milk against coeliac disease, **767**
- Coeliac disease and the risk of autoimmune disorders, **897**
- Coeliac disease and the risk of autoimmune disorders, **897**
- Gluten exposure and risk of autoimmune disorders: *letter*, **140**
- Invasive or non-invasive methods for the diagnosis of subclinical coeliac disease?, **455**
- Oats and coeliac disease, **757**
- Oats and coeliac disease, **757**
- cohort studies**, Obesity and colorectal cancer risk in women, **191**
- collagenase**, Upregulation of matrix metalloproteinases in a model of T cell mediated tissue injury in the gut: analysis by gene array and in situ hybridisation, **540**
- colon cancer**, A place for TACE, **5**
- Identification of objective pathological prognostic determinants and models of prognosis in Dukes' B colon cancer, **65**
- colon carcinoma**, Colon cancer in France: evidence for improvement in management and survival, **60**
- colonic neoplasia**, Performance of multidetector computed tomography colonography compared with conventional colonoscopy, **207**
- colonic phenotypic change**, Mucin gene expression in the ileoanal reservoir is altered and may be relevant to the risk of inflammation and dysplasia, **386**
- colon**, Cholinergic and nitrergic interneurons in the myenteric plexus of the human colon, **70**
- Explaining variation in familial adenomatous polyposis: relationship between genotype and phenotype and evidence for modifier genes, **420**
- Expression of CDX2 in normal and neoplastic human colon tissue and during differentiation of an in vitro model system, **184**
- Infection and irritability, **305**
- colonography**, Performance of multidetector computed tomography colonography compared with conventional colonoscopy, **207**
- colorectal adenoma**, Risk related surveillance following colorectal polypectomy, **424**
- colorectal cancer**, Characterisation of colorectal cancers showing hypermethylation at multiple CpG islands, **797**
- Do those with positive faecal occult blood tests need upper gastrointestinal investigations if no colorectal cancer cause is found?, **466**
- Guidance on gastrointestinal surveillance for hereditary non-polyposis colorectal cancer, familial adenomatous polyposis, juvenile polyposis, and Peutz-Jeghers syndrome, **v21**
- Guidance on large bowel surveillance for people with two first degree relatives with colorectal cancer or one first degree relative diagnosed colorectal cancer under 45 years, **v17**
- Guidelines for colorectal cancer screening in high risk groups, **v1**
- Guidelines for follow up after resection of colorectal cancer, **v3**
- Guidelines for monitoring of patients with ureterosigmoidostomy, **v15**
- Guidelines for screening and surveillance of asymptomatic colorectal cancer in patients with inflammatory bowel disease, **v10**
- Obesity and colorectal cancer risk in women, **191**
- Rectal proliferation and alcohol abuse, **611**
- Screening guidelines for colorectal cancer and polyps in patients with acromegaly, **v13**
- Surveillance guidelines after removal of colorectal adenomatous polyps, **v6**
- TPMT in the treatment of Crohn's disease with azathioprine, **143**
- Transient mismatch repair gene transfection for functional analysis of genetic hMLH1 and hMSH2 variants, **677**
- colorectal carcinoma**, Frequent loss of SMAD4/DPC4 protein in colorectal cancers, **56**
- colorectal polypectomy**, Risk related surveillance following colorectal polypectomy, **424**
- colorectal tumour**, Flat and depressed colorectal tumours in a southern Swedish population: a prospective chromoendoscopic and histopathological study, **550**
- complement receptor type 1**, Regulation of circulating immune complexes by complement receptor type 1 on erythrocytes in chronic viral liver diseases, **591**
- computed tomography**, Performance of multidetector computed tomography colonography compared with conventional colonoscopy, **207**
- constipation**, Is anorectal endosonography valuable in dyschesia?, **695**
- Slow transit constipation: more than one disease?, **610**
- contrast echocardiography**, Hepatopulmonary syndrome: prevalence and predictive value of various cut offs for arterial oxygenation and their clinical consequences, **853**
- corpus**, Regression of fundic gland polyps following acquisition of *Helicobacter pylori*, **742**
- corticotrophin releasing hormone**, Role of thyrotrophin releasing hormone and corticotrophin releasing factor in stress related alterations of gastrointestinal motor function, **145**
- CpG island methylator phenotype**, Characterisation of colorectal cancers showing hypermethylation at multiple CpG islands, **797**
- Crohn's disease**, Activation of signal transducer and activator of transcription (STAT) 1 in human chronic inflammatory bowel disease, **379**
- Adult height in patients with early onset of Crohn's disease, **26**
- Anti-tumour necrosis factor therapy in Crohn's disease: where are we now?, **362**
- Appendix redux, **764**
- Autoimmune related pancreatitis, **1**
- Behaviour of Crohn's disease according to the Vienna classification, **614**
- Crohn's disease recurrence can be prevented after ileal resection, **152**
- Crohn's disease recurrence can be prevented after ileal resection, **153**
- Double blind, placebo controlled trial of the remission inducing and steroid sparing properties of an ICAM-1 antisense oligodeoxynucleotide, alicaforsen (ISIS 2302), in active steroid dependent Crohn's disease, **30**
- Fat composition may be a clue to explain the primary therapeutic effect of enteral nutrition in Crohn's disease: results of a double blind randomised multicentre European trial, **164**
- High prevalence of osteoporotic vertebral fractures in patients with Crohn's disease, **654**
- Ileal Crohn's disease is best treated by surgery, **11**
- Ileal Crohn's disease is best treated by surgery, **13**
- In siblings with similar genetic susceptibility for inflammatory bowel disease, smokers tend to develop Crohn's disease and non-smokers develop ulcerative colitis, **21**
- Ineffectiveness of probiotics in preventing recurrence after curative resection for Crohn's disease: a randomised controlled trial with *Lactobacillus* GG, **405**
- New steroids for IBD: progress report, **182**
- No seasonality in month of birth of inflammatory bowel disease cases: a prospective population based study of British under 20 year olds, **814**
- PCR detection of *Mycobacterium paratuberculosis* in Crohn's disease granulomas isolated by laser capture microdissection, **665**
- Protective role of appendectomy on onset and severity of ulcerative colitis and Crohn's disease, **808**
- TPMT in the treatment of Crohn's disease with azathioprine, **143**
- Tumour necrosis factor α converting enzyme (TACE) activity in the colonic mucosa of patients with inflammatory bowel disease, **37**
- Which 5-ASA?, **548**
- CXC chemokine receptor 5**, B cell attracting chemokine 1 (CXCL13) and its receptor CXCR5 are expressed in normal and aberrant gut associated lymphoid tissue, **364**
- cytochrome P450**, Cocarcinogenic effects of alcohol in hepatocarcinogenesis: *review*, **132**
- cytokeratins**, Cytokeratin immunoreactivity of intestinal metaplasia, **894**
- Cytokeratin immunoreactivity of intestinal metaplasia, **894**
- cytokines**, Centrally acting agents and visceral sensitivity, **i91**
- High frequency of autoantibodies in patients with primary sclerosing cholangitis that bind biliary epithelial cells and induce expression of CD44 and production of interleukin 6, **120**
- Increased mucosal tumour necrosis factor α production in Crohn's disease can be downregulated ex vivo by probiotic bacteria, **659**
- Inflammatory gradient in Barrett's oesophagus: implications for disease complications, **316**

- DBcAMP cell signalling**, Hepatoprotection with tauroursodeoxycholate and β muricholate against tauroolithocholate induced cholestasis: involvement of signal transduction pathways, **113**
- depressed adenoma**, Flat and depressed colorectal tumours in a southern Swedish population: a prospective chromoendoscopic and histopathological study, **550**
- dextran sodium sulphate**, Overexpression of α_1 -acid glycoprotein in transgenic mice leads to sensitisation to acute colitis, **398**
- diabetes**, Motilin agonists and dyspepsia: throwing out the baby with the bath water, **612**
- diagnosis**, Establishment of standardised SLA/LP immunoassays: specificity for autoimmune hepatitis, worldwide occurrence, and clinical characteristics, **259**
- diarrhoea**, Antidiarrhoeal properties of a novel sigma ligand (JO 2871) on toxigenic diarrhoea in mice: mechanisms of action, **522**
- Intravenous immunoglobulin for recurrent *Clostridium difficile* diarrhoea, **456**
- dietary iron content**, Duodenal mRNA expression of iron related genes in response to iron loading and iron deficiency in four strains of mice, **648**
- diet**, Oats and coeliac disease, **757**
- differentiation**, Expression of CDX2 in normal and neoplastic human colon tissue and during differentiation of an in vitro model system, **184**
- distension tests**, Role of visceral sensitivity in the pathophysiology of irritable bowel syndrome, **i67**
- divalent metal transporter 1**, Molecular pathogenesis of iron overload, **290**
- donor age**, Advancing donor liver age and rapid fibrosis progression following transplantation for hepatitis C, **248**
- dorsal horn neurones**, Role of the brain and sensory pathways in gastrointestinal sensory disorders in humans, **i29**
- doubling time**, Augmentation effect of postprandial hyperinsulinaemia on growth of human hepatocellular carcinoma, **100**
- DPC4**, Frequent loss of SMAD4/DPC4 protein in colorectal cancers, **56**
- drug costs**, Reducing dyspepsia costs in the community, **613**
- Dukes' stage B**, A place for TACE, **5**
- Identification of objective pathological prognostic determinants and models of prognosis in Dukes' B colon cancer, **65**
- duodenal iron absorption**, Duodenal mRNA expression of iron related genes in response to iron loading and iron deficiency in four strains of mice, **648**
- duodenal ulcer**, Influence of sex and *Helicobacter pylori* on development and healing of gastroduodenal lesions in non-steroidal anti-inflammatory drug users, **344**
- Relative contribution of mucosal injury and *Helicobacter pylori* in the development of gastroduodenal lesions in patients taking non-steroidal anti-inflammatory drugs, **336**
- dyschesia**, Is anorectal endosonography valuable in dyschesia?, **695**
- dyspepsia**, Current guidelines fail young patients with oesophagogastric cancer, **296**
- Motilin agonists and dyspepsia: throwing out the baby with the bath water, **612**
- Primary prevention of diclofenac associated ulcers and dyspepsia by omeprazole or triple therapy in *Helicobacter pylori* positive patients: a randomised, double blind, placebo controlled, clinical trial, **329**
- Reducing dyspepsia costs in the community, **613**
- Risk factors for ulcer development in patients with non-ulcer dyspepsia: a prospective two year follow up study of 209 patients, **15**
- dyspeptic symptoms**, The role of fat and cholecystokinin in functional dyspepsia, **i54**
- dysplasia**, Mucin gene expression in the ileoanal reservoir is altered and may be relevant to the risk of inflammation and dysplasia, **386**
- early endosomes**, Autophagocytosis of the apical membrane in microvillus inclusion disease, **514**
- emotion**, Visceral sensation and emotion: a study using hypnosis, **701**
- endoscopic mucosal resection**, A case of primary low grade mucosa associated lymphoid tissue (MALT) lymphoma of the oesophagus, **281**
- Obesity, gender, and colon cancer, **147**
- endoscopic recurrence**, Ineffectiveness of probiotics in preventing recurrence after curative resection for Crohn's disease: a randomised controlled trial with *Lactobacillus* GG, **405**
- endoscopic retrograde cholangiopancreatography**, Endoscopic transpapillary biopsies and intraductal ultrasonography in the diagnostics of bile duct strictures: a prospective study, **240**
- endoscopic sphincterotomy**, A randomised controlled trial of endoscopic sphincterotomy in acute cholangitis without common bile duct stones, **245**
- Evaluating ERCP is important but difficult, **287**
- endoscopic ultrasound**, Endoscopic transpapillary biopsies and intraductal ultrasonography in the diagnostics of bile duct strictures: a prospective study, **240**
- endoscopy**, All that glitters is not gold, **623**
- Current guidelines fail young patients with oesophagogastric cancer, **296**
- endoscopy**, Endoscopic surveillance of patients with Barrett's oesophagus, **313**
- endoscopy**, Endoscopic surveillance of patients with Barrett's oesophagus, **314**
- endosonography**, Diagnosis, treatment decisions, and follow up in primary gastric lymphoma, **621**
- Endoscopic ultrasound in the follow up and response assessment of patients with primary gastric lymphoma, **691**
- endothelin B receptor**, Abnormalities of the enteric nervous system in heterozygous endothelin B receptor deficient (spotting lethal) rats resembling intestinal neuronal dysplasia, **414**
- energy**, Absorption and metabolism of octanoate by the rat colon in vivo: concentration dependency and influence of alternative fuels, **76**
- enteral nutrition**, Fat composition may be a clue to explain the primary therapeutic effect of enteral nutrition in Crohn's disease: results of a double blind randomised multicentre European trial, **164**
- enteric infection**, Role of nerves in enteric infection, **759**
- enteric nervous system**, Abnormalities of the enteric nervous system in heterozygous endothelin B receptor deficient (spotting lethal) rats resembling intestinal neuronal dysplasia, **414**
- enterochromaffin cells**, Visceral perception: sensory transduction in visceral afferents and nutrients, **i11**
- enterocyte**, Colonic epithelial cells are a major site of macrophage inflammatory protein 3 α (MIP-3 α) production in normal colon and inflammatory bowel disease, **818**
- enterocytes**, Lipopolysaccharide modulation of normal enterocyte turnover by toll-like receptors is mediated by endogenously produced tumour necrosis factor α , **842**
- enteroendocrine cells**, Visceral perception: sensory transduction in visceral afferents and nutrients, **i11**
- enteropathy**, Defining the roles of perforin, Fas/FasL, and tumour necrosis factor α in T cell induced mucosal damage in the mouse intestine, **155**
- Heterogeneity of intraepithelial lymphocytes in refractory sprue: potential implications of CD30 expression, **372**
- T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- epidemiology**, Acute appendicitis in Japanese soldiers in Burma: support for the "fibre" theory, **297**
- epidermal growth factor receptor**, Characterisation of oestrogen receptor, progesterone receptor, trefoil factor 1, and epidermal growth factor and its receptor in pancreatic cystic neoplasms and pancreatic ductal adenocarcinoma, **712**
- epidermal growth factor**, Characterisation of oestrogen receptor, progesterone receptor, trefoil factor 1, and epidermal growth factor and its receptor in pancreatic cystic neoplasms and pancreatic ductal adenocarcinoma, **712**
- erythrocytes**, Regulation of circulating immune complexes by complement receptor type 1 on erythrocytes in chronic viral liver diseases, **591**
- Escherichia coli**, Safety and efficacy of low dose *Escherichia coli* enterotoxin adjuvant for urease based oral immunisation against *Helicobacter pylori* in healthy volunteers, **634**
- Escherichia coli heat stable toxin**, Antidiarrhoeal properties of a novel sigma ligand (JO 2871) on toxigenic diarrhoea in mice: mechanisms of action, **522**
- Escherichia coli O157**, Trends in indigenous foodborne disease and deaths, England and Wales: 1992 to 2000, **832**
- excitability**, Gastric hyperalgesia and changes in voltage gated sodium channel function in the rat, **i15**
- exercise**, Cardiac response to exercise in cirrhosis, **755**
- extracellular calcium sensing receptor**, Extracellular calcium sensing receptor in human pancreatic cells, **705**
- extracellular signal regulated kinases**, Extracellular signal regulated kinases are key mediators of mitogenic signals in rat pancreatic stellate cells, **579**
- extrahepatic portal vein thrombosis**, Aetiology of extrahepatic portal vein thrombosis, **755**
- faecal incontinence**, Injectable silicone biomaterial for faecal incontinence due to internal anal sphincter dysfunction, **225**
- Sacral nerve stimulation for faecal incontinence due to systemic sclerosis, **881**
- faecal occult blood test**, Do those with positive faecal occult blood tests need upper gastrointestinal investigations if no colorectal cancer cause is found?, **466**
- familial adenomatous polyposis**, Explaining variation in familial adenomatous polyposis: relationship between genotype and phenotype and evidence for modifier genes, **420**
- Hepatocellular carcinoma: is current therapy really altering outcome?, **459**
- Impact of *Helicobacter pylori* infection and mucosal atrophy on gastric lesions in patients with familial adenomatous polyposis, **485**
- Infection and irritability, **305**

- Intraductal papillary and mucinous pancreatic tumour: a new extracolonic tumour in familial adenomatous polyposis, **446**
- Serrated adenomas in FAP, **895**
- Serrated adenomas in FAP, **895**
- family studies**, In siblings with similar genetic susceptibility for inflammatory bowel disease, smokers tend to develop Crohn's disease and non-smokers develop ulcerative colitis, **21**
- Fas**, Defining the roles of perforin, Fas/FasL, and tumour necrosis factor α in T cell induced mucosal damage in the mouse intestine, **155**
- fat digestion**, The role of fat and cholecystokinin in functional dyspepsia, **i54**
- fatigue, chronic hepatitis C, leptin**, Fatigue is associated with high circulating leptin levels in chronic hepatitis C, **434**
- fat**, Absorption and metabolism of octanoate by the rat colon in vivo: concentration dependency and influence of alternative fuels, **76**
- Fat composition may be a clue to explain the primary therapeutic effect of enteral nutrition in Crohn's disease: results of a double blind randomised multicentre European trial, **164**
- The role of fat and cholecystokinin in functional dyspepsia, **i54**
- fatty liver**, A long hard look at Dukes' B, **6**
- Effect of weight reduction on liver histology and biochemistry in patients with chronic hepatitis C, **89**
- ferroportin**, Molecular pathogenesis of iron overload, **290**
- fibre**, Acute appendicitis in Japanese soldiers in Burma: support for the "fibre" theory, **297**
- fibrosis progression**, Advancing donor liver age and rapid fibrosis progression following transplantation for hepatitis C, **248**
- fibrosis**, A long hard look at Dukes' B, **6**
- Effect of weight reduction on liver histology and biochemistry in patients with chronic hepatitis C, **89**
- flat adenoma**, Flat and depressed colorectal tumours in a southern Swedish population: a prospective chromoendoscopic and histopathological study, **550**
- folate**, Effect of folate supplementation on mucosal cell proliferation in high risk patients for colon cancer, **195**
- food allergy**, Food and hypersensitivity in functional dyspepsia, **i50**
- food poisoning**, Trends in indigenous foodborne disease and deaths, England and Wales: 1992 to 2000, **832**
- fulminant hepatitis**, Association between severity of type A hepatitis and nucleotide variations in the 5' non-translated region of hepatitis A virus RNA: strains from fulminant hepatitis have fewer nucleotide substitutions, **82**
- functional dyspepsia**, Double blind, randomised, placebo controlled study of four weeks of lansoprazole for the treatment of functional dyspepsia in Chinese patients, **502**
- Food and hypersensitivity in functional dyspepsia, **i50**
- Functional dyspepsia: bye-bye to PPIs, **464**
- Hypersensitivity in functional gastrointestinal disorders, **i25**
- Investigation of visceral sensation in humans, **i58**
- Pathophysiology of functional dyspepsia, **i63**
- Sensation and gas dynamics in functional gastrointestinal disorders, **i72**
- functional gastrointestinal disorders**, Hypersensitivity in functional gastrointestinal disorders, **i25**
- Role of visceral sensitivity in functional disorders, **i76**
- Testing the sensitivity hypothesis in practice: tools and methods, assumptions and pitfalls, **134**
- functional heartburn**, Functional heartburn: the stimulus, the pain, and the brain, **885**
- fundic gland differentiation**, Sonic hedgehog expression correlates with fundic gland differentiation in the adult gastrointestinal tract, **628**
- fundic gland polyposis**, Hepatocellular carcinoma: is current therapy really altering outcome?, **459**
- Impact of *Helicobacter pylori* infection and mucosal atrophy on gastric lesions in patients with familial adenomatous polyposis, **485**
- fundic gland**, Sonic hedgehog expression correlates with fundic gland differentiation in the adult gastrointestinal tract, **628**
- fundoplication**, Laparoscopic fundoplication is the treatment of choice for gastro-oesophageal reflux disease, **468**
- SPECT imaging of the stomach: comparison with barostat, and effects of sex, age, body mass index, and fundoplication, **781**
- fundoplication**, Laparoscopic fundoplication is the treatment of choice for gastro-oesophageal reflux disease, **472**
- gall stones**, Causes of obvious jaundice in South West Wales, **613**
- gas dynamics**, Sensation and gas dynamics in functional gastrointestinal disorders, **i72**
- gastric accommodation**, Non-invasive measurement of gastric accommodation in humans, **i59**
- Pathophysiology of functional dyspepsia, **i63**
- Role of nitric oxide in gastric motor and sensory functions in healthy subjects, **212**
- Role of nitric oxide in the gastric accommodation reflex and in meal induced satiety in humans, **219**
- gastric acid secretion**, GRP and stimulation of acid secretion, **297**
- GRP and stimulation of acid secretion, **297**
- gastric adenoma**, Hepatocellular carcinoma: is current therapy really altering outcome?, **459**
- Impact of *Helicobacter pylori* infection and mucosal atrophy on gastric lesions in patients with familial adenomatous polyposis, **485**
- gastric cancer**, Gastric cancer and *H pylori*, **457**
- Risk of gastric carcinoma in patients with atrophic gastritis and intestinal metaplasia, **899**
- Timing and sampling in surveillance of premalignant gastric lesions, **896**
- gastric cardia**, Bile reflux gastritis and intestinal metaplasia at the cardia, **351**
- gastric erosions**, Influence of sex and *Helicobacter pylori* on development and healing of gastroduodenal lesions in non-steroidal anti-inflammatory drug users, **344**
- Relative contribution of mucosal injury and *Helicobacter pylori* in the development of gastroduodenal lesions in patients taking non-steroidal anti-inflammatory drugs, **336**
- gastric juice**, Human transforming growth factor α (TGF- α) is digested to a smaller (1–43), less biologically active, form in acidic gastric juice, **787**
- gastric lymphoma**, Diagnosis, treatment decisions, and follow up in primary gastric lymphoma, **621**
- Distinction between "high grade MALT" and diffuse large B cell lymphoma, **893**
- Endoscopic ultrasound in the follow up and response assessment of patients with primary gastric lymphoma, **691**
- gastric motility**, Motilin agonists and dyspepsia: throwing out the baby with the bath water, **612**
- gastric sensitivity**, Pharmacotherapy, **i96**
- Serotonergic modulation of visceral sensation: upper gastrointestinal tract, **i77**
- gastric transfer**, Impact of acid secretion, gastritis, and mucus thickness on gastric transfer of antibiotics in rats, **490**
- gastric ulcer**, Influence of sex and *Helicobacter pylori* on development and healing of gastroduodenal lesions in non-steroidal anti-inflammatory drug users, **344**
- Relative contribution of mucosal injury and *Helicobacter pylori* in the development of gastroduodenal lesions in patients taking non-steroidal anti-inflammatory drugs, **336**
- gastric variceal bleeding**, The role of the transjugular intrahepatic portosystemic stent shunt (TIPSS) in the management of bleeding gastric varices: clinical and haemodynamic correlations, **270**
- gastrin releasing peptide**, GRP and stimulation of acid secretion, **297**
- GRP and stimulation of acid secretion, **297**
- gastrin**, GRP and stimulation of acid secretion, **297**
- GRP and stimulation of acid secretion, **297**
- gastritis**, Impact of acid secretion, gastritis, and mucus thickness on gastric transfer of antibiotics in rats, **490**
- gastritis**, Modulation of host antimicrobial peptide (β -defensins 1 and 2) expression during gastritis, **356**
- gastrointestinal bleeding**, Upper gastrointestinal bleeding and surrogate end points: *letter*, **140**
- Upper gastrointestinal bleeding and surrogate end points: *letter*, **140**
- gastrointestinal diseases**, Trends in indigenous foodborne disease and deaths, England and Wales: 1992 to 2000, **832**
- gastrointestinal disorders**, Acupuncture for gastrointestinal disorders: myth or magic, **617**
- gastrointestinal epithelial neoplasia**, Gastrointestinal epithelial neoplasia: Vienna revisited: *review*, **130**
- gastrointestinal investigations**, Do those with positive faecal occult blood tests need upper gastrointestinal investigations if no colorectal cancer cause is found?, **466**
- gastrointestinal motility**, Role of thyrotrophin releasing hormone and corticotrophin releasing factor in stress related alterations of gastrointestinal motor function, **i45**
- gastrointestinal sensations**, The role of fat and cholecystokinin in functional dyspepsia, **i54**
- gastrointestinal stromal tumour**, Polyclonal nature of diffuse proliferation of interstitial cells of Cajal in patients with familial and multiple gastrointestinal stromal tumours, **793**
- gastro-oesophageal reflux disease**, Familial aggregation of Barrett's oesophagus, oesophageal adenocarcinoma, and oesophagogastric junctional adenocarcinoma in Caucasian adults, **323**
- Functional heartburn: the stimulus, the pain, and the brain, **885**
- Laparoscopic fundoplication is the treatment of choice for gastro-oesophageal reflux disease, **468**
- Laparoscopic fundoplication is the treatment of choice for gastro-oesophageal reflux disease, **472**
- Mechanisms of gastro-oesophageal reflux in preterm and term infants with reflux disease, **475**
- gastro-oesophageal reflux**, Effect of chronic and acute cigarette smoking on the pharyngoglottal closure reflex, **771**
- Inflammatory gradient in Barrett's oesophagus: implications for disease complications, **316**
- Mechanisms of gastro-oesophageal reflux in preterm and term infants with reflux disease, **475**

- gene transfer**, In vivo gene transfer of endothelial nitric oxide synthase decreases portal pressure in anaesthetised carbon tetrachloride cirrhotic rats, **440**
- general practitioners**, Reducing dyspepsia costs in the community, **613**
- genetic polymorphism**, Susceptibility to primary sclerosing cholangitis in Brazil is associated with HLA-DRB1*13 but not with tumour necrosis factor α -308 promoter polymorphism, **609**
- genetics**, Behaviour of Crohn's disease according to the Vienna classification, **614**
Serrated adenomas in FAP, **895**
Serrated adenomas in FAP, **895**
- genotype**, Relationship between *Helicobacter pylori* babA2 status with gastric epithelial cell turnover and premalignant gastric lesions, **480**
- genotype-phenotype association**, Explaining variation in familial adenomatous polyposis: relationship between genotype and phenotype and evidence for modifier genes, **420**
Infection and irritability, **305**
- gliadin**, Anti-tissue transglutaminase antibodies from coeliac patients inhibit transglutaminase activity both in vitro and in situ, **177**
- gluten**, Breast milk against coeliac disease, **767**
- goblet cell**, Distribution and partial characterisation of IgG Fc binding protein in various mucin producing cells and body fluids, **169**
- Gore M, Levine MS, editors**. Textbook of Gastrointestinal Radiology, 2nd edn, vols 1 and 2 book reviews, **298**
- grading**, Gastrointestinal epithelial neoplasia: Vienna revisited: review, **130**
- Griffin SM, Raimes SA, editors**. Upper Gastrointestinal Surgery book reviews, **615**
- growth**, Adult height in patients with early onset of Crohn's disease, **26**
Effect of breast milk and weaning on epithelial growth of the small intestine in humans, **748**
- guidelines**, Gastrointestinal epithelial neoplasia: Vienna revisited: review, **130**
Guidance on gastrointestinal surveillance for hereditary non-polyposis colorectal cancer, familial adenomatous polyposis, juvenile polyposis, and Peutz-Jeghers syndrome, **v21**
Guidelines for the diagnosis and treatment of cholangiocarcinoma: consensus document, **vi1**
Non-variceal upper gastrointestinal haemorrhage: guidelines, **iv1**
- gut associated lymphoid tissue**, B cell attracting chemokine 1 (CXCL13) and its receptor CXCR5 are expressed in normal and aberrant gut associated lymphoid tissue, **364**
- gut bacteria**, Ineffectiveness of probiotics in preventing recurrence after curative resection for Crohn's disease: a randomised controlled trial with *Lactobacillus* GG, **405**
- gut barrier function**, A prospective randomised study of the probiotic *Lactobacillus plantarum* 299V on indices of gut barrier function in elective surgical patients, **827**
- gut development**, Homeobox genes in gut development, **450**
- gut mucosa**, Where do IgA plasma cells in the gut come from?, **150**
- gut transit**, Slow transit constipation: more than one disease?, **610**
- Haboubi N, Geboes K, Shepherd N, et al, editors**. Gastrointestinal Polyps book reviews, **615**
- haemochromatosis**, Molecular pathogenesis of iron overload, **290**
- haemodialysis**, Prevalence and risk factors of hepatitis C virus infection in haemodialysis patients: a multicentre study in 2796 patients, **429**
- haemorrhage**, Non-variceal upper gastrointestinal haemorrhage: guidelines, **iv1**
- haephestin**, Molecular pathogenesis of iron overload, **290**
- Helicobacter pylori**, Double blind, randomised, placebo controlled study of four weeks of lansoprazole for the treatment of functional dyspepsia in Chinese patients, **502**
Gastric cancer and *H. pylori*: letter, **457**
Hepatocellular carcinoma: is current therapy really altering outcome?, **459**
Impact of *Helicobacter pylori* infection and mucosal atrophy on gastric lesions in patients with familial adenomatous polyposis, **485**
Influence of sex and *Helicobacter pylori* on development and healing of gastroduodenal lesions in non-steroidal anti-inflammatory drug users, **344**
Pathophysiology of functional dyspepsia, **i63**
Primary prevention of diclofenac associated ulcers and dyspepsia by omeprazole or triple therapy in *Helicobacter pylori* positive patients: a randomised, double blind, placebo controlled, clinical trial, **329**
Relationship between *Helicobacter pylori* babA2 status with gastric epithelial cell turnover and premalignant gastric lesions, **480**
Relative contribution of mucosal injury and *Helicobacter pylori* in the development of gastroduodenal lesions in patients taking non-steroidal anti-inflammatory drugs, **336**
- Risk factors for ulcer development in patients with non-ulcer dyspepsia: a prospective two year follow up study of 209 patients, **15**
Serum leptin and body mass index in children with *H. pylori* infection: letter, **142**
Safety and efficacy of low dose *Escheria coli* enterotoxin adjuvant for urease based oral immunisation against *Helicobacter pylori* in healthy volunteers, **634**
Toxicogenic *Helicobacter pylori* induces changes in the gastric mucosal microcirculation in rats, **641**
- HELLP syndrome**, Prospective study of liver dysfunction in pregnancy in Southwest Wales, **876**
- hepatic clearance**, Comparison of the hepatic clearances of campesterol, sitosterol, and cholesterol in healthy subjects suggests that efflux transporters controlling intestinal sterol absorption also regulate biliary secretion, **860**
- hepatitis A virus**, Association between severity of type A hepatitis and nucleotide variations in the 5' non-translated region of hepatitis A virus RNA: strains from fulminant hepatitis have fewer nucleotide substitutions, **82**
- hepatitis B virus**, Acute hepatitis C virus (HCV) infection in chronic carriers of hepatitis B virus (HBV): the impact of underlying active HBV replication on persistence of HCV infection and antibody responses to HCV, **95**
- hepatitis B**, Cocarcinogenic effects of alcohol in hepatocarcinogenesis: review, **132**
Fatal hepatitis B reactivation following discontinuation of nucleoside analogues for chronic hepatitis B, **597**
- hepatitis C virus infection**, HCV infection should be managed in specialist centres, **625, 626**
- hepatitis C virus**, Acute hepatitis C virus (HCV) infection in chronic carriers of hepatitis B virus (HBV): the impact of underlying active HBV replication on persistence of HCV infection and antibody responses to HCV, **95**
Advancing donor liver age and rapid fibrosis progression following transplantation for hepatitis C, **248**
HCV infection should be managed in specialist centres, **625, 626**
Hepatitis C and HIV-1 coinfection, **601**
Histological features and HLA class II alleles in hepatitis C virus chronically infected patients with persistently normal alanine aminotransferase levels, **585**
Retreatment with interferon plus ribavirin of chronic hepatitis C non-responders to interferon monotherapy: a meta-analysis of individual patient data, **864**
- hepatitis C**, Cocarcinogenic effects of alcohol in hepatocarcinogenesis: review, **132**
Prevalence and risk factors of hepatitis C virus infection in haemodialysis patients: a multicentre study in 2796 patients, **429**
- hepatitis**, Causes of obvious jaundice in South West Wales, **613**
- hepatocellular carcinoma**, Augmentation effect of postprandial hyperinsulinaemia on growth of human hepatocellular carcinoma, **100**
Cocarcinogenic effects of alcohol in hepatocarcinogenesis: review, **132**
Hepatitis C and HIV-1 coinfection, **601**
Hepatocellular carcinoma: is current therapy really altering outcome?, **459**
Prospective comparative study of spiral computer tomography and magnetic resonance imaging for detection of hepatocellular carcinoma, **105**
Surveillance for hepatocellular carcinoma in liver cirrhosis: have programmes improved because patients have?, **456, 611**
- hepatocyte couplets**, Hepatoprotection with tauroursodeoxycholate and β muricholate against tauroolithocholate induced cholestasis: involvement of signal transduction pathways, **113**
- hepatoportal sclerosis**, Idiopathic non-cirrhotic intrahepatic portal hypertension in the West: a re-evaluation in 28 patients, **275**
- hepcidin**, Molecular pathogenesis of iron overload, **290**
- hereditary haemochromatosis**, Mild iron overload in patients carrying the *HFE* S65C gene mutation: a retrospective study in patients with suspected iron overload and healthy controls, **723**
Underdiagnosis of hereditary haemochromatosis: lack of presentation or penetration?, **108**
- hereditary non-polyposis colorectal cancer**, Transient mismatch repair gene transfection for functional analysis of genetic hMLH1 and hMSH2 variants, **677**
- HFE gene**, Mild iron overload in patients carrying the *HFE* S65C gene mutation: a retrospective study in patients with suspected iron overload and healthy controls, **723**
Underdiagnosis of hereditary haemochromatosis: lack of presentation or penetration?, **108**
- high grade dysplasia**, Acupuncture for gastrointestinal disorders: myth or magic, **617**
Observer variation in the diagnosis of superficial oesophageal adenocarcinoma, **671**
- Hirschsprung's disease**, Abnormalities of the enteric nervous system in heterozygous endothelin B receptor deficient (spotting lethal) rats resembling intestinal neuronal dysplasia, **414**

- histology**, Endoscopic transpapillary biopsies and intraductal ultrasonography in the diagnostics of bile duct strictures: a prospective study, **240**
- HLA-DRB113**, Susceptibility to primary sclerosing cholangitis in Brazil is associated with HLA-DRB113 but not with tumour necrosis factor α -308 promoter polymorphism, **609**
- hMLH1**, Transient mismatch repair gene transfection for functional analysis of genetic hMLH1 and hMSH2 variants, **677**
- hMSH2**, Transient mismatch repair gene transfection for functional analysis of genetic hMLH1 and hMSH2 variants, **677**
- homeobox genes**, Homeobox genes in gut development, **450**
- host response**, Histological features and HLA class II alleles in hepatitis C virus chronically infected patients with persistently normal alanine aminotransferase levels, **585**
- human androgen receptor gene**, Polyclonal nature of diffuse proliferation of interstitial cells of Cajal in patients with familial and multiple gastrointestinal stromal tumours, **793**
- human immunodeficiency virus**, Hepatitis C and HIV-1 coinfection, **601**
- human pancreatic cell line**, Extracellular calcium sensing receptor in human pancreatic cells, **705**
- hyperalgesia**, Gastric hyperalgesia and changes in voltage gated sodium channel function in the rat, **115**
- hypercholesterolaemia**, Hyperlipidaemic state and cardiovascular risk in primary biliary cirrhosis, **265**
- hyperinsulinaemia**, Augmentation effect of postprandial hyperinsulinaemia on growth of human hepatocellular carcinoma, **100**
- hypermethylation**, Characterisation of colorectal cancers showing hypermethylation at multiple CpG islands, **797**
- hyperplasia**, Regression of fundic gland polyps following acquisition of *Helicobacter pylori*, **742**
- hypervigilance**, Role of visceral sensitivity in the pathophysiology of irritable bowel syndrome, **167**
- hypnosis**, Visceral sensation and emotion: a study using hypnosis, **701**
- hypomotility**, Pathophysiology of functional dyspepsia, **163**
- hypoxaemia**, Hepatopulmonary syndrome: prevalence and predictive value of various cut offs for arterial oxygenation and their clinical consequences, **853**
- IgA**, Related IgA1 and IgG producing cells in blood and diseased mucosa in ulcerative colitis, **44**
Where do IgA plasma cells in the gut come from?, **150**
- IgG Fc binding protein**, Distribution and partial characterisation of IgG Fc binding protein in various mucin producing cells and body fluids, **169**
- IgG**, Related IgA1 and IgG producing cells in blood and diseased mucosa in ulcerative colitis, **44**
- ileal resection** Crohn's disease recurrence can be prevented after ileal resection, **152**
- ileoanal reservoir**, Mucin gene expression in the ileoanal reservoir is altered and may be relevant to the risk of inflammation and dysplasia, **386**
- immobilisation stress**, Effect of stress on the paracellular barrier in the rat ileum, **507**
- immune complex**, Regulation of circulating immune complexes by complement receptor type 1 on erythrocytes in chronic viral liver diseases, **591**
- immune responses**, Acute hepatitis C virus (HCV) infection in chronic carriers of hepatitis B virus (HBV): the impact of underlying active HBV replication on persistence of HCV infection and antibody responses to HCV, **95**
- immunisation**, Safety and efficacy of low dose *Escherichia coli* enterotoxin adjuvant for urease based oral immunisation against *Helicobacter pylori* in healthy volunteers, **634**
- immunoassay**, Establishment of standardised SLA/LP immunoassays: specificity for autoimmune hepatitis, worldwide occurrence, and clinical characteristics, **259**
- immunoglobulin genes**, Related IgA1 and IgG producing cells in blood and diseased mucosa in ulcerative colitis, **44**
- immunoglobulin**, Intravenous immunoglobulin for recurrent *Clostridium difficile* diarrhoea, **456**
- immunohistochemistry**, Cholinergic and nitrergic interneurons in the myenteric plexus of the human colon, **70**
Frequent loss of SMAD4/DPC4 protein in colorectal cancers, **56**
Heterogeneity of intraepithelial lymphocytes in refractory sprue: potential implications of CD30 expression, **372**
Molecular characteristics of serrated adenomas of the colorectum, **200**
T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- immunology**, A role for inflammation in irritable bowel syndrome?, **141**
- immunoreactivity**, Cytokeratin immunoreactivity of intestinal metaplasia, **894**
Cytokeratin immunoreactivity of intestinal metaplasia, **894**
- immunosuppression**, Immunosuppression, IBD, and risk of lymphoma, **296**
- impaired glucose metabolism**, Augmentation effect of postprandial hyperinsulinaemia on growth of human hepatocellular carcinoma, **100**
- infants**, Aberrant composition of gut microbiota of allergic infants: a target of bifidobacterial therapy at weaning?, **51**
- infection**, From hyperplasia to T cell lymphoma, **304**
Prognosis in post-infective irritable bowel syndrome: a six year follow up study, **410**
Regression of fundic gland polyps following acquisition of *Helicobacter pylori*, **742**
- inflammation**, Colonic epithelial cells are a major site of macrophage inflammatory protein 3 α (MIP-3 α) production in normal colon and inflammatory bowel disease, **818**
Inflammatory gradient in Barrett's oesophagus: implications for disease complications, **316**
Visceral perception: inflammatory and non-inflammatory mediators, **119**
- inflammatory bowel disease**, Activation of signal transducer and activator of transcription (STAT) 1 in human chronic inflammatory bowel disease, **379**
Anti-tumour necrosis factor therapy in Crohn's disease: where are we now?, **362**
Appendix redux, **764**
Autoimmune related pancreatitis, **1**
B cell attracting chemokine 1 (CXCL13) and its receptor CXCR5 are expressed in normal and aberrant gut associated lymphoid tissue, **364**
Guidelines for screening and surveillance of asymptomatic colorectal cancer in patients with inflammatory bowel disease, **110**
ICAM-1 and VCAM-1 antisense oligonucleotides attenuate in vivo leucocyte adherence and inflammation in rat inflammatory bowel disease, **529**
Ileal Crohn's disease is best treated by surgery, **11**
Ileal Crohn's disease is best treated by surgery, **13**
Immunosuppression, IBD, and risk of lymphoma, **296**
Increased mucosal tumour necrosis factor α production in Crohn's disease can be downregulated ex vivo by probiotic bacteria, **659**
New steroids for IBD: progress report, **182**
No seasonality in month of birth of inflammatory bowel disease cases: a prospective population based study of British under 20 year olds, **814**
Overexpression of α_1 -acid glycoprotein in transgenic mice leads to sensitisation to acute colitis, **398**
Patients with small duct primary sclerosing cholangitis have a favourable long term prognosis, **731**
Regression of Peyer's patches in Gxi2 deficient mice prior to colitis is associated with reduced expression of Bcl-2 and increased apoptosis, **392**
Sulphasalazine and mesalazine: serious adverse reactions re-evaluated on the basis of suspected adverse reaction reports to the Committee on Safety of Medicines, **536**
T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
Thiopurine metabolites and the role of thiopurine methyltransferase activity in inflammatory bowel disease: letter, **141**
Tumour necrosis factor α converting enzyme (TACE) activity in the colonic mucosa of patients with inflammatory bowel disease, **37**
Which 5-ASA?, **548**
- insulin clearance**, Mechanisms of hyperinsulinaemia in Child's disease grade B liver cirrhosis investigated in free living conditions, **870**
- insulin secretion**, Mechanisms of hyperinsulinaemia in Child's disease grade B liver cirrhosis investigated in free living conditions, **870**
- insulin sensitivity**, Mechanisms of hyperinsulinaemia in Child's disease grade B liver cirrhosis investigated in free living conditions, **870**
- insulin**, Obesity and colorectal cancer risk in women, **191**
TPMT in the treatment of Crohn's disease with azathioprine, **143**
- intercellular adhesion molecule 1**, Double blind, placebo controlled trial of the remission inducing and steroid sparing properties of an ICAM-1 antisense oligodeoxynucleotide, alicaforsen (ISIS 2302), in active steroid dependent Crohn's disease, **30**
- intercellular adhesion molecule**, ICAM-1 and VCAM-1 antisense oligonucleotides attenuate in vivo leucocyte adherence and inflammation in rat inflammatory bowel disease, **529**
- interferon**, Retreatment with interferon plus ribavirin of chronic hepatitis C non-responders to interferon monotherapy: a meta-analysis of individual patient data, **864**
- interleukin**, Overexpression of α_1 -acid glycoprotein in transgenic mice leads to sensitisation to acute colitis, **398**
- internal anal sphincter dysfunction**, Injectable silicone biomaterial for faecal incontinence due to internal anal sphincter dysfunction, **225**
- interneurone**, Cholinergic and nitrergic interneurons in the myenteric plexus of the human colon, **70**
- interobserver agreement**, Acupuncture for gastrointestinal disorders: myth or magic, **617**

- Observer variation in the diagnosis of superficial oesophageal adenocarcinoma, **671**
- interstitial cells of Cajal**, Pan-colonic decrease in interstitial cells of Cajal in patients with slow transit constipation, **496**
- Polyclonal nature of diffuse proliferation of interstitial cells of Cajal in patients with familial and multiple gastrointestinal stromal tumours, **793**
- interstitial nephritis**, Sulphasalazine and mesalazine: serious adverse reactions re-evaluated on the basis of suspected adverse reaction reports to the Committee on Safety of Medicines, **536**
- intestinal afferent nerves**, Prevertebral ganglia and intestinofugal afferent neurones, **16**
- intestinal inflammation**, Effect of Pentavac and measles-mumps-rubella (MMR) vaccination on the intestine, **816**
- intestinal metaplasia**, Bile reflux gastritis and intestinal metaplasia at the cardia, **351**
- Cytokeratin immunoreactivity of intestinal metaplasia, **894**
- Cytokeratin immunoreactivity of intestinal metaplasia, **894**
- Risk of gastric carcinoma in patients with atrophic gastritis and intestinal metaplasia, **899**
- Timing and sampling in surveillance of premalignant gastric lesions, **896**
- intestinal microflora**, Aberrant composition of gut microbiota of allergic infants: a target of bifidobacterial therapy at weaning?, **51**
- intestinal neuronal dysplasia**, Abnormalities of the enteric nervous system in heterozygous endothelin B receptor deficient (spotting lethal) rats resembling intestinal neuronal dysplasia, **414**
- intestinal permeability**, Effect of stress on the paracellular barrier in the rat ileum, **507**
- intestine**, Colonic epithelial cells are a major site of macrophage inflammatory protein 3 α (MIP-3 α) production in normal colon and inflammatory bowel disease, **818**
- Pan-colonic decrease in interstitial cells of Cajal in patients with slow transit constipation, **496**
- intraductal papillary and mucinous tumour**, Intraductal papillary and mucinous pancreatic tumour: a new extracolonic tumour in familial adenomatous polyposis, **446**
- intraductal papillary mucinous tumours**, Prognosis of malignant intraductal papillary mucinous tumours of the pancreas after surgical resection. Comparison with pancreatic ductal adenocarcinoma, **717**
- intraductal ultrasonography**, Endoscopic transpapillary biopsies and intraductal ultrasonography in the diagnostics of bile duct strictures: a prospective study, **240**
- intraepithelial lymphocytes**, Heterogeneity of intraepithelial lymphocytes in refractory sprue: potential implications of CD30 expression, **372**
- T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- iron deficiency anaemia**, Invasive or non-invasive methods for the diagnosis of subclinical coeliac disease?, **455**
- iron indices**, Underdiagnosis of hereditary haemochromatosis: lack of presentation or penetration?, **108**
- iron metabolism**, Duodenal mRNA expression of iron related genes in response to iron loading and iron deficiency in four strains of mice, **648**
- iron overload**, Mild iron overload in patients carrying the HFE S65C gene mutation: a retrospective study in patients with suspected iron overload and healthy controls, **723**
- iron regulating elements**, Molecular pathogenesis of iron overload, **290**
- iron**, Molecular pathogenesis of iron overload, **290**
- irritable bowel syndrome**, A role for inflammation in irritable bowel syndrome?, **141**
- Centrally acting agents and visceral sensitivity, **191**
- Food and hypersensitivity in functional dyspepsia, **150**
- From hyperplasia to T cell lymphoma, **304**
- Hypersensitivity in functional gastrointestinal disorders, **125**
- Investigation of visceral sensation in humans, **158**
- Pharmacotherapy: non-serotonergic mechanisms, **187**
- Pharmacotherapy, **196**
- Prognosis in post-infective irritable bowel syndrome: a six year follow up study, **410**
- Role of the brain and sensory pathways in gastrointestinal sensory disorders in humans, **129**
- Role of visceral sensitivity in functional disorders, **176**
- Role of visceral sensitivity in the pathophysiology of irritable bowel syndrome, **167**
- Sensation and gas dynamics in functional gastrointestinal disorders, **172**
- Serotonergic modulation of visceral sensation: lower gut, **181**
- ISIS 2302**, Double blind, placebo controlled trial of the remission inducing and steroid sparing properties of an ICAM-1 antisense oligodeoxynucleotide, alicaforsen (ISIS 2302), in active steroid dependent Crohn's disease, **30**
- jaundice**, Causes of obvious jaundice in South West Wales, **613**
- Jewell DP, Warren BF, Mortensen NJ, editors**. Challenges in Inflammatory Bowel Disease book reviews, **616**
- lactobacillus GG**, Ineffectiveness of probiotics in preventing recurrence after curative resection for Crohn's disease: a randomised controlled trial with *Lactobacillus GG*, **405**
- Lactobacillus plantarum 299V**, A prospective randomised study of the probiotic *Lactobacillus plantarum* 299V on indices of gut barrier function in elective surgical patients, **827**
- lamivudine**, Fatal hepatitis B reactivation following discontinuation of nucleoside analogues for chronic hepatitis B, **597**
- lansoprazole**, Upper gastrointestinal bleeding and surrogate end points: *letter*, **140**
- Upper gastrointestinal bleeding and surrogate end points: *letter*, **140**
- laparoscopy**, Laparoscopic fundoplication is the treatment of choice for gastro-oesophageal reflux disease, **468**
- Laparoscopic fundoplication is the treatment of choice for gastro-oesophageal reflux disease, **472**
- laser capture microdissection**, PCR detection of *Mycobacterium paratuberculosis* in Crohn's disease granulomas isolated by laser capture microdissection, **665**
- leptin**, Serum leptin and body mass index in children with *H pylori* infection: *letter*, **142**
- leucocytes**, Toxigenic *Helicobacter pylori* induces changes in the gastric mucosal microcirculation in rats, **641**
- Lifschitz CH, editor**. Pediatric Gastroenterology and Nutrition in Clinical Practice book reviews, **615**
- lipopolysaccharide**, Lipopolysaccharide modulation of normal enterocyte turnover by toll-like receptors is mediated by endogenously produced tumour necrosis factor α , **842**
- lithium clearance**, Renal tubular events following passage from the supine to the standing position in patients with compensated liver cirrhosis: loss of tubuloglomerular feedback, **736**
- liver biopsy**, To perform or not to perform liver biopsy—that is the question, **9**
- liver cancer**, Augmentation effect of postprandial hyperinsulinaemia on growth of human hepatocellular carcinoma, **100**
- liver cell adenoma**, INK4a-ARF alterations in liver cell adenoma, **253**
- liver cirrhosis**, Hepatopulmonary syndrome: prevalence and predictive value of various cut offs for arterial oxygenation and their clinical consequences, **853**
- Regulation of circulating immune complexes by complement receptor type 1 on erythrocytes in chronic viral liver diseases, **591**
- Surveillance for hepatocellular carcinoma in liver cirrhosis: have programmes improved because patients have?, **456, 611**
- liver disease**, Guidelines for the diagnosis and treatment of cholangiocarcinoma: consensus document, **v11**
- Hepatocellular carcinoma: is current therapy really altering outcome?, **459**
- liver dysfunction**, Prospective study of liver dysfunction in pregnancy in Southwest Wales, **876**
- liver failure**, Idiopathic non-cirrhotic intrahepatic portal hypertension in the West: a re-evaluation in 28 patients, **275**
- liver function**, To perform or not to perform liver biopsy—that is the question, **9**
- liver transplantation**, Advancing donor liver age and rapid fibrosis progression following transplantation for hepatitis C, **248**
- Natural history of primary sclerosing cholangitis and prognostic value of cholangiography in a Dutch population, **562**
- Patients with small duct primary sclerosing cholangitis have a favourable long term prognosis, **731**
- liver**, Overexpression of α -acid glycoprotein in transgenic mice leads to sensitisation to acute colitis, **398**
- loss of heterozygosity**, Molecular characteristics of serrated adenomas of the colorectum, **200**
- luciferase mouse**, The NF κ B luciferase mouse: a new tool for real time measurement of NF κ B activation in the whole animal, **769**
- lymphocytes**, Increased mucosal tumour necrosis factor α production in Crohn's disease can be downregulated ex vivo by probiotic bacteria, **659**
- lymphoma**, A case of primary low grade mucosa associated lymphoid tissue (MALT) lymphoma of the oesophagus, **281**
- Immunosuppression, IBD, and risk of lymphoma, **296**
- Obesity, gender, and colon cancer, **147**
- magnetic resonance imaging**, Non-invasive measurement of gastric accommodation in humans, **159**
- Prospective comparative study of spiral computer tomography and magnetic resonance imaging for detection of hepatocellular carcinoma, **105**
- major histocompatibility complex class II antigens**, Histological features and HLA class II alleles in hepatitis C virus chronically infected patients with persistently normal alanine aminotransferase levels, **585**
- malignant biliary obstruction**, Endoscopic transpapillary biopsies and intraductal ultrasonography in the diagnostics of bile duct strictures: a prospective study, **240**
- mast cells**, Visceral perception: inflammatory and non-inflammatory mediators, **119**

- mathematical model**, Mechanisms of hyperinsulinaemia in Child's disease grade B liver cirrhosis investigated in free living conditions, **870**
- matrilysin**, Upregulation of matrix metalloproteinases in a model of T cell mediated tissue injury in the gut: analysis by gene array and in situ hybridisation, **540**
- matrix metalloproteinase inhibitors**, Autoimmune related pancreatitis, **1**
Tumour necrosis factor α converting enzyme (TACE) activity in the colonic mucosa of patients with inflammatory bowel disease, **37**
- matrix metalloproteinase**, Autoimmune related pancreatitis, **1**
Tumour necrosis factor α converting enzyme (TACE) activity in the colonic mucosa of patients with inflammatory bowel disease, **37**
- Max**, Gastroprotective peptide trefoil factor family 2 gene is activated by upstream stimulating factor but not by c-Myc in gastrointestinal cancer cells, **685**
- Mcl-1**, Pk11195, a mitochondrial benzodiazepine receptor antagonist, reduces apoptosis threshold in Bcl-X_L and Mcl-1 expressing human cholangiocarcinoma cells, **556**
- mechanosensitivity**, Neuroanatomy of visceral nociception: vagal and splanchnic afferent, **12**
Prevertebral ganglia and intestinofugal afferent neurones, **16**
- medium chain fatty acids**, Absorption and metabolism of octanoate by the rat colon in vivo: concentration dependency and influence of alternative fuels, **76**
- medium chain triacylglycerol**, Absorption and metabolism of octanoate by the rat colon in vivo: concentration dependency and influence of alternative fuels, **76**
- menopause**, Obesity and colorectal cancer risk in women, **191**
TPMT in the treatment of Crohn's disease with azathioprine, **143**
- mental health**, From hyperplasia to T cell lymphoma, **304**
Prognosis in post-infective irritable bowel syndrome: a six year follow up study, **410**
- mercaptopurine**, TPMT in the treatment of Crohn's disease with azathioprine, **143**
- mesalazine**, Sulphasalazine and mesalazine: serious adverse reactions re-evaluated on the basis of suspected adverse reaction reports to the Committee on Safety of Medicines, **536**
- meta-analysis**, Retreatment with interferon plus ribavirin of chronic hepatitis C non-responders to interferon monotherapy: a meta-analysis of individual patient data, **864**
- metalloelastase**, Upregulation of matrix metalloproteinases in a model of T cell mediated tissue injury in the gut: analysis by gene array and in situ hybridisation, **540**
- methylation**, Cocarcinogenic effects of alcohol in hepatocarcinogenesis: review, **132**
INK4a-ARF alterations in liver cell adenoma, **253**
- microcirculation**, Toxicigenic *Helicobacter pylori* induces changes in the gastric mucosal microcirculation in rats, **641**
- microflora**, Increased mucosal tumour necrosis factor α production in Crohn's disease can be downregulated ex vivo by probiotic bacteria, **659**
- microsatellite instability**, Molecular characteristics of serrated adenomas of the colorectum, **200**
- microvillus inclusion bodies**, Autophagocytosis of the apical membrane in microvillus inclusion disease, **514**
- mismatch repair genes**, Transient mismatch repair gene transfection for functional analysis of genetic hMLH1 and hMSH2 variants, **677**
- mitochondria**, Pk11195, a mitochondrial benzodiazepine receptor antagonist, reduces apoptosis threshold in Bcl-X_L and Mcl-1 expressing human cholangiocarcinoma cells, **556**
- MMR vaccination**, Effect of Pentavac and measles-mumps-rubella (MMR) vaccination on the intestine, **816**
- modifier genes**, Explaining variation in familial adenomatous polyposis: relationship between genotype and phenotype and evidence for modifier genes, **420**
Infection and irritability, **305**
- monoclonality**, A case of primary low grade mucosa associated lymphoid tissue (MALT) lymphoma of the oesophagus, **281**
Obesity, gender, and colon cancer, **147**
- mortality**, Aetiology of extrahepatic portal vein thrombosis, **755**
Aetiology of extrahepatic portal vein thrombosis, **755**
- mosaicism**, Polyclonal nature of diffuse proliferation of interstitial cells of Cajal in patients with familial and multiple gastrointestinal stromal tumours, **793**
- motilin**, Motilin agonists and dyspepsia: throwing out the baby with the bath water, **612**
- motility**, Pan-colonic decrease in interstitial cells of Cajal in patients with slow transit constipation, **496**
Pharmacotherapy, **196**
Serotonergic modulation of visceral sensation: lower gut, **181**
- motor abnormalities**, A role for inflammation in irritable bowel syndrome?, **141**
- mouse intestine**, Defining the roles of perforin, Fas/FasL, and tumour necrosis factor α in T cell induced mucosal damage in the mouse intestine, **155**
- mRNA**, Duodenal mRNA expression of iron related genes in response to iron loading and iron deficiency in four strains of mice, **648**
- mucin gene**, Mucin gene expression in the ileoanal reservoir is altered and may be relevant to the risk of inflammation and dysplasia, **386**
- mucin**, Distribution and partial characterisation of IgG Fc binding protein in various mucin producing cells and body fluids, **169**
- mucosa associated lymphoid tissue**, A case of primary low grade mucosa associated lymphoid tissue (MALT) lymphoma of the oesophagus, **281**
Diagnosis, treatment decisions, and follow up in primary gastric lymphoma, **621**
Distinction between "high grade MALT" and diffuse large B cell lymphoma, **893**
Distinction between "high grade MALT" and diffuse large B cell lymphoma, **893**
Endoscopic ultrasound in the follow up and response assessment of patients with primary gastric lymphoma, **691**
Obesity, gender, and colon cancer, **147**
- mucosa**, Regression of Peyer's patches in Gxi2 deficient mice prior to colitis is associated with reduced expression of Bcl-2 and increased apoptosis, **392**
- mucosal cell proliferation**, Effect of folate supplementation on mucosal cell proliferation in high risk patients for colon cancer, **195**
- mucosal damage**, Defining the roles of perforin, Fas/FasL, and tumour necrosis factor α in T cell induced mucosal damage in the mouse intestine, **155**
- mucosal immunity**, Distribution and partial characterisation of IgG Fc binding protein in various mucin producing cells and body fluids, **169**
- mucosal inflammation**, A role for inflammation in irritable bowel syndrome?, **141**
- mucus thickness**, Impact of acid secretion, gastritis, and mucus thickness on gastric transfer of antibiotics in rats, **490**
- mucus**, Distribution and partial characterisation of IgG Fc binding protein in various mucin producing cells and body fluids, **169**
- multidetector arrays**, Performance of multidetector computed tomography colonography compared with conventional colonoscopy, **207**
- muricholate**, Hepatoprotection with tauroursodeoxycholate and β muricholate against tauroolithocholate induced cholestasis: involvement of signal transduction pathways, **113**
- myenteric plexus**, Cholinergic and nitrergic interneurons in the myenteric plexus of the human colon, **70**
- myocardial function**, Cardiac response to exercise in cirrhosis, **755**
- nerves**, Role of nerves in enteric infection, **759**
- neuromediators**, Role of visceral sensitivity in the pathophysiology of irritable bowel syndrome, **167**
- neuromodulation**, Role of thyrotrophin releasing hormone and corticotrophin releasing factor in stress related alterations of gastrointestinal motor function, **145**
- nitric oxide synthase**, In vivo gene transfer of endothelial nitric oxide synthase decreases portal pressure in anaesthetised carbon tetrachloride cirrhotic rats, **440**
Role of nitric oxide in gastric motor and sensory functions in healthy subjects, **212**
- nitric oxide**, In vivo gene transfer of endothelial nitric oxide synthase decreases portal pressure in anaesthetised carbon tetrachloride cirrhotic rats, **440**
Role of nitric oxide in gastric motor and sensory functions in healthy subjects, **212**
Role of nitric oxide in the gastric accommodation reflex and in meal induced satiety in humans, **219**
- non-alcoholic steatohepatitis**, Non-alcoholic steatohepatitis (NASH): why biopsy?, **898**
Non-alcoholic steatohepatitis (NASH): why biopsy?, **898**
- non-erosive reflux disease**, Functional heartburn: the stimulus, the pain, and the brain, **885**
- non-steroidal anti-inflammatory drugs**, Influence of sex and *Helicobacter pylori* on development and healing of gastroduodenal lesions in non-steroidal anti-inflammatory drug users, **344**
Primary prevention of diclofenac associated ulcers and dyspepsia by omeprazole or triple therapy in *Helicobacter pylori* positive patients: a randomised, double blind, placebo controlled, clinical trial, **329**
Relative contribution of mucosal injury and *Helicobacter pylori* in the development of gastroduodenal lesions in patients taking non-steroidal anti-inflammatory drugs, **336**
- non-variceal haemorrhage**, Non-variceal upper gastrointestinal haemorrhage: guidelines, **141**
- nuclear factor κ B**, The NF κ B luciferase mouse: a new tool for real time measurement of NF κ B activation in the whole animal, **769**
- nucleoside analogues**, Fatal hepatitis B reactivation following discontinuation of nucleoside analogues for chronic hepatitis B, **597**

- nutrients**, The role of fat and cholecystokinin in functional dyspepsia, **154**
- oats**, Oats and coeliac disease, **757**
- obstetric cholestasis**, Prospective study of liver dysfunction in pregnancy in Southwest Wales, **876**
- occludin**, Effect of stress on the paracellular barrier in the rat ileum, **507**
- oesophageal adenocarcinoma**, Familial aggregation of Barrett's oesophagus, oesophageal adenocarcinoma, and oesophagogastric junctional adenocarcinoma in Caucasian adults, **323**
- oesophageal motility**, Mechanisms of gastro-oesophageal reflux in preterm and term infants with reflux disease, **475**
- oesophageal sensitivity**, Pharmacotherapy, **196**
Serotonergic modulation of visceral sensation: upper gastrointestinal tract, **177**
- oesophageal varices**, Mortality with oesophageal varices: different things to different people, **894**
- oesophagogastric cancer**, Current guidelines fail young patients with oesophagogastric cancer, **296**
- oesophagogastric junctional adenocarcinoma**, Familial aggregation of Barrett's oesophagus, oesophageal adenocarcinoma, and oesophagogastric junctional adenocarcinoma in Caucasian adults, **323**
- oesophagus**, A case of primary low grade mucosa associated lymphoid tissue (MALT) lymphoma of the oesophagus, **281**
Acupuncture for gastrointestinal disorders: myth or magic, **617**
Obesity, gender, and colon cancer, **147**
Observer variation in the diagnosis of superficial oesophageal adenocarcinoma, **671**
- oestrogen receptor**, Characterisation of oestrogen receptor, progesterone receptor, trefoil factor 1, and epidermal growth factor and its receptor in pancreatic cystic neoplasms and pancreatic ductal adenocarcinoma, **712**
- Okuda K, Mitchell DG, Itai Y, et al, editors**. Hepatobiliary Diseases: Pathophysiology and Imaging book reviews, **299**
- omeprazole**, Primary prevention of diclofenac associated ulcers and dyspepsia by omeprazole or triple therapy in *Helicobacter pylori* positive patients: a randomised, double blind, placebo controlled, clinical trial, **329**
- opiates**, Centrally acting agents and visceral sensitivity, **191**
- opioids**, Pharmacotherapy: non-serotonergic mechanisms, **187**
Pharmacotherapy, **196**
- osteoporosis**, High prevalence of osteoporotic vertebral fractures in patients with Crohn's disease, **654**
- oxygen consumption**, Cardiac response to exercise in cirrhosis, **755**
Cardiac response to exercise in cirrhosis, **755**
- oxyntic cells**, Regression of fundic gland polyps following acquisition of *Helicobacter pylori*, **742**
- p14^{ARF}** INK4a-ARF alterations in liver cell adenoma, **253**
- p16^{INK4a}** INK4a-ARF alterations in liver cell adenoma, **253**
- pain mediators**, Visceral perception: inflammatory and non-inflammatory mediators, **119**
- pancreas**, Extracellular calcium sensing receptor in human pancreatic cells, **705**
Prognosis of malignant intraductal papillary mucinous tumours of the pancreas after surgical resection. Comparison with pancreatic ductal adenocarcinoma, **717**
- pancreatic adenocarcinoma**, Risk of pancreatic adenocarcinoma in chronic pancreatitis, **849**
Risk of pancreatic ductal adenocarcinoma in chronic pancreatitis, **765**
- pancreatic cancer**, Alcohol abuse and the risk of pancreatic cancer, **236**
- pancreatic cystic neoplasm**, Characterisation of oestrogen receptor, progesterone receptor, trefoil factor 1, and epidermal growth factor and its receptor in pancreatic cystic neoplasms and pancreatic ductal adenocarcinoma, **712**
- pancreatic ductal adenocarcinoma**, Extracellular calcium sensing receptor in human pancreatic cells, **705**
- pancreatic duct**, Extracellular calcium sensing receptor in human pancreatic cells, **705**
- pancreatic regeneration**, Pancreatic stellate cells contribute to regeneration early after acute necrotising pancreatitis in humans, **574**
- pancreatic stellate cells**, Extracellular signal regulated kinases are key mediators of mitogenic signals in rat pancreatic stellate cells, **579**
- pancreatitis**, Autoimmune related pancreatitis: review, **1**
Sulphasalazine and mesalazine: serious adverse reactions re-evaluated on the basis of suspected adverse reaction reports to the Committee on Safety of Medicines, **536**
- paratuberculosis**, PCR detection of *Mycobacterium paratuberculosis* in Crohn's disease granulomas isolated by laser capture microdissection, **665**
- pathophysiology**, Role of visceral sensitivity in the pathophysiology of irritable bowel syndrome, **167**
- pelvic floor dyssynergia**, Is anorectal endosonography valuable in dyschesia?, **695**
- penetrance**, Underdiagnosis of hereditary haemochromatosis: lack of presentation or penetration?, **108**
- Pentavac vaccination**, Effect of Pentavac and measles-mumps-rubella (MMR) vaccination on the intestine, **816**
- peptic ulcer**, Primary prevention of diclofenac associated ulcers and dyspepsia by omeprazole or triple therapy in *Helicobacter pylori* positive patients: a randomised, double blind, placebo controlled, clinical trial, **329**
Risk factors for ulcer development in patients with non-ulcer dyspepsia: a prospective two year follow up study of 209 patients, **15**
- perforin**, Defining the roles of perforin, Fas/FasL, and tumour necrosis factor α in T cell induced mucosal damage in the mouse intestine, **155**
- peripheral benzodiazepine receptor**, Pk11195, a mitochondrial benzodiazepine receptor antagonist, reduces apoptosis threshold in Bcl-X_L and Mcl-1 expressing human cholangiocarcinoma cells, **556**
- perisinusoidal fibrosis**, Idiopathic non-cirrhotic intrahepatic portal hypertension in the West: a re-evaluation in 28 patients, **275**
- Peyer's patch**, Regression of Peyer's patches in *Gai2* deficient mice prior to colitis is associated with reduced expression of Bcl-2 and increased apoptosis, **392**
- pharyngoglottal closure reflex**, Effect of chronic and acute cigarette smoking on the pharyngoglottal closure reflex, **771**
- plant sterols**, Comparison of the hepatic clearances of campesterol, sitosterol, and cholesterol in healthy subjects suggests that efflux transporters controlling intestinal sterol absorption also regulate biliary secretion, **860**
- plasma cells**, Related IgA1 and IgG producing cells in blood and diseased mucosa in ulcerative colitis, **44**
Where do IgA plasma cells in the gut come from?, **150**
- platelets**, Toxigenic *Helicobacter pylori* induces changes in the gastric mucosal microcirculation in rats, **641**
- polymerase chain reaction**, PCR detection of *Mycobacterium paratuberculosis* in Crohn's disease granulomas isolated by laser capture microdissection, **665**
- polyps**, Explaining variation in familial adenomatous polyposis: relationship between genotype and phenotype and evidence for modifier genes, **420**
Infection and irritability, **305**
- portal hypertension**, Hepatopulmonary syndrome: prevalence and predictive value of various cut offs for arterial oxygenation and their clinical consequences, **853**
Idiopathic non-cirrhotic intrahepatic portal hypertension in the West: a re-evaluation in 28 patients, **275**
In vivo gene transfer of endothelial nitric oxide synthase decreases portal pressure in anaesthetised carbon tetrachloride cirrhotic rats, **440**
The role of the transjugular intrahepatic portosystemic stent shunt (TIPSS) in the management of bleeding gastric varices: clinical and haemodynamic correlations, **270**
- portal pressure gradient**, The role of the transjugular intrahepatic portosystemic stent shunt (TIPSS) in the management of bleeding gastric varices: clinical and haemodynamic correlations, **270**
- portal vein obstruction**, Aetiology of extrahepatic portal vein thrombosis, **755**
Aetiology of extrahepatic portal vein thrombosis, **755**
- portal vein thrombosis**, Idiopathic non-cirrhotic intrahepatic portal hypertension in the West: a re-evaluation in 28 patients, **275**
- portal venules**, Idiopathic non-cirrhotic intrahepatic portal hypertension in the West: a re-evaluation in 28 patients, **275**
- postprandial**, Motilin agonists and dyspepsia: throwing out the baby with the bath water, **612**
- pre-eclampsia**, Prospective study of liver dysfunction in pregnancy in Southwest Wales, **876**
- pregnancy**, Prospective study of liver dysfunction in pregnancy in Southwest Wales, **876**
- pre-malignant gastric lesions**, Risk of gastric carcinoma in patients with atrophic gastritis and intestinal metaplasia, **899**
Timing and sampling in surveillance of pre-malignant gastric lesions, **896**
- preterm neonate**, Mechanisms of gastro-oesophageal reflux in preterm and term infants with reflux disease, **475**
- prevalence**, Prevalence and risk factors of hepatitis C virus infection in haemodialysis patients: a multicentre study in 2796 patients, **429**
- prevertebral ganglia**, Prevertebral ganglia and intestinofugal afferent neurones, **16**
- primary biliary cirrhosis**, High frequency of autoantibodies in patients with primary sclerosing cholangitis that bind biliary epithelial cells and induce expression of CD44 and production of interleukin 6, **120**
Hyperlipidaemic state and cardiovascular risk in primary biliary cirrhosis, **265**
Rifampicin and treatment of cholestatic pruritus, **756**
- primary oesophageal lymphoma**, A case of primary low grade mucosa associated lymphoid tissue (MALT) lymphoma of the oesophagus, **281**
Obesity, gender, and colon cancer, **147**

- primary sclerosing cholangitis**, Cigarette smoking, appendectomy, and tonsillectomy as risk factors for the development of primary sclerosing cholangitis: a case control study, **567**
 High frequency of autoantibodies in patients with primary sclerosing cholangitis that bind biliary epithelial cells and induce expression of CD44 and production of interleukin 6, **120**
 Natural history of primary sclerosing cholangitis and prognostic value of cholangiography in a Dutch population, **562**
 Patients with small duct primary sclerosing cholangitis have a favourable long term prognosis, **731**
 Susceptibility to primary sclerosing cholangitis in Brazil is associated with HLA-DRB1*13 but not with tumour necrosis factor α -308 promoter polymorphism, **609**
- probiotics**, A prospective randomised study of the probiotic *Lactobacillus plantarum* 299V on indices of gut barrier function in elective surgical patients, **827**
 Aberrant composition of gut microbiota of allergic infants: a target of bifidobacterial therapy at weaning?, **51**
 Ineffectiveness of probiotics in preventing recurrence after curative resection for Crohn's disease: a randomised controlled trial with *Lactobacillus* GG, **405**
- progesterone receptor**, Characterisation of oestrogen receptor, progesterone receptor, trefoil factor 1, and epidermal growth factor and its receptor in pancreatic cystic neoplasms and pancreatic ductal adenocarcinoma, **712**
- prognosis**, A place for TACE, **5**
 From hyperplasia to T cell lymphoma, **304**
 Identification of objective pathological prognostic determinants and models of prognosis in Dukes' B colon cancer, **65**
 Prognosis in post-infective irritable bowel syndrome: a six year follow up study, **410**
- prognostic parameters**, A place for TACE, **5**
 Identification of objective pathological prognostic determinants and models of prognosis in Dukes' B colon cancer, **65**
- prokinetic**, Motilin agonists and dyspepsia: throwing out the baby with the bath water, **612**
- proliferating ductules**, Pancreatic stellate cells contribute to regeneration early after acute necrotising pancreatitis in humans, **574**
- proliferation**, Lipopolysaccharide modulation of normal enterocyte turnover by toll-like receptors is mediated by endogenously produced tumour necrosis factor α , **842**
 Relationship between *Helicobacter pylori* babA2 status with gastric epithelial cell turnover and premalignant gastric lesions, **480**
- prothrombotic disorder**, Idiopathic non-cirrhotic intrahepatic portal hypertension in the West: a re-evaluation in 28 patients, **275**
- proton pump inhibitor**, Double blind, randomised, placebo controlled study of four weeks of lansoprazole for the treatment of functional dyspepsia in Chinese patients, **502**
 Functional dyspepsia: bye-bye to PPIs, **464**
- proton pump inhibitors**, Argon plasma coagulation therapy for ablation of Barrett's oesophagus, **763**
 Efficacy and one year follow up of argon plasma coagulation therapy for ablation of Barrett's oesophagus: factors determining persistence and recurrence of Barrett's epithelium, **776**
 Functional heartburn: the stimulus, the pain, and the brain, **885**
- pulmonary vasodilation**, Hepatopulmonary syndrome: prevalence and predictive value of various cut offs for arterial oxygenation and their clinical consequences, **853**
- randomised controlled trial**, Retreatment with interferon plus ribavirin of chronic hepatitis C non-responders to interferon monotherapy: a meta-analysis of individual patient data, **864**
- rats**, Impact of acid secretion, gastritis, and mucus thickness on gastric transfer of antibiotics in rats, **490**
- reactivation**, Fatal hepatitis B reactivation following discontinuation of nucleoside analogues for chronic hepatitis B, **597**
- receptor subtypes**, Pharmacotherapy, **i96**
 Serotonergic modulation of visceral sensation: upper gastrointestinal tract, **i77**
- receptors**, Testing the sensitivity hypothesis in practice: tools and methods, assumptions and pitfalls, **i34**
- recombinant antigen**, Establishment of standardised SLA/LP immunoassays: specificity for autoimmune hepatitis, worldwide occurrence, and clinical characteristics, **259**
- rectal mucosa**, Rectal proliferation and alcohol abuse, **611**
- recurrent acute cholangitis**, A randomised controlled trial of endoscopic sphincterotomy in acute cholangitis without common bile duct stones, **245**
 Evaluating ERCP is important but difficult, **287**
- reflexive pharyngeal swallow**, Effect of chronic and acute cigarette smoking on the pharyngoglottal closure reflex, **771**
- refractory sprue**, Heterogeneity of intraepithelial lymphocytes in refractory sprue: potential implications of CD30 expression, **372**
 T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- retroviral therapy**, Hepatitis C and HIV-1 coinfection, **601**
- rheumatoid arthritis**, Sulphasalazine and mesalazine: serious adverse reactions re-evaluated on the basis of suspected adverse reaction reports to the Committee on Safety of Medicines, **536**
- ribavirin**, Retreatment with interferon plus ribavirin of chronic hepatitis C non-responders to interferon monotherapy: a meta-analysis of individual patient data, **864**
- rifampicin**, Rifampicin and treatment of cholestatic pruritus, **756**
- risk factors**, Prevalence and risk factors of hepatitis C virus infection in haemodialysis patients: a multicentre study in 2796 patients, **429**
 Risk factors for ulcer development in patients with non-ulcer dyspepsia: a prospective two year follow up study of 209 patients, **15**
- risk**, Alcohol abuse and the risk of pancreatic cancer, **236**
- sacral nerve stimulation**, Sacral nerve stimulation for faecal incontinence due to systemic sclerosis, **881**
- Salmonella enteritidis lipopolysaccharides**, Antidiarrhoeal properties of a novel sigma ligand (JO 2871) on toxigenic diarrhoea in mice: mechanisms of action, **522**
- salmonella food poisoning**, Trends in indigenous foodborne disease and deaths, England and Wales: 1992 to 2000, **832**
- satiety**, Role of nitric oxide in the gastric accommodation reflex and in meal induced satiety in humans, **219**
- Scarpignato C, editor**, Somatostatin Analogs in Cancer Management book reviews, **899**
- screening**, Guidance on gastrointestinal surveillance for hereditary non-polyposis colorectal cancer, familial adenomatous polyposis, juvenile polyposis, and Peutz-Jeghers syndrome, **v21**
 Guidance on large bowel surveillance for people with two first degree relatives with colorectal cancer or one first degree relative diagnosed colorectal cancer under 45 years, **v17**
 Guidelines for colorectal cancer screening in high risk groups, **v1**
 Guidelines for follow up after resection of colorectal cancer, **v3**
 Guidelines for monitoring of patients with ureterosigmoidostomy, **v15**
 Guidelines for screening and surveillance of asymptomatic colorectal cancer in patients with inflammatory bowel disease, **v10**
 Prospective comparative study of spiral computer tomography and magnetic resonance imaging for detection of hepatocellular carcinoma, **105**
 Screening guidelines for colorectal cancer and polyps in patients with acromegaly, **v13**
 Surveillance guidelines after removal of colorectal adenomatous polyps, **v6**
- selective serotonin reuptake inhibitors**, Centrally acting agents and visceral sensitivity, **i91**
 Pharmacotherapy: non-serotonergic mechanisms, **i87**
- self management**, Helping patients to help themselves: the future for management of ulcerative colitis?, **309**
- sensitisation**, Gastric hyperalgesia and changes in voltage gated sodium channel function in the rat, **i15**
- sensory perception**, A role for inflammation in irritable bowel syndrome?, **i41**
 Investigation of visceral sensation in humans, **i58**
- sepsis**, Causes of obvious jaundice in South West Wales, **613**
- serology**, To perform or not to perform liver biopsy—that is the question, **9**
- serotonergic agents**, Pharmacotherapy, **i96**
 Serotonergic modulation of visceral sensation: lower gut, **i81**
- serotonin**, Pharmacotherapy, **i96**
 Serotonergic modulation of visceral sensation: lower gut, **i81**
 Visceral perception: sensory transduction in visceral afferents and nutrients, **i11**
- serrated adenoma**, Molecular characteristics of serrated adenomas of the colorectum, **200**
- serrated adenomas**, Serrated adenomas in FAP, **895**
 Serrated adenomas in FAP, **895**
- short bowel syndrome**, Absorption and metabolism of octanoate by the rat colon in vivo: concentration dependency and influence of alternative fuels, **76**
- sigma ligands**, Antidiarrhoeal properties of a novel sigma ligand (JO 2871) on toxigenic diarrhoea in mice: mechanisms of action, **522**
- signal transducer and activator of transcription**, Activation of signal transducer and activator of transcription (STAT) 1 in human chronic inflammatory bowel disease, **379**
- signal transfer**, Extracellular signal regulated kinases are key mediators of mitogenic signals in rat pancreatic stellate cells, **579**
- single photon emission computed tomography**, Non-invasive measurement of gastric accommodation in humans, **i59**
 SPECT imaging of the stomach: comparison with barostat, and effects of sex, age, body mass index, and fundoplication, **781**
- sitosterol**, Comparison of the hepatic clearances of campesterol, sitosterol, and cholesterol in healthy subjects suggests that efflux transporters controlling intestinal sterol absorption also regulate biliary secretion, **860**
- slow transit constipation**, Pan-colonic decrease in interstitial cells of Cajal in patients with slow transit constipation, **496**

- SMAD4**, Frequent loss of SMAD4/DPC4 protein in colorectal cancers, **56**
- small bowel biopsy**, Invasive or non-invasive methods for the diagnosis of subclinical coeliac disease?, **455**
- small bowel malabsorption**, Absorption and metabolism of octanoate by the rat colon in vivo: concentration dependency and influence of alternative fuels, **76**
- small intestine**, Effect of breast milk and weaning on epithelial growth of the small intestine in humans, **748**
- smoking**, Cigarette smoking, appendectomy, and tonsillectomy as risk factors for the development of primary sclerosing cholangitis: a case control study, **567**
Effect of chronic and acute cigarette smoking on the pharyngoglottal closure reflex, **771**
Effects of appendectomy on the course of ulcerative colitis, **803**
In siblings with similar genetic susceptibility for inflammatory bowel disease, smokers tend to develop Crohn's disease and non-smokers develop ulcerative colitis, **21**
- smooth muscle**, Pan-colonic decrease in interstitial cells of Cajal in patients with slow transit constipation, **496**
- sodium current**, Gastric hyperalgesia and changes in voltage gated sodium channel function in the rat, **i15**
- sodium retention**, Renal tubular events following passage from the supine to the standing position in patients with compensated liver cirrhosis: loss of tubuloglomerular feedback, **736**
- soluble liver antigen/liver pancreas**, Establishment of standardised SLA/LP immunoassays: specificity for autoimmune hepatitis, worldwide occurrence, and clinical characteristics, **259**
- somatostatin**, Antidiarrhoeal properties of a novel sigma ligand (JO 2871) on toxicogen diarrhoea in mice: mechanisms of action, **522**
Pharmacotherapy: non-serotonergic mechanisms, **i87**
- sonic hedgehog**, Sonic hedgehog expression correlates with fundic gland differentiation in the adult gastrointestinal tract, **628**
- specialist centres** HCV infection should be managed in specialist centres, **625, 626**
- spinal afferents**, Neuroanatomy of visceral nociception: vagal and splanchnic afferent, **i2**
- spiral computer tomography**, Prospective comparative study of spiral computer tomography and magnetic resonance imaging for detection of hepatocellular carcinoma, **105**
- spotting lethal rat**, Abnormalities of the enteric nervous system in heterozygous endothelin B receptor deficient (spotting lethal) rats resembling intestinal neuronal dysplasia, **414**
- stellate cells**, A long hard look at Dukes' B, **6**
Effect of weight reduction on liver histology and biochemistry in patients with chronic hepatitis C, **89**
Pancreatic stellate cells contribute to regeneration early after acute necrotising pancreatitis in humans, **574**
- steroids**, New steroids for IBD: progress report, **182**
- stomach**, Regression of fundic gland polyps following acquisition of *Helicobacter pylori*, **742**
Relationship between *Helicobacter pylori* babA2 status with gastric epithelial cell turnover and premalignant gastric lesions, **480**
SPECT imaging of the stomach: comparison with barostat, and effects of sex, age, body mass index, and fundoplication, **781**
- stress**, Role of thyrotrophin releasing hormone and corticotrophin releasing factor in stress related alterations of gastrointestinal motor function, **i45**
Visceral perception: inflammatory and non-inflammatory mediators, **i19**
- stretch**, Testing the sensitivity hypothesis in practice: tools and methods, assumptions and pitfalls, **i34**
- stromelysin**, Upregulation of matrix metalloproteinases in a model of T cell mediated tissue injury in the gut: analysis by gene array and in situ hybridisation, **540**
- sulphasalazine**, Sulphasalazine and mesalazine: serious adverse reactions re-evaluated on the basis of suspected adverse reaction reports to the Committee on Safety of Medicines, **536**
- supraoesophageal reflexes**, Effect of chronic and acute cigarette smoking on the pharyngoglottal closure reflex, **771**
- surgery**, A prospective randomised study of the probiotic *Lactobacillus plantarum* 299V on indices of gut barrier function in elective surgical patients, **827**
Antagonist: Ileal Crohn's disease is best treated by surgery, **11**
Protagonist: Ileal Crohn's disease is best treated by surgery, **13**
- surveillance intervals**, Risk related surveillance following colorectal polypectomy, **424**
- surveillance programmes**, Surveillance for hepatocellular carcinoma in liver cirrhosis: have programmes improved because patients have?, **456**
Surveillance for hepatocellular carcinoma in liver cirrhosis: have programmes improved because patients have?, **611**
- survival**, Aetiology of extrahepatic portal vein thrombosis, **755**
Aetiology of extrahepatic portal vein thrombosis, **755**
Colon cancer in France: evidence for improvement in management and survival, **60**
Natural history of primary sclerosing cholangitis and prognostic value of cholangiography in a Dutch population, **562**
- Sweden**, Flat and depressed colorectal tumours in a southern Swedish population: a prospective chromoendoscopic and histopathological study, **550**
- sympathetic neurones**, Prevertebral ganglia and intestinofugal afferent neurones, **i6**
- systemic sclerosis**, Sacral nerve stimulation for faecal incontinence due to systemic sclerosis, **881**
- T cell lymphoma**, Heterogeneity of intraepithelial lymphocytes in refractory sprue: potential implications of CD30 expression, **372**
T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- T cells**, Defining the roles of perforin, Fas/FasL, and tumour necrosis factor α in T cell induced mucosal damage in the mouse intestine, **155**
Suppressor T cells, rebranded as regulatory T cells, emerge from the wilderness bearing surface markers, **311**
- target height**, Adult height in patients with early onset of Crohn's disease, **26**
- T-bet**, T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- tense ascites**, Terlipressin and arterial blood volume after paracentesis for tense ascites in cirrhosis, **755**
- tension**, Testing the sensitivity hypothesis in practice: tools and methods, assumptions and pitfalls, **i34**
- tensostat**, Testing the sensitivity hypothesis in practice: tools and methods, assumptions and pitfalls, **i34**
- terlipressin**, Terlipressin and arterial blood volume after paracentesis for tense ascites in cirrhosis, **755**
- term neonate**, Mechanisms of gastro-oesophageal reflux in preterm and term infants with reflux disease, **475**
- tetrodotoxin**, Gastric hyperalgesia and changes in voltage gated sodium channel function in the rat, **i15**
- Th1 responses**, T-bet and mucosal Th1 responses in the gastrointestinal tract, **301**
- thalamic pathways**, Role of the brain and sensory pathways in gastrointestinal sensory disorders in humans, **i29**
- The Core Curriculum Committee. Core Curriculum in Adult Primary Care Series: Gastroenterology** book reviews, **298**
- thioguanine nucleotide**, Thiopurine metabolites and the role of thiopurine methyltransferase activity in inflammatory bowel disease: *letter*, **141**
- thiopurine methyltransferase**, Thiopurine metabolites and the role of thiopurine methyltransferase activity in inflammatory bowel disease: *letter*, **141**
TPMT in the treatment of Crohn's disease with azathioprine, **143**
- thyrotrophin releasing hormone**, Role of thyrotrophin releasing hormone and corticotrophin releasing factor in stress related alterations of gastrointestinal motor function, **i45**
- tight junctions**, Effect of stress on the paracellular barrier in the rat ileum, **507**
- time trends**, Colon cancer in France: evidence for improvement in management and survival, **60**
- tissue inhibitor of metalloproteinase**, Upregulation of matrix metalloproteinases in a model of T cell mediated tissue injury in the gut: analysis by gene array and in situ hybridisation, **540**
- tissue transglutaminase**, Anti-tissue transglutaminase antibodies from coeliac patients inhibit transglutaminase activity both in vitro and in situ, **177**
- toll-like receptors**, Lipopolysaccharide modulation of normal enterocyte turnover by toll-like receptors is mediated by endogenously produced tumour necrosis factor α , **842**
- tonsillectomy**, Cigarette smoking, appendectomy, and tonsillectomy as risk factors for the development of primary sclerosing cholangitis: a case control study, **567**
- tranexamic acid**, Upper gastrointestinal bleeding and surrogate end points: *letter*, **140**
- transforming growth factor**, Human transforming growth factor α (TGF- α) is digested to a smaller (1–43), less biologically active, form in acidic gastric juice, **787**
- transient lower oesophageal sphincter relaxation, gastric emptying**, Mechanisms of gastro-oesophageal reflux in preterm and term infants with reflux disease, **475**
- transjugular intrahepatic portosystemic stent shunt**, The role of the transjugular intrahepatic portosystemic stent shunt (TIPSS) in the management of bleeding gastric varices: clinical and haemodynamic correlations, **270**
- trapidil**, Extracellular signal regulated kinases are key mediators of mitogenic signals in rat pancreatic stellate cells, **579**
- trefoil factor 1**, Characterisation of oestrogen receptor, progesterone receptor, trefoil factor 1, and epidermal growth factor and its receptor in pancreatic cystic neoplasms and pancreatic ductal adenocarcinoma, **712**
- trefoil factor family**, Gastroprotective peptide trefoil factor family 2 gene is activated by upstream stimulating factor but not by c-Myc in gastrointestinal cancer cells, **685**
- trefoil peptide**, Gastroprotective peptide trefoil factor family 2 gene is activated by upstream stimulating factor but not by c-Myc in gastrointestinal cancer cells, **685**

- tricyclic antidepressants**, Pharmacotherapy: non-serotonergic mechanisms, **i87**
- tricyclics**, Centrally acting agents and visceral sensitivity, **i91**
- tumour necrosis factor α converting enzyme**, Autoimmune related pancreatitis, **1**
- Tumour necrosis factor α converting enzyme (TACE) activity in the colonic mucosa of patients with inflammatory bowel disease, **37**
- tumour necrosis factor α** , Anti-tumour necrosis factor therapy in Crohn's disease: where are we now?, **362**
- Lipopolysaccharide modulation of normal enterocyte turnover by toll-like receptors is mediated by endogenously produced tumour necrosis factor α , **842**
- Susceptibility to primary sclerosing cholangitis in Brazil is associated with HLA-DRB113 but not with tumour necrosis factor α -308 promoter polymorphism, **609**
- tumour necrosis factor**, Autoimmune related pancreatitis, **1**
- Defining the roles of perforin, Fas/FasL, and tumour necrosis factor α in T cell induced mucosal damage in the mouse intestine, **155**
- Tumour necrosis factor α converting enzyme (TACE) activity in the colonic mucosa of patients with inflammatory bowel disease, **37**
- type A hepatitis**, Association between severity of type A hepatitis and nucleotide variations in the 5' non-translated region of hepatitis A virus RNA: strains from fulminant hepatitis have fewer nucleotide substitutions, **82**
- ulcerative colitis epidemiology**, No seasonality in month of birth of inflammatory bowel disease cases: a prospective population based study of British under 20 year olds, **814**
- ulcerative colitis**, Activation of signal transducer and activator of transcription (STAT) 1 in human chronic inflammatory bowel disease, **379**
- Appendix redux, **764**
- Autoimmune related pancreatitis, **1**
- B cell attracting chemokine 1 (CXCL13) and its receptor CXCR5 are expressed in normal and aberrant gut associated lymphoid tissue, **364**
- Cigarette smoking, appendectomy, and tonsillectomy as risk factors for the development of primary sclerosing cholangitis: a case control study, **567**
- Effects of appendectomy on the course of ulcerative colitis, **803**
- Helping patients to help themselves: the future for management of ulcerative colitis?, **309**
- In siblings with similar genetic susceptibility for inflammatory bowel disease, smokers tend to develop Crohn's disease and non-smokers develop ulcerative colitis, **21**
- New steroids for IBD: progress report, **182**
- Protective role of appendectomy on onset and severity of ulcerative colitis and Crohn's disease, **808**
- Related IgA1 and IgG producing cells in blood and diseased mucosa in ulcerative colitis, **44**
- Tumour necrosis factor α converting enzyme (TACE) activity in the colonic mucosa of patients with inflammatory bowel disease, **37**
- Which 5-ASA?, **548**
- ulcer**, Upper gastrointestinal bleeding and surrogate end points: *letter*, **140**
- ultrasound**, Non-invasive measurement of gastric accommodation in humans, **i59**
- underdiagnosis**, Underdiagnosis of hereditary haemochromatosis: lack of presentation or penetration?, **108**
- upper gastrointestinal bleed**, Non-variceal upper gastrointestinal haemorrhage: guidelines, **iv1**
- upright posture**, Renal tubular events following passage from the supine to the standing position in patients with compensated liver cirrhosis: loss of tubuloglomerular feedback, **736**
- upstream stimulating factor**, Gastroprotective peptide trefoil factor family 2 gene is activated by upstream stimulating factor but not by c-Myc in gastrointestinal cancer cells, **685**
- ureterosigmoidostomy**, Guidelines for monitoring of patients with ureterosigmoidostomy, **v15**
- ursodeoxycholate**, Hepatoprotection with tauroursodeoxycholate and β muricholate against tauroolithocholate induced cholestasis: involvement of signal transduction pathways, **113**
- VacA**, Toxigenic *Helicobacter pylori* induces changes in the gastric mucosal microcirculation in rats, **641**
- vagal afferents**, Neuroanatomy of visceral nociception: vagal and splanchnic afferent, **i2**
- variceal bleeding**, All that glitters is not gold, **623**
- vascular cell adhesion molecule**, ICAM-1 and VCAM-1 antisense oligonucleotides attenuate in vivo leucocyte adherence and inflammation in rat inflammatory bowel disease, **529**
- vasoactive drugs**, All that glitters is not gold, **623**
- vasopressin analogue**, Terlipressin and arterial blood volume after paracentesis for tense ascites in cirrhosis, **755**
- venous spread**, A place for TACE, **5**
- Identification of objective pathological prognostic determinants and models of prognosis in Dukes' B colon cancer, **65**
- vertebral fracture**, High prevalence of osteoporotic vertebral fractures in patients with Crohn's disease, **654**
- Vienna classification**, Behaviour of Crohn's disease according to the Vienna classification, **614**
- viraemia**, Prevalence and risk factors of hepatitis C virus infection in haemodialysis patients: a multicentre study in 2796 patients, **429**
- visceral hypersensitivity**, Hypersensitivity in functional gastrointestinal disorders, **i25**
- Visceral perception: inflammatory and non-inflammatory mediators, **i19**
- visceral perception**, Investigation of visceral sensation in humans, **i58**
- Role of nitric oxide in gastric motor and sensory functions in healthy subjects, **212**
- Sensation and gas dynamics in functional gastrointestinal disorders, **i72**
- visceral reflexes**, Hypersensitivity in functional gastrointestinal disorders, **i25**
- visceral sensation**, Testing the sensitivity hypothesis in practice: tools and methods, assumptions and pitfalls, **i34**
- Visceral sensation and emotion: a study using hypnosis, **701**
- visceral sensitivity**, Centrally acting agents and visceral sensitivity, **i91**
- Pharmacotherapy, **i96**
- Role of visceral sensitivity in functional disorders, **i76**
- weaning**, Effect of breast milk and weaning on epithelial growth of the small intestine in humans, **748**
- weight loss**, A long hard look at Dukes' B, **6**
- Effect of weight reduction on liver histology and biochemistry in patients with chronic hepatitis C, **89**
- whey formula**, Aberrant composition of gut microbiota of allergic infants: a target of bifidobacterial therapy at weaning?, **51**
- X chromosome inactivation**, Polyclonal nature of diffuse proliferation of interstitial cells of Cajal in patients with familial and multiple gastrointestinal stromal tumours, **793**
- ZO-1**, Effect of stress on the paracellular barrier in the rat ileum, **507**