


Maxolon for flatulence, dyspepsia, gastritis, and peptic ulcer symptoms



Disturbance of gastro-duodenal motility has become increasingly established as a major factor in the aetiology of gastro-duodenal symptoms.

In restoring this disturbed motility to normal, Maxolon represents a unique approach to therapy.

And it works—flatulence, dyspepsia, gastritis, hiatus hernia and peptic ulcer symptoms have all shown high symptomatic response to Maxolon. Even difficult post-cholecystectomy dyspepsias have responded well. Maxolon acts by synchronising antral and duodenal contractions, increasing the competence of the cardiac and pyloric sphincters and promoting normal peristalsis. Reflux, gastric stasis, retention and spasm are all alleviated. Normal motility is restored and gastro-duodenal symptoms resolved.

Further information is available on request.

Maxolon

fundamental treatment for gastro-duodenal conditions




Maxolon* (metoclopramide) is a product of
Beecham Research Laboratories
Brentford, England

*regd.



The graph below compares mortality rates due to faecal peritonitis, era by era. It is not pedantically accurate because its sources differ. But the point is fairly made.



Why inaccurate? Because column 4 refers to 23 cases of faecal peritonitis which were treated successfully with Noxyflex. But the *3 deaths which occurred were due to causes other than peritonitis - as post-mortem revealed. **The mortality rate due to peritonitis can therefore be regarded as zero.**

* The whole graph, and the causes of the deaths referred to are the subject of the new Noxyflex folder "Why three deaths?" You will receive at least one copy!

**When bacterial contamination
of the peritoneum is
diagnosed or suspected:**

Noxyflex
Geistlich Chester

2.5G. Noxytiolin and 10 mgm. Amethocaine HCl

Selected Writings of Sir Arthur Hurst (1879-1944)

Wordsworth said of Coleridge that he was like a torch to set other men alight and the same could be truly said of Sir Arthur Hurst. His case demonstrations drew an audience, not merely from Guy's Hospital and London, but from all over the world. It was characteristic that his younger colleagues took an active part in these demonstrations. He inspired many to engage with him in physiological and clinical research work in gastroenterology.

The originality and solidity of his contributions to gastroenterology have sometimes been underestimated just because of his other brilliant gifts. The present volume, which contains only a fraction of his published work, will correct any such misapprehension. It is surprising how much of our present knowledge of gastroenterology goes back to Hurst, as a glance at the Bibliography will show. Moreover, he set an example of the continuous process of discovery and re-appraisal, without which a subject cannot flourish. His inspiration has been transmitted directly to the present generation of gastroenterologists in Great Britain but ultimately it will have to depend on the written word. This memorial volume reveals the reasons for the pride and affection with which the British Society of Gastroenterology looks back to its founder, and ensures, as far as is humanly possible, that his personality and accomplishments will not be forgotten.

The British Society of Gastroenterology is grateful to Dr. Thomas Hunt for having prepared this memorial volume on its founder while many of his friends are still alive and his image is still vivid in our minds. The task has been a considerable one and has been notably well completed.

Price £2.00 (U.S.A. \$6.00) net

Copies can be ordered now direct from

**The Publishing Manager, GUT, BMA House, Tavistock Square,
London WC1H 9JR, or through any leading bookseller**

The problem of nutritional deficiency in surgery

In surgery of the GI tract the malnourished patient is a poor surgical risk. Pre-operative parenteral nutrition ensures adequate provision of nitrogen and calories and the correction of any electrolytic imbalance. This is best achieved by the use of SERVIER intravenous nutritional solutions.



Trophysan*
A solution of amino-acids with mineral and vitamin additives for parenteral nitrogen provision.

Sorbitol (Egic) 30%
An easily-assimilated and molecularly stable solution, with a neutral pH, providing adequate carbohydrate calories.

Lipiphysan*
An isotonic fat emulsion with 5% Sorbitol (Egic) for the pre- and post-operative resuscitation of depleted patients.

When nutritional deficiency is a problem, Servier has the solution.



For full information and literature write to:

Servier Laboratories Ltd.

Percival House, Pinner Road, Harrow, Middlesex HA1 4HQ

S558-1

*Trade Marks

**Do you want
to stop his pain...
..or heal his ulcer?**

Why not do both at once?

DUOGASTRONE®



BIOGASTRONE®



Full details available on request

J.3572

Nutrizym[®]

**unique two-stage replacement or supplemental therapy
in pancreatic insufficiency**

Extensive clinical evidence indicates that Nutrizym is significantly more effective than its competitors in improving fat absorption and protein digestion, and in reducing faecal weight.*

Each Nutrizym tablet has an enteric-coated pancreatic core and a shell of bromelains – proteolytic enzymes of the pineapple – which are active within the pH range of pH3 and pH8 (even pH2 for short periods) and therefore act without loss of enzymatic effectiveness at the low pH found in the stomach.

Following ingestion of the tablet, the bromelains are liberated in the stomach, where proteolytic action is required, and pancreatin is released in the duodenum. Additionally, the bromelains aid digestion in the small intestine where they develop their full proteolytic effect.

Nutrizym is indicated in: pancreatic deficiency states including post-gastrectomy malabsorption, fibrocystic and gastro-intestinal disorders resulting in steatorrhoea.

Nutrizym: each tablet contains Bromelains 50mg. Pancreatin ** 4 x N.F. 400mg, and Ox bile 30mg.

** activity equivalent to four times pancreatin B.P.

Dosage: 1 tablet to be taken with meals. Further tablets may be taken according to the degree of pancreatic exocrine insufficiency.

Full information on request

E. Merck Limited, Wokingham, Berks.

Liver and Drugs

edited by **F. Orlandi and A.M. Jezequel**

*Centre for the Study of the Action of Drugs on the Liver
University of Camerino and Division of Gastroenterology General Hospital
Ancona, Italy*

August 1972, vii + 268 pp. £5.00

Physicians and biologists alike are only too conscious of the effects of drugs on the liver; consequently numerous books on pharmacology and the action of drugs on the liver have been written. But no other book has brought together such various aspects of the subject as are illustrated in *Liver and Drugs*. The contributors have looked afresh at data relating to the human liver in their experimental study of pharmacogenetics, pharmacokinetics, adaptation, ultrastructure, clinical techniques of diagnosis, clinico-statistical methods and liver failure. Their work has suggested feasible channels for future research.

Contents

E. S. Vesell: Individual variations in drug response. **L. Feinman, E. Rubin and C. S. Lieber**: Adaptation of the liver to drugs. **G. Segre**: Kinetics of drugs in the hepatobiliary system. **R. Preisig**: Evaluation of the action of foreign compounds on biliary excretion. **L. Chiandussi**: Clinical techniques for the evaluation of changes induced by drugs in hepatic circulation. **A. M. Jezequel and F. Orlandi**: Fine morphology of the human liver as a tool in clinical pharmacology. **S. Sherlock**: Clinical techniques for the evaluation of therapeutic agents in the liver. **J.-P. Benhamou, B. Rueff and C. Sicot**: Severe hepatic failure: a critical study of current therapy. **F. Orlandi and E. Marubini**: Problems of methodology in the evaluation of liver responses to drugs. **Author index. Subject index.**



Academic Press London and New York
24-28 Oval Road, London NW1, England
111 Fifth Avenue, New York, NY 10003, USA

Disorders of Carbohydrate Metabolism

The Proceedings of a Symposium organized by the Association of Clinical Pathologists


CONTENTS: Symposium on disorders of carbohydrate metabolism ● Hormonal control of carbohydrate metabolism ● Disorders of fructose metabolism ● Hyperinsulinism ● The diagnosis of diabetes mellitus ● Disorders of carbohydrate digestion and absorption ● Glycogen storage diseases ● Practical aspects of the investigation of disorders of carbohydrate metabolism ● Carbohydrates, fats, and atherosclerosis ● Hypoglycaemia in infancy and childhood ● Diabetic ketosis and coma ● Intermediary carbohydrate metabolism ● Disorders of galactose metabolism ● Pathogenesis of diabetes mellitus.

PRICE £1.50 (U.S.A. \$4.50) including postage


This publication can be ordered now from: The Publishing Manager

JOURNAL OF CLINICAL PATHOLOGY

B.M.A. House, Tavistock Square, London, WC1H 9JR, or through any leading bookseller




Model JF-B-Olympus duodenofiberscope, side viewing, four way tip angulation, working length 1,250 mm, automatic photography.




Model GF-BK-Olympus gastrofiberscope, side viewing, four way tip angulation, variable focus, automatic photography. Working length 865 mm.

KEY MED
the specialist
service for
endoscopy
equipment



Now a further advance in colonoscopy the Olympus CF-MB replacing the CF-SB. The CF-MB has facilities for biopsy, forward viewing, fingertip control of suction, insufflation and lens cleaning, four way angling tip. Working length 1,100 mm. Instrument for total colonoscopy also available Model CF-LB, working length 1,865 mm.



New unique the Olympus GIF-D gastrointestinal fiberoptic endoscope, forward viewing, four way angling tip, variable focus, automatic exposure photography. Working length 1,050 mm.

also available
INTRAGASTRIC CAMERAS
Full range with or without fiberoptic viewing

FIBEROPTIC ENDOSCOPES

Gastro-intestinal fiberoscope
Oesophago fiberoscope
Broncho fiberoscope
Colono fiberoscope
Kidney fiberoscope
Naso-pharyngeal fiberoscope
Duodeno fiberoscope
Gastro fiberoscope
Vocal Cords fiberoscope
Sigmoid fiberoscope
Choledcho fiberoscope

OLYMPUS - world leaders in fiberoptic endoscopy.

KEY MED specialised medical equipment limited

Maitland House Warrior Square Southend on Sea SS1 2JY Telephone: 0702 610381 Telegrams: KEYMED

ACTA GASTRO-ENTEROLOGICA BELGICA

Organe de la Société belge de Gastro-entérologie

SOMMAIRE du FASCICULE 6

Bibliographie.

- O. FODOR, D. TAPALAGA and F. BARBARINO (Cluj, Roumanie). Protective action of the aspartic acid on liver steroid dehydrogenases in experimental chronic intoxication with carbon tetrachloride.
P. LÉONARD (Bruxelles). L'ampullome vaterien. Aspects évolutifs et problèmes diagnostiques. (A propos de six observations d'affections au long cours).
O. THYS et P. MAINGUET (Bruxelles). Etude clinique de la maladie coeliaque de l'adulte: évolution classique et formes atypiques.
P. BARBIER, Ch. CAUCHIE, F. MALAISSE-LAGAE (Bruxelles), S. LANGLET (Ath) et R. DENOLIN-REUBENS (Bruxelles). Aplasie médullaire au décours d'une hépatite chez un malade atteint de lymphogranulomatose maligne.
L. VAN DE BERG, A. VAN DE BERG et Ch. DRÈZE (Liège). Insuffisance artérielle mésentérique chronique traitée par un pontage veineux entre l'aorte et le tronc coeliaque et par la réimplantation de l'artère mésentérique supérieure.
J. STALPORT, A. DARDENNE, P. LETAWE (Huy) et J. BODDAERT (Gand). Carcinofide du grêle.

SOMMAIRE du FASCICULE 7

Bibliographie.

- A. SCHMITZ (Liège). Incidence des cirrhoses et des hépatomes dans un matériel d'autopsies. Evolution au cours des vingt dernières années.
L. BULIGESCO et M. DUMITRIU (Bucarest). Recherches sur l'antigène Australia dans les hépatites chroniques.
Y. SALEMBIER (Lille). Contrôles mano-débitmétriques après sphincteromie.
J. STERNON, J.-P. BUTZLER, M. DETRAIN-GOSSUIN et P. DEKEYSER (Bruxelles). Enterites aiguës et septicémies à *Vibrio fetus*. A propos de deux observations.
J.-P. LAMBILLIOTTE, J. BELENGER, E. JACOBS et A. BREMER (Bruxelles). Syndrome de Gardner. Disparition spontanée des polypes rectaux après colectomie subtotala.
J. RUBAY et J. FAY (Charleroi). Les fistules coliques internes.

SOMMAIRE du FASCICULE 8-9

Bibliographie.

- A. GERARD, J.-P. DEREUME et J. CL. PECTOR (Bruxelles). Adénocarcinomes du côlon et du rectum.
J. VERSCHRAEGEN et J. ANSAY (Bruxelles). Trois cents dossiers de diverticulite colique. Intérêt du traitement chirurgical.
P. LIMBOS (Anvers). Acquisitions récentes dans la thérapeutique de l'amibiase.
L. MOREAUX, E. SCHYNS, M. FIEVEZ et CL. FIEVEZ (Châtelet, Loverval). A propos de la mucocoele maligne de l'appendice.
G. LAGACHE, C. PROYE, J.-P. MAILLARD et J. CHEVERT (Lille). Artériographie sélective en période hémorragique et angiomes plans de jéjunum. Une observation.
J. STALPORT et P. LETAWE (Huy). Syndrome de Gardner associé à une dégénérescence maligne d'un polype du sphincter d'Oddi.

SOMMAIRE du FASCICULE 10

Bibliographie.

- E. EGGERMONT, A. M. MOLLA, G. TYTGAT and L. RUTGEERTS (Leuven). Distribution of enterokinase activity in the human intestine.
R. HEIMANN (Bruxelles). Cirrhoses et affections lymphoprolifératives.
Ph. PAULET, J. RUTSAERT, P. BARBIER et O. THYS (Bruxelles). Cancer primitif du foie. Etude clinique à propos de 53 cas.
J.-C. BROMBART, R. VAN DER HOEDEN et C. JEANTY (Bruxelles). Syndrome de Mallory-Weiss. A propos d'un cas localisé à l'oesophage, diagnostiqué par la radiographie.
E. FURNEMONT (Bruxelles). Sténose gastrique isolée après ingestion de caustique.
J. VAN CAUTER, J.-CL. DAUBRESSE, G. LIGNY et R. MEUNIER (Charleroi). Un syndrome de Dubin-Johnson chez une patiente atteinte de lupus érythémateux diffus.

SOMMAIRE du FASCICULE 11

Bibliographie.

- S. TAGLIACCOZZO (Cagliari). Celiac-mesenteric lymphadenectomy in radical surgical treatment of gastric cancer.
A. FOX, R. VAN DER HOEDEN et A. DELCOURT (Bruxelles). Exploration du pancréas exocrine par le test sécrétine-céruléine. Comparaison avec le test sécrétine-pancréozymine.
Ph. SCHOENFELD et A. VAN MEELSEN (Bruxelles). Résultats préliminaires concernant un test rapide de l'activité amylasique. A. COLOMBI, A. DI SIMONE, P. E. LUCCHELLI and M. COLTORTI (Napoli). Quantitative evaluation of ¹⁸⁸Au hepatosplenic scanning in the diagnosis of chronic liver diseases.
Tr. BANCUI, P. PRODAN, M. GAVRILESCU et L. BERINDE (Timisoara). Quelques observations concernant l'hépatite réactive non spécifique de cause digestive.
L. M. TORRES, J. V. GURRUCHAGE, A. CICALIANI et J. N. PIGLIACAMPO (Rosario). Action sur les voies biliaires d'un nouvel agent spasmolytique démontrée par cinécholanganométrie.
G. BERCU (Tel-Aviv). A propos d'un cas de perforation d'un ulcère duodénal dans la cavité péritonéale préhépatique.

SOMMAIRE du FASCICULE 12

Bibliographie.

- L. DEMEULENAERE et R. J. WIEME (Gent). Voies nouvelles dans le diagnostic enzymologique en hépatologie. Note sur la γ -glutamyltranspeptidase et sur les isoenzymes des phosphatases alcalines.
P. KINNAERT, C. STEENWINKEL, R. BUCHIN, J. P. GOVAERTS, R. KIEKENS et J. VAN GEERTRUYDEN (Bruxelles). Technique et résultats de l'alimentation jéjunale.
A. ELEWAUT, M. MUSSCHE, L. DEMEULENAERE et F. BARBIER (Gent). Aux frontières de la rectocolite ulcéro-hémorragique et de la maladie de Crohn.
Ph. PAULET, J. P. THYS, H. LEWINSON, O. THYS, and A. CORNIL (Bruxelles). Acute hemorrhagic pancreatitis associated with decompensated chronic respiratory insufficiency.

Acta Gastro-enterologica Belgica: 10 fascicules par an.

Abonnements (Belgique et étranger) : 1.200 Fr. b. fascicule isolé: 250 Fr. b.

Secrétariat et rédaction: rue des Champs Elysées. 43. B. 1050. Bruxelles. Belgique.

Clinics in Gastroenterology

International in scope, clinical in presentation, CLINICS IN GASTROENTEROLOGY has been created to fill the long felt need for a timely and comprehensive source of in-depth information by presenting:

- Expert guidance and instruction with the problems encountered in daily practice.
- First-hand reports of the latest advances in clinical management.
- Critical evaluations of current practice and procedures.
- Modifications and refinements in existing techniques.
- A forum for the opinions and recommendations of specialists in the forefront of gastroenterologic practice.
- Realistic appraisals of controversial topics and modes of management.

Published three times each year, every issue is a liberally illustrated 250 page hardbound work filled with clinically useful information—considerably earlier than it would appear in medical texts and in substantially greater detail than in journal articles. Every issue is a self-contained book dealing with a specific aspect of gastroenterology. Chapters are written on invitation from the guest editor for the issue, by leading investigators, teachers and practitioners.

Volume 1. No. 1. January 1972

THE EXOCRINE PANCREAS

Guest Editor: **Henry T. Howat, CBE, FRCP, FRCP(Ed)**, *Manchester Royal Infirmary*

'...the importance of this volume is threefold. First, for £9 per annum (3 volumes in each year) the series is very reasonably priced as the presentation is excellent and the bibliography extensive. Secondly, the quality of this volume has set a standard that the further volumes will find it difficult to compete with, and lastly, the volume stands as a worth-while tribute to the members of the Pancreatic Club who have between themselves contributed to it.'

THE PRACTITIONER

Volume 1. No. 2. May 1972

CROHN'S DISEASE

Guest Editor: **Bryan N. Brooke, MD, MChir, FRCS**, *Professorial Surgical Unit, St. George's Hospital, London.*

Volume 1. No. 3. September 1972

VASCULAR DISORDERS OF THE ALIMENTARY TRACT

Guest Editor: **Adrian Marston, DM, MCh, FRCS**, *Consultant Surgeon, The Middlesex and the Royal Northern Hospitals, London.*

Volume 2. No. 1. January 1973

DISEASES OF THE BILIARY TRACT

Guest Editor: **Ian A. D. Bouchier, MD, FRCP**, *Department of Medicine, Royal Free Hospital, London.*

Volume 2. No. 2. May 1973

PEPTIC ULCERATION

Guest Editor: **Wilfred Sircus, PhD, MD, FRCP, FRCP(Ed)**, *Gastrointestinal Unit, Western General Hospital, Edinburgh.*

Volume 2. No. 3. September 1973

GENETICS OF GASTROENTEROLOGY

Guest Editor: **Richard B. McConnell, MD, FRCP**, *Consultant Physician, United Liverpool Hospitals.*

W.B. Saunders Company Ltd

12 Dyott Street LONDON WC1A 1DB
