

## Editorial Committee

WILFRID CARD  
EDWARD R. CULLINAN  
SIR CHARLES DODDS  
HENRY T. HOWAT  
THOMAS HUNT  
ANDREW W. KAY

H. A. MAGNUS  
C. NAUNTON MORGAN  
HAROLD RODGERS  
SHEILA SHERLOCK  
NORMAN C. TANNER  
GEOFFREY WATKINSON

EDITOR *British Medical Journal*  
HAROLD C. EDWARDS (*Editor*)

F. AVERY JONES (*Editorial Secretary*)

## Notice to Contributors

The object of *Gut* is to publish original papers and reviews concerned with practice and research in the field of gastroenterology. The field is that of alimentary, hepatic, or pancreatic disease, and papers may cover the medical, surgical, radiological, or historical aspects. They may also deal with the basic sciences concerned with the alimentary tract, including experimental work. The report of a single case will be accepted only if it is of sufficient interest in relation to a wider field of research.

There will be a section devoted to short papers on laboratory and surgical techniques and methods of investigation where these are not part of a larger survey.

**COMMUNICATIONS** Papers should be addressed to the Editorial Secretary, *Gut*, Central Middlesex Hospital, Park Royal, London, N.W.10. Papers are accepted only on the understanding that they are not published elsewhere without previous sanction of the Editorial Board. They should be in double-spaced typewriting on one side of the paper only. On the paper the name of the author should appear with initials (or distinguishing Christian name) only, and the name and address of the hospital or laboratory where the work was performed. A definition of the position held by each of the authors in the hospital or laboratory should be stated in a covering letter to the Editor. Communications should be kept short, and illustrations should be included when necessary; coloured illustrations are allowed only if monochrome will not satisfactorily demonstrate the condition. It is not desirable that results should be shown both as tables and graphs.

**ILLUSTRATIONS** Diagrams should be drawn in Indian ink on white paper, Bristol board, or blue-squared paper. Diagrams should be twice the size of the finished block. The legends for illustrations should be typed on a separate

sheet and numbered to conform with the relevant illustrations. Photographs and photomicrographs should be on glossy paper, unmounted. Indications of the authors' limits on reduction should be clearly stated. TABLES should not be included in the body of the text, but should be typed on a separate sheet. The approximate position of the table should be indicated in the text.

**ABBREVIATIONS** In general, symbols and abbreviations should be those used by British Chemical and Physiological Abstracts. In particular, g. and mg. (not gms. or mgms.) are abbreviations for grammes and milligrammes, and ml. (not c.cm.) is the unit of volume. In any paper concerning electrolyte metabolism, it is desirable that data be calculated as mEq./l. as well as (or alternatively to) mg./100 ml.

**REFERENCES** These should be made by inserting the name of author followed by year of publication in brackets. At the end of the paper, references should be arranged in alphabetical order of author's name. Such references should give author's name, followed by initials and year of publication in brackets, *the title of the article quoted*, the name of the journal in which the article appeared, the volume number in arabic numerals, followed by numbers of first and last pages of article. Abbreviations are according to *World Medical Periodicals* (published by B.M.A. for World Medical Association), thus: Chandler, G. N., Cameron, A. D., Nunn, A. H., and Street, D. F. (1960). Early investigations of haematemesis. *Gut*, 1, 6-13.

**REPRINTS** Fifty reprints will be supplied free of charge. Further reprints will be available on payment of the necessary costs; an indication of the number of reprints required should be sent to the Publishing Manager on the post-card provided with the proofs.

REFERENCES

- Cameron, E., Campbell, A., and Plenderleith, W. (1961a). Seromuroid in the diagnosis of cancer. *Scot. med. J.*, 6, 301-307.
- , —, — (1961b). Seromuroid in the diagnosis of jaundice. *Ibid.*, 6, 308-310.
- Cantwell, D. F. (1960). Ward barium meal examination in acute gastro-intestinal haemorrhage. *Clin. Radiol.*, 11, 60-64.
- Chandler, G. N., Cameron, A. D., Nunn, A. H., and Street, D. F. (1960a). Early investigations of haematemesis. *Gut*, 1, 6-13.
- , —, —, — (1960b). Haematemesis and melaena. *Lancet*, 2, 507-510.
- Greenspan, E. M., Lehman, I., Graff, M. M., and Schoenbach, E. B. (1951). A comparative study of the serum glycoproteins in patients with parenchymatous hepatic disease or metastatic neoplasia. *Cancer (Philad.)*, 4, 972-983.
- Lockey, E., Anderson, A. J., and MacLagan, N. F. (1956). Urine and serum mucoproteins in cancer and other diseases. *Brit. J. Cancer*, 10, 209-221.
- Watkinson, G. (1961). The diagnosis and management of upper gastro-intestinal bleeding. *Practitioner*, 186, 335-343.
- Winzler, R. J., and Smyth, I. M. (1948). Studies on the mucoproteins of human plasma. II. Plasma mucoprotein levels in cancer patients. *J. clin. Invest.*, 27, 617-619.

---

The June 1962 Issue

THE JUNE 1962 ISSUE CONTAINS THE FOLLOWING PAPERS

- Selective surgery for peptic ulcer: a review IAN M. ORR
- Peptic ulcer in hospital: An analysis of a 10% in-patient enquiry throughout England and Wales H. DAINTREE JOHNSON
- Ribonucleic acid and protein metabolism in the gut Part I Observations in gastro-intestinal cells with rapid turnover Part II Observations in the fixed secretory cells of the gut R. G. SHORTER and B. CREAMER
- An experimental study of gastric cancer in relation to gastric ulcer R. STEIN-WERBLOWSKY
- Pancreatic heterotopia as a cause of dyspepsia R. D. TONKIN, T. E. FIELD, and P. R. WYKES
- Redundant colon as a cause of constipation PEKKA BRUMMER, PENTTI SEPPÄLÄ, and UNO WEGELIUS
- Idiopathic steatorrhoea with intestinal pseudo-obstruction H. A. MCCLELLAND, M. J. LEWIS, and J. M. NAISH
- Subcutaneous fat necrosis, 'polyarthritis', and pancreatic disease P. F. LUCAS and T. K. OWEN
- The blood volume and plasma protein levels before and after gastrectomy ALEXANDER SWAN, GEOFFREY T. ALLEN, and NORMAN C. TANNER
- Gastric secretion in relation to subsequent duodenal ulcer and familial history J. H. BARON
- The use of the colon as a substitute for the oesophagus P. J. CHRYSOPATHIS and B. GOLEMATIS
- Peripheral ligation of the hepatic artery during surgery in non-cirrhotic patients M. ANDREASSEN, J. LINDENBERG, and K. WINKLER
- Extracorporeal methods of reducing high blood ammonia levels H. D. RITCHIE, D. M. DAVIES, J. M. GODFREY, P. FAN, R. G. S. JOHNS, and J. PERRIN
- The effect of anticholinergic drugs on the mucus content of gastric juice D. W. PIPER, MIRJAM C. STIEL, and BARBARA FENTON
- Methods and techniques*
- Telemetering from within the body using a pressure-sensitive radio pill B. W. WATSON, B. ROSS, and A. W. KAY
- Measurement of gastrointestinal transit using radioactive chromium J. HANSKY and A. M. CONNELL

Copies are still available and may be obtained from the PUBLISHING MANAGER,  
BRITISH MEDICAL ASSOCIATION, TAVISTOCK SQUARE, W.C.1., price 17s. 6d.

# SUBSCRIPTION RATES

## 1963

### GUT

Owing to higher costs of production and distribution it will be necessary to increase the annual subscription rates in 1963.

*The inland subscription rate from January 1, 1963 will be £3 3s.*

*The overseas subscription rate from January 1, 1963 will be £3 10s.*

*(U.S.A.: \$10.00)*

*(The single copy price will be increased to 18s. 6d. (U.S.A.: \$3.00))*

Current subscriptions which extend into 1963 will not be affected by this increase until due for renewal.

## ANTIBIOTIC-INDUCED DIARRHOEA<sup>★</sup>

There is good evidence in continental literature, for which further confirmation is being sought in this country, that this troublesome complication of broad-spectrum antibiotic treatment can be relieved or prevented by administering living antibiotic-resistant *Lactobacillus acidophilus* in the form of ENPAC.

The lactobacilli can be shown to establish themselves and multiply in the bowel, and their presence is inimical to that of pathogens, including, according to some reports, *Salmonella* species, and to *Candida* and staphylococci.

"Patients in hospital who have had an operation, and a course of 'broad-spectrum' antibiotics, sometimes develop diarrhoea which may be severe and even fatal."—*Lancet* Annotations, 25th February, 1961.



ENPAC

### LACTOBACILLUS ACIDOPHILUS PREPARATION

Samples and literature will be sent to the medical profession on request to:—

WILTS UNITED DAIRIES LIMITED • NUTRITION DEPARTMENT • TROWBRIDGE • WILTS