

GLOBAL CHOICE

UNIVERSAL T

RANITIDINE HCl
Zantac[®]

GlaxoWellcome

Further information on Zantac[®] is available from Glaxo Wellcome plc
Stockley Park West, Uxbridge, Middlesex UB11 1BT, UK
or your local Glaxo Wellcome company

Zantac[®] is registered trademark

KILL H. PYLORI. SIMPLY, EFFICIENTLY AND CONSISTENTLY.*



*Pylorid offers consistently high eradication rates when co-prescribed with clarithromycin (82-94%¹⁻⁵ in well-controlled double-blind, randomised, multi-centre clinical trials).

 **Pylorid**TM
RANITIDINE BISMUTH CITRATE

A BREAKTHROUGH IN ERADICATION THERAPY

Pylorid Prescribing Information.

Indications Treatment of duodenal and benign gastric ulcer. *H. pylori* eradication and prevention of duodenal ulcer relapse when given with clarithromycin or amoxicillin. **Dosage Adults:** duodenal ulcer 400mg twice daily for four weeks. Treatment may be extended for further four weeks. Benign gastric ulcer 400mg twice daily for eight weeks. *H. pylori*-associated duodenal ulcer 400mg twice daily with amoxicillin 500mg four times daily (2g) or clarithromycin 250mg four times daily or 500mg three times daily (1g-1.5g) for first two weeks of treatment then Pylorid 400mg twice daily for further two weeks. **Children:** Not currently recommended. **Contra-indications** Known hypersensitivity to any of the ingredients. **Precautions** In gastric ulcer exclude malignancy before treatment. Plasma levels increased in renal impairment and elderly. Avoid use in extreme renal impairment (see data sheet). Avoid in patients with history of acute porphyria. As contains bismuth not recommended for

maintenance use or more than 16 weeks in a year. See prescribing information for amoxicillin or clarithromycin before co-prescribing. **Side Effects** Blackening of tongue and stools. Rarely hypersensitivity reactions including pruritus, skin rash, anaphylaxis. Gastrointestinal upsets including diarrhoea, abdominal discomfort, gastric pain. Headache. Transient changes in liver enzymes SGPT (ALT), SGOT (AST). Mild anaemia. Ranitidine-related side-effects (relevance to use of Pylorid unknown): Dizziness. Rarely, reversible mental confusion usually in ill or elderly patients. Occasional hepatitis. Rarely, acute pancreatitis, arthralgia, myalgia. Rare cases of leucopenia, thrombocytopenia, usually reversible. Agranulocytosis and pancytopenia. Rare cases of erythema multiforme. Rare reports of breast symptoms in men. As with other H₂-receptor antagonists rare cases of bradycardia, A-V block and asystole. **Presentations** Pylorid tablets each containing 400mg of ranitidine bismuth citrate. **Product licence**

holders Glaxo Group Limited, Greenford Road, Greenford, UB6 0HE. Pylorid is a trademark of the Glaxo Wellcome Group of Companies. Further information is available on request from: Glaxo Wellcome Plc, Stockley Park West, Uxbridge, Middlesex UB11 1BT. Telephone 0181-990 9876. Date of preparation: August 1996.

References:

1. Bardhan KD *et al.* Gastroenterol 1995; **108**(4pt.2): A53.
2. Peterson WL *et al.* Aliment Pharmacol Ther 1996; **10**(3): 251-263.
3. Pounder RE *et al.* Gut 1995; **37**(Suppl 1): A166.
4. Data on file. Glaxo Wellcome UK Limited. H2B306.
5. Data on file. Glaxo Wellcome UK Limited. Optimise Data.

Prescribing information may vary from country to country. Please consult your local prescribing information. Note: Pylorid is not yet available in all countries.

GlaxoWellcome WORKING IN PARTNERSHIP FOR A HEALTHIER WORLD



In 'Acid-pylori Disease' Gastroenterology Turns to the Pump

***Proven Partner in Covering the Acid
... And the Organism****

LOSEC[®]

(omeprazole-Astra)

With appropriate antibiotic therapy

Rapid Symptom Resolution Predictable Healing and Eradication



LANSOPRAZOLE

Reaching New Global Horizons



LAUNCHED

Country	Tradename	Company
① Argentina	Ogastro	Abbott
	Isatrac	Boehringer Ing.
② Australia	Zoton	Wyeth-Lederle
③ Austria	Agopton	Takeda Pharma
④ Bahrain	Lanzor	HMR
⑤ Belgium	Dakar	HMR
⑥ Brazil	Ogastro	Abbott
	Isatrac	Boehringer Ing.
⑦ Burkina Faso	Lanzor	HMR
⑧ Cameroon	Lanzor	HMR
⑨ Canada	Prevacid	Abbott
⑩ Chile	Ogastro	Abbott
⑪ China	Takepron	Tianjin Takeda
⑫ Colombia	Ogastro	Abbott
	Kellan	Boehringer Ing.
⑬ Congo	Lanzor	HMR
⑭ Costa Rica	Ogastro	Abbott
⑮ Cyprus	Lanzor	HMR
⑯ Denmark	Lanzo	Wyeth-Lederle
⑰ Ecuador	Ogastro	Abbott
		Boehringer Ing.
⑱ Egypt	Lanzor	HMR
⑲ El Salvador	Ogastro	Abbott
⑳ Finland	Lanzo	Wyeth-Lederle
㉑ France	Ogast	Lab. Takeda
	Lanzor	Hoechst Houdé

Country	Tradename	Company
㉒ Gabon	Lanzor	HMR
㉓ Germany	Agopton	Takeda Pharma
	Lanzor	HMR
㉔ Greece	Laprazole	Vianex
㉕ Guatemala	Ogastro	Abbott
㉖ Guinea	Lanzor	HMR
㉗ Hong Kong	Takepron	Takeda IMC
㉘ Iceland	Lanzo	Wyeth-Lederle
㉙ Indonesia	Prosoogan	Takeda Indonesia
㉚ Ireland	Zoton	Wyeth-Lederle
㉛ Italy	Lansox	Takeda Italia
	Zoton	Cyanamid
	Limpidex	Sigma Tau
㉜ Ivory Coast	Lanzor	HMR
㉝ Japan	Takepron	Takeda
㉞ Korea	Lanzon	Hanil
㉟ Kuwait	Lanzor	HMR
㊱ Laos	Lanzor	HMR
㊲ Lebanon	Lanzor	HMR
㊳ Luxembourg	Dakar	HMR
㊴ Madagascar	Lanzor	HMR
㊵ Mali	Lanzor	HMR
㊶ Mauritania	Lanzor	HMR
㊷ Mauritius	Lanzor	HMR
㊸ Mexico	Ogastro	Abbott
	Ulupax	Hormona
	Isatrac	Boehringer Ing.

Country	Tradename	Company
㊹ Morocco	Lanzor	HMR
㊺ Netherlands	Prezal	HMR
㊻ New Zealand	Zoton	Wyeth-Lederle
㊼ Norway	Lanzo	Wyeth-Lederle
㊽ Pakistan	Zoton	Wyeth-Lederle
㊾ Panama	Ogastro	Abbott
㊿ Peru	Ogastro	Abbott
① Philippines	Prevacid	Boie-Takeda
② Senegal	Lanzor	HMR
③ Singapore	Prevacid	Luen Wah
④ South Africa	Lanzor	HMR
⑤ Spain	Opiran	Almirall
⑥ Sweden	Lanzo	Wyeth-Lederle
⑦ Switzerland	Agopton	Takeda Pharma
⑧ Taiwan	Takepron	Takeda Taiwan
⑨ Thailand	Prevacid	Takeda Thailand
⑩ Togo	Lanzor	HMR
⑪ Tunisia	Lanzor	HMR
⑫ UK	Zoton	Wyeth-Lederle
⑬ Uruguay	Ogastro	Abbott
⑭ U.S.A	Prevacid	TAP
⑮ Venezuela	Ogastro	Abbott
⑯ Vietnam	Lanzor	HMR

NDA FILED

Country
① Algeria
② Benin
③ Central African Republic
④ Chad
⑤ Honduras
⑥ Hungary
⑦ Iraq
⑧ Israel
⑨ Jordan
⑩ Kenya
⑪ Malaysia
⑫ Nicaragua
⑬ Nigeria
⑭ Portugal
⑮ Saudi Arabia
⑯ Sudan
⑰ Turkey
⑱ Zaire

HMR = Hoechst Marion Roussel

(August, 1996)



TAKEDA CHEMICAL INDUSTRIES, LTD.