

in the treatment of
peptic ulcer

ROTER

has particular
advantages



ROTER achieves a high cure rate and often gives effective control of even refractory chronic cases which have resisted other treatments.

ROTER in many cases obviates the need for hospitalization or surgical intervention.

ROTER helps patients to keep ambulant and symptom-free with a minimum of medication and with few, if any, dietary restrictions.

ROTER in general practice enables the physician to take adequate care of his gastric cases without frequent or prolonged supervision.

ROTER has no known side effects.

ROTER requires no supplementary medication such as sedatives or anti-spasmodics.

ROTER shows a saving in cost when compared with conventional methods of treatment.

REFERENCES

Therapie der Gegenwart, 1953, 3, 108
Gazz. Med. Ital., 1954, 113, 343
Die Medizinische, 1955, 4, 163
British Medical Journal, 1955, 2, 827
C.R.S. Biol., 1956, 150, 1019
Am J. Gastroenterology, 1957, 28, 439
Wiener Med. W., 1958, 108, 218
Ärztliche Praxis, 1958, 10, 766
Journal Lancet, 1960, 80, 37

FORMULA

Each Roter tablet contains:
Bismuth Subnitrate Roter (350 mg.), Magnesium
Carbonate (400 mg.), Sodium Bicarbonate
(200 mg.) and Cortex Rhamni Frangulae (25 mg.).


PACKINGS OF ROTER TABLETS

Tins of 40 and 120, also dispensing sizes,
360 and 720 (P.T. exempt). Basic N.H.S.
price: Under 1/- for 10 tablets.

ROTER TABLETS are in Category "S" Literature on Request

F.A.I.R. LABORATORIES LTD · TWICKENHAM MIDDLESEX

to check gastric hypersecretion



PORTYN* is a potent agent for effectively controlling gastric secretion, gastro-intestinal motility and spasm. This action is achieved with the minimum of unwanted anticholinergic effects. PORTYN Kapseals* each contain 10 mg. benzilonium bromide and are supplied in packages of 30 and 250.

*Trade Mark

PARKE-DAVIS

PARKE, DAVIS & COMPANY, HOUNSLOW, MIDDLESEX. TELEPHONE HOUNSLOW 2361

trade mark*

ETHICON* sutures in the package of your choice

Now, Ethicon offers you a new suture packaging choice—a sterile-pack system that delivers full suture packs to you dry in a sterile overwrap. This eliminates a storage solution. Flaps are easy to grasp. Overwrap peels back easily and evenly every time. Special foldover flaps protect against air-borne contamination.

ETHICON LIMITED

Bankhead Avenue, Edinburgh

ETHICON setting new standards

dry sterile pack

just peel back and open





WATSON

INTESTINAL
BIOPSY
CAPSULE

adult and paediatric versions

The Watson Intestinal Biopsy Capsule offers a simple and reliable means of securing intestinal biopsy specimens by the peroral route, avoiding open surgery and with a minimum of patient embarrassment.

There are two versions of the capsule available: adult and paediatric.

The paediatric version is designed to remove smaller specimens of mucosa to avoid possible complications in neonates and infants. It has been found consistently to take specimens of approximately half the size of those obtained by the adult version.

PLEASE WRITE FOR FULLEST DETAILS



WATSON

W. WATSON & SONS LTD

BARNET · HERTS

TELEPHONE: BARNET 4404


CABLES: 'OPTICS' BARNET

NEW FOR ULCERATIVE COLITIS


SALAZOPYRIN

EN-tabs

THE SULPHONAMIDE OF PROVED THERAPEUTIC VALUE, IN MORE ACCEPTABLE FORM



Because of their special enteric coating and convenient, easily-swallowed shape, the new Salazopyrin EN-tabs are better tolerated. They dissolve easily in the small intestine, so reducing gastric upset or nausea to a minimum. It is now



possible to give the full therapeutic dose of Salazopyrin to practically every patient. Clinical trials indicate that EN-tabs are as effective as the uncoated tablets — which are still available.



In ulcerative colitis, Salazopyrin gives prompt symptomatic remission in a high proportion of cases. On the left a patient with marked mucosal ulceration who had periodic diarrhoea

Formula: Each tablet of Salazopyrin, coated or uncoated, contains 0.5 G. of salicylazosulphapyridine/sulphasalazine.



for six years with 8 to 10 bloody stools per day. On the right the same patient 10 days later after rest, diet and Salazopyrin. He had 2 to 3 non-bloody stools per day.

Presentation: Salazopyrin EN-tabs in bottles of 100 tablets. Salazopyrin (plain) in bottles of 100 and 500 tablets.

 **PHARMACIA**
(GREAT BRITAIN) LTD

SINCLAIR HOUSE · THE AVENUE · WEST EALING · LONDON W13
A MEMBER OF THE SWEDISH PHARMACIA GROUP OF COMPANIES

Distributed by Savory & Moore Ltd · 60-61 Welbeck St · London W1

SALAZOPYRIN

EN-tabs

Better tolerated and more effective in ulcerative colitis



INSTANT PROTEIN


Yes, AMINOSOL FRUCTOSE ETHANOL really is 'instant' protein. Predigested, dialyzed and combined with fructose and ethanol as a caloric source, it is rapidly utilised for the restoration and maintenance of nitrogen equilibrium in the seriously debilitated patient.

Available in 500 ml. and 1,000 ml. infusion bottles
AMINOSOL F.E. contains 4.25 G. Nitrogen
and 875 calories per litre.

*Other VITRUM products for
parenteral nutrition include*
AMINOSOL GLUCOSE
AMINOSOL 10%
INTRALIPID
(intravenous fat)

AMINOSOL

Vitrum



Nacton halves gastric acid secretion:
lessens gastric spasm without
side-effects in therapeutic doses

During a 3-year follow-up trial* with Nacton when the patients' food was entirely of their own choosing:

- Antacids were found unnecessary
- Duodenal deformity was reduced in 42% of the patients
- Average loss of time from work was reduced from 4 weeks to only half a day per year.

*Brit. med. J., (1961), i, 1575


NACTON (poldine methylnethosulphate) is a product of British research at
BEECHAM RESEARCH LABORATORIES



Taste NEW GASTRILS

TRADE MARK


the first
antacid
pastilles



SMOOTH, EFFECTIVE—REALLY DELICIOUS

NOW, for the very first time, you can prescribe smooth effective antacid *pastilles* that buffer gastric pH to the optimum physiological level and keep it there. Gastrils have no chalky 'antacid' taste—they really *are* delicious! Even your ulcer patients can forget the misery of antacid therapy with Gastrils—the more so because each Gastrils prescription is dispensed in equal quantities of mint and fruit flavours to relieve the monotony of constant antacid treatment. Give your patients a smile in the face of an ulcer—prescribe Gastrils.

'Gastrils' is a registered trade mark of T. J. Smith & Nephew Ltd.



TWO FLAVOURS


Equal quantities of mint and fruit Gastrils are dispensed on every prescription. Each pastille contains 500 mg. co-dried gel of aluminium hydroxide and magnesium carbonate. Basic N.H.S. cost of 24 Gastrils from the dispensing pack is 2/6⁺d. Subject to Purchase Tax.

Gastrils are indicated in hyperacidity, peptic ulcer, gastritis, heartburn, oesophagitis and hiatus hernia.



Smith & Nephew Pharmaceuticals Limited

WELWYN GARDEN CITY • HERTFORDSHIRE • ENGLAND



SECRETIN and **PANCREOZYMIN**

These preparations may be confidently used in the serum enzyme test and the duodenal aspiration test. Although solutions should be used almost immediately, unopened vials kept in a refrigerator will retain their activity for 2 years.

For the diagnosis of:

- Chronic pancreatitis
- Carcinoma of the head of the pancreas
- Steatorrhoea of pancreatic origin
- Obstruction of the biliary duct system
- Impaired gall-bladder function

SECRETIN is supplied in 10cc rubber-capped vials each containing 80—120 units. The potency is declared on each vial following biological assay

PANCREOZYMIN is supplied in 20cc rubber-capped vials each containing 100 units



Please write for further information and supplies to:


**BOOTS PURE DRUG CO. LTD.,
NOTTINGHAM, ENGLAND**

'ALUHYDE'


for prompt, safe symptomatic medication in hyperchlorhydria and peptic ulcer

'ALUHYDE' tablets present a new combination with these advantages...


'ALUHYDE' effects safe, reliable, non-systemic neutralization by means of two of the most preferred modern antacid adsorbents...



'ALUHYDE' permits of quick mental sedative-effect by its inclusion of a barbiturate recognized for minimal cumulative potential...



'ALUHYDE' provides antispasmodic action through its content of an agent long known for its favourable influence against hypermotility...



Formula—

Each tablet: Dried Aluminium Hydroxide Gel. B.P.C.	-	3.75 gr.
Magnesium trisilicate B.P.	-	3.75 gr.
Quinalbarbitone sodium B.P.	-	0.50 gr.
Tinct. Belladonnæ B.P.	-	3 m.

Packings—Regular packs of 50 ; bottles of 500 (dispensing)

Samples available on personally signed request of qualified physicians only

MULTIPAX CHEMICALS LTD

121 NORWOOD ROAD, LONDON, S.E.24

Phone : TULse Hill 3276



IA53

MANUAL OF SURGICAL TECHNIQUE

By

WARNER F. BOWERS,
M.D., Ph.D., F.A.C.S.

*New York Medical College
Metropolitan Medical Center
New York City*

THOMAS H. HEWLETT,
M.D., M.S. (SURG.), F.A.C.S.
*Fitzsimons General Hospital
Denver, Colorado*

GEORGE J. THOMAS,
B.A., M.A. (Med. Art)
*Brooke General Hospital
Fort Sam Houston, Texas*

A step-by-step, how-to-do-it manual for the *general surgeon, surgical resident, and surgical specialist*. Covers all common operations in neuro, plastic, vascular, nose and throat, orthopedic, gynecologic, and urologic surgery as well as all procedures in the abdomen and thorax.

A section on basic technique includes all aspects and types of wound closure, incision placement, bowel suture, plastic flaps and pedicles, technique of local and regional anesthesia, and debridement of wounds.

Drawings are based on hundreds of sketches from the operating room and on many working-drawings made by the surgeon-authors.

October 1963 328 pages (8½ x 11)
\$14.00 977 illustrations

THE POSTGASTREC- TOMY SYN- DROMES

By

E. R. WOODWARD, M.D.

*University of Florida
College of Medicine
Gainesville, Florida*

Doctor Woodward has separated into distinct entities the various iatrogenic disturbances which occur after gastric surgery—particularly gastric resection. Syndromes presented include

- *Immediate Postprandial Dumping Syndrome*
- *Delayed Postprandial Dumping Syndrome*
- *Afferent Loop Syndrome*
- *Small Stomach Syndrome*
- *Postgastrectomy Malabsorption*

Presentation of each clinical entity is followed by its pathophysiology and concluded with treatment. In addition to medical therapy, the use of reconstructive surgery in selected cases is outlined.

(*Amer. Lec. Abdominal Viscera edited by Lester R. Dragstedt, Univ. of Florida*)

October 1963 64 pages
\$3.75 14 illustrations

You'll be interested
also in these
NEW BOOKS for
gastroenterologists

- **GASTRO - INTESTINAL PHYSIOLOGY** by D. F. Magee, *Univ. of Washington, Seattle, Wash.* June '62, 236 pp., 133 il., \$11.50
- **THE MEDICAL TREATMENT OF PEPTIC ULCER** by George Gordon McHardy, *Louisiana State Univ., New Orleans, La.* Sept. '63, 88 pp., 2 tables (Amer. Lec. Abdominal Viscera), \$4.75
- **DIAGNOSIS OF UPPER GASTROINTESTINAL HEMORRHAGE** by Eddy D. Palmer, *Brooke General Hospital, Fort Sam Houston, Texas.* March '61, 76 pp., 11 il. (Amer. Lec. Abdominal Viscera), \$4.75
- **SMOOTH MUSCLE TUMORS OF THE ALIMENTARY TRACT: Leiomyomas and Leiomyosarcomas—A Review of 2525 Cases** by John E. Skandalakis, *The Piedmont Hospital and Emory Univ., and Stephen W. Gray, Emory Univ. With Duncan Shepard, The Piedmont Hospital, and Geoffrey H. Bourne, Emory Univ. All of Atlanta, Ga.* May, '62, 484 pp., 85 il., \$17.50
- **ACQUIRED SURGICAL LESIONS OF THE ESOPHAGUS** By Clifford F. Storey, *San Diego, Calif. With a chapter on "Carcinoma of the Esophagus" by Eugene G. Laforet and John W. Streider, both of Boston Univ., and Joseph P. Lynch, Tufts Univ. All of Boston, Mass.* March '62, 388 pp., 240 il. (The John Alexander Monograph Series), \$19.00
- **THE LOWER ESOPHAGEAL VESTIBULAR COMPLEX** by Costantino Zaino, Maxwell H. Poppel, and Harold G. Jacobson, *all of New York Univ., New York City, and Harold Lepow, Albert Einstein College of Medicine, New York City.* April '63, 288 pp., 137 figs., \$12.75

CHARLES C THOMAS • PUBLISHER

301-327 East Lawrence Avenue
Springfield • Illinois • U.S.A.