

# Subject index

- 5-hydroxytryptamine**, Novel targets for the control of secretory diarrhoea: *review*, **iii15**
- 5-nitro-*o*-toluidine** Liver dysfunction among workers handling 5-nitro-*o*-toluidine, **266**
- ablative therapy**, Ablative therapy for liver tumours: *review*, **733**
- AC-1730**, Selective plasma filtration for treatment of fulminant hepatic failure induced by d-galactosamine in a pig model, **869**
- AC-1770**, Selective plasma filtration for treatment of fulminant hepatic failure induced by d-galactosamine in a pig model, **869**
- achalasia**, Effect of sildenafil on oesophageal motor function in healthy subjects and patients with oesophageal motor disorders, **758**  
Timed barium oesophagram: better predictor of long term success after pneumatic dilation in achalasia than symptom assessment, **765**
- acid phosphatase family**, Novel human and mouse genes encoding an acid phosphatase family member and its downregulation in *W/W<sup>v</sup>* mouse jejunum, **790**
- acid phosphatase-like protein 1**, Novel human and mouse genes encoding an acid phosphatase family member and its downregulation in *W/W<sup>v</sup>* mouse jejunum, **790**
- actin**, Augmented increase in tight junction permeability by luminal stimuli in the non-inflamed ileum of Crohn's disease, **307**
- activity**, Influence of treatment on morphological features of mucosal inflammation: *review*, **iii37**
- acute liver injury**, Attenuated acute liver injury in mice by naked hepatocyte growth factor gene transfer into skeletal muscle with electroporation, **558**  
Endothelin is an important determinant of renal function in a rat model of acute liver and renal failure, **111**
- adenocarcinoma**, An insight into the genetic pathway of adenocarcinoma of the small intestine, **218**
- adenoma-carcinoma sequence**, Minichromosome maintenance (MCM) proteins may be pre-cancer markers, **290**  
Proximal adenomas in hereditary non-polyposis colorectal cancer are prone to rapid malignant transformation, **382**
- adenoma**, Excessive alcohol consumption favours high risk polyp or colorectal cancer occurrence among patients with adenomas: a case control study, **38**  
Histogenesis of human colorectal adenomas and hyperplastic polyps: the role of cell proliferation and crypt fission, **212**  
Minichromosome maintenance (MCM) proteins may be pre-cancer markers, **290**  
Protective effect of faecal occult blood test screening for colorectal cancer: worse prognosis for screening refusers, **33**  
Proximal adenomas in hereditary non-polyposis colorectal cancer are prone to rapid malignant transformation, **382**
- adenomatous polyposis coli gene**, Serrated adenoma in familial adenomatous polyposis: relation to germline APC gene mutation, **402**
- adenomatous polyposis coli**, An insight into the genetic pathway of adenocarcinoma of the small intestine, **218**  
Genetic and clinical characterisation of familial adenomatous polyposis: a population based study, **845**
- adjuvant treatment**, Cost effectiveness of adjuvant therapy for hepatocellular carcinoma during the waiting list for liver transplantation, **123**
- adrenergic**, Both thermal and non-thermal stress protect against caerulein induced pancreatitis and prevent trypsinogen activation in the pancreas, **78**
- advanced stages**, Detection of epithelial tumour RNA in the plasma of colon cancer patients is associated with advanced stages and circulating tumour cells, **530**
- AGS cells**, Gastrin-cholecystokinin<sub>B</sub> receptor expression in AGS cells is associated with direct inhibition and indirect stimulation of cell proliferation via paracrine activation of the epidermal growth factor receptor, **827**
- air**, NORCCAP (Norwegian colorectal cancer prevention): a randomised trial to assess the safety and efficacy of carbon dioxide versus air insufflation in colonoscopy, **604**
- albumin**, Comparison of the effect of terlipressin and albumin on arterial blood volume in patients with cirrhosis and tense ascites treated by paracentesis: a randomised pilot study, **90**
- alcoholic chronic pancreatitis**, Neural alterations in surgical stage chronic pancreatitis are independent of the underlying aetiology, **682**
- alcohol**, Excessive alcohol consumption favours high risk polyp or colorectal cancer occurrence among patients with adenomas: a case control study, **38**  
The N34S mutation of SPINK1 (PSTI) is associated with a familial pattern of idiopathic chronic pancreatitis but does not cause the disease, **675**
- allelic association**, Easy as 1, 2, 3? Histamine receptors and gastric acid, **747**  
Polymorphisms of the human *UDP-glucuronosyltransferase (UGT) 1A7* gene in colorectal cancer, **851**
- allergy**, Probiotics: a role in the treatment of intestinal infection and inflammation?: *review*, **iii54**
- alpha-1-antichymotrypsin**, Role of alpha-1-antichymotrypsin deficiency in promoting cirrhosis in two siblings with heterozygous alpha-1-antitrypsin deficiency phenotype SZ, **730**
- alpha-1-antitrypsin**, Role of alpha-1-antichymotrypsin deficiency in promoting cirrhosis in two siblings with heterozygous alpha-1-antitrypsin deficiency phenotype SZ, **730**
- anal sphincter**, A shake of the head to a wink of the anus: *letter*, **440**
- animal model**, Interleukin 18 is a primary mediator of the inflammation associated with dextran sulphate sodium induced colitis: blocking interleukin 18 attenuates intestinal damage, **812**
- antiapoptosis**, Analysis of apoptotic and antiapoptotic signalling pathways induced by *Helicobacter pylori*, **771**
- antibiotic resistance**, Molecular testing for antibiotic resistance in *Helicobacter pylori*: *review*, **285**
- antifibrotics**, Pentoxifylline downregulates profibrogenic cytokines and procollagen I expression in rat secondary biliary fibrosis, **241**
- anti-hepatitis B virus core**, Antibodies to hepatitis B surface antigen prevent viral reactivation in recipients of liver grafts from anti-HBC positive donors, **95**  
Anti-relaxation therapy in GORD, **6**
- antimicrobial**, *Lactobacillus acidophilus* (strain LB) from the resident adult human gastrointestinal microflora exerts activity against brush border damage promoted by a diarrhoeagenic *Escherichia coli* in human enterocyte-like cells, **803**
- antiviral therapy**, Assessment of therapeutic benefit of antiviral therapy in chronic hepatitis C: is hepatic venous pressure gradient a better end point?: *review*, **425**
- apoptosis**, A ligand for peroxisome proliferator activated receptor  $\gamma$  inhibits cell growth and induces apoptosis in human liver cancer cells, **563**  
Activation of caspases in intestinal villus epithelial cells of normal and nematode infected rats, **71**  
Analysis of apoptotic and antiapoptotic signalling pathways induced by *Helicobacter pylori*, **771**  
Apoptosis and proliferation of acinar and islet cells in chronic pancreatitis: evidence for differential cell loss mediating preservation of islet function, **542**  
Characteristics of the peroxisome proliferator activated receptor  $\gamma$  (PPAR $\gamma$ ) ligand induced apoptosis in colon cancer cells, **658**  
Infliximab treatment induces apoptosis of lamina propria T lymphocytes in Crohn's disease, **206**
- appetite**, Gut adaptation and the glucagon-like peptides: *review*, **428**
- ascites**, Comparison of the effect of terlipressin and albumin on arterial blood volume in patients with cirrhosis and tense ascites treated by paracentesis: a randomised pilot study, **90**
- aspirin**, *Helicobacter pylori* infection potentiates aspirin induced gastric mucosal injury in Mongolian gerbils, **594**  
Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?, **585**  
Recent trends in admissions and mortality due to peptic ulcer in England: increasing frequency of haemorrhage among older subjects, **460**
- assessment**, Approaches to uninvestigated dyspepsia: *review*, **iv42**
- atrophic chronic gastritis**, Risk factors for atrophic chronic gastritis in a European population: results of the Eurohepygast study, **779**
- autoimmune disease**, Characteristics of autoimmune hepatitis in patients who are not of European/Caucasoid ethnic origin, **713**
- autoimmunity**, Primary biliary cirrhosis: seeking the silent partner of autoimmunity: *review*, **743**
- azathioprine**, The efficacy of azathioprine for the treatment of inflammatory bowel disease: a 30 year review, **485**
- $\beta$ -catenin** An insight into the genetic pathway of adenocarcinoma of the small intestine, **218**
- $\beta_2$  integrin** Neutrophil migration into indomethacin induced rat small intestinal injury is CD11a/CD18 and CD11b/CD18 co-dependent, **629**
- baclofen**, Control of transient lower oesophageal sphincter relaxations and reflux by the GABA<sub>B</sub> agonist baclofen in patients with gastro-oesophageal reflux disease, **19**  
Treatment of colorectal metastases: surgery, cryotherapy, or radio-frequency ablation, **1**

- bacteria**, Host–pathogen interactions: the seduction of molecular cross talk: *review*, **iii2**  
Mucosal barrier function and the commensal flora: *letter*, **441**  
Toxins and the gut: role in human disease: *review*, **iii9**
- bacterial infection**, Impaired tuftsin activity in cirrhosis: relationship with splenic function and clinical outcome, **707**
- bacterial sampling**, Adhesion between dendritic cells and epithelial cells maintains the gut barrier during bacterial sampling, **449**
- barium x rays** Bowel ultrasound in assessment of Crohn's disease and detection of related small bowel strictures: a prospective comparative study versus x ray and intraoperative findings, **490**
- barostat**, Effects of glucagon-like peptide-1(7–36)amide on motility and sensation of the proximal stomach in humans, **341**
- Barrett's oesophagus**, A scintigraphic study of local oesophageal bolus transit: differences between patients with Barrett's oesophagus and healthy controls, **159**  
Aberrant expression of minichromosome maintenance proteins 2 and 5, and Ki-67 in dysplastic squamous oesophageal epithelium and Barrett's mucosa, **373**  
Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants, **451**  
Molecular testing for antibiotic resistance in *Helicobacter pylori*, **285**
- barrier function**, Recovery of ischaemic injured porcine ileum: evidence for a contributory role of COX-1 and COX-2, **615**
- beagles**, Interventional study of high dose folic acid in gastric carcinogenesis in beagles, **61**
- bile duct**, Endoscopic transpapillary bile duct biopsy with the combination of intraductal ultrasonography in the diagnosis of biliary strictures, **326**
- bile metabolism**, Effect of ursodeoxycholic acid on methionine adenosyltransferase activity and hepatic glutathione metabolism in rats, **701**
- bile salts**, Intraduodenal conjugated bile salts exert negative feedback control on gall bladder emptying in the fasting state without affecting cholecystokinin release or antroduodenal motility, **669**
- biliary drainage**, Biliary drainage for obstructive jaundice enhances hepatic energy status in humans: a 31-phosphorus magnetic resonance spectroscopy study, **118**
- biliary strictures**, Endoscopic transpapillary bile duct biopsy with the combination of intraductal ultrasonography in the diagnosis of biliary strictures, **326**
- BIM26226**, Regulation of gastric function by gastrin releasing peptide: *letter*, **897**
- biopsy**, Role of endoscopy and biopsy in the work up of dyspepsia: *review*, **iv13**
- blood volume**, Comparison of the effect of terlipressin and albumin on arterial blood volume in patients with cirrhosis and tense ascites treated by paracentesis: a randomised pilot study, **90**
- bone marrow stem cells**, Bone marrow derivation of pericyptal myofibroblasts in the mouse and human small intestine and colon, **752**
- Bonzo**, Understanding selective trafficking of lymphocyte subsets, **150**
- Bosentan**, Endothelin is an important determinant of renal function in a rat model of acute liver and renal failure, **111**
- bowel ultrasound**, Bowel ultrasound in assessment of Crohn's disease and detection of related small bowel strictures: a prospective comparative study versus x ray and intraoperative findings, **490**
- brachytherapy**, Laser augmented by brachytherapy versus laser alone in the palliation of adenocarcinoma of the oesophagus and cardia: a randomised study, **224**
- BRCA2**, Family history of cancer and germline BRCA2 mutations in sporadic exocrine pancreatic cancer, **653**
- brush border lesions**, *Lactobacillus acidophilus* (strain LB) from the resident adult human gastrointestinal microflora exerts activity against brush border damage promoted by a diarrhoeagenic *Escherichia coli* in human enterocyte-like cells, **803**
- butyrate**, Stimulation of the intestinal Cdx2 homeobox gene by butyrate in colon cancer cells, **525**  
Uncoupling the p38 MAPK kinase in IBD: a double edged sword?, **446**
- cadherin**, Aberrant P-cadherin expression is an early event in hyperplastic and dysplastic transformation in the colon, **513**
- cag A strains**, Evidence that *cagA*<sup>+</sup> *Helicobacter pylori* strains are disappearing more rapidly than *cagA*<sup>-</sup> strains, **295**
- CagA antibodies**, Risk factors for atrophic chronic gastritis in a European population: results of the Eurohepygast study, **779**
- calpain inhibitor I**, Calpain inhibitor I and colonic inflammation induced by DNBS in the rat: *letter*, **440**
- calpain**, Calpain inhibitor I and colonic inflammation induced by DNBS in the rat: *letter*, **440**
- cancer genetics**, The risk of subsequent primary cancers after colorectal cancer in southeast England, **647**
- carbon dioxide**, NORCCAP (Norwegian colorectal cancer prevention): a randomised trial to assess the safety and efficacy of carbon dioxide versus air insufflation in colonoscopy, **604**
- caspase**, Activation of caspases in intestinal villus epithelial cells of normal and nematode infected rats, **71**
- catenin**, Aberrant P-cadherin expression is an early event in hyperplastic and dysplastic transformation in the colon, **513**
- Cdx2 homeobox gene**, Stimulation of the intestinal Cdx2 homeobox gene by butyrate in colon cancer cells, **525**  
Uncoupling the p38 MAPK kinase in IBD: a double edged sword?, **446**
- celecoxib**, A randomised, double blind, placebo controlled study of celecoxib, a selective cyclooxygenase 2 inhibitor, on duodenal polyposis in familial adenomatous polyposis, **857**
- cell cycle**, Apoptosis and proliferation of acinar and islet cells in chronic pancreatitis: evidence for differential cell loss mediating preservation of islet function, **542**
- cell migration**, Galectin-8 expression decreases in cancer compared with normal and dysplastic human colon tissue and acts significantly on human colon cancer cell migration as a suppressor, **392**
- chemokine**, Neutrophil migration into indomethacin induced rat small intestinal injury is CD11a/CD18 and CD11b/CD18 co-dependent, **629**
- chemoradiotherapy**, Does chemoradiotherapy after intended curative surgery increase survival of gastric cancer patients?, **751**
- Chinese hamster ovary cells**, Effects of *N*-alpha-methyl-histamine on human H<sub>2</sub> receptors expressed in CHO cells, **786**  
Primary biliary cirrhosis: seeking the silent partner of autoimmunity, **743**
- chododochoscintigraphy**, Outcome of endoscopic sphincterotomy in post cholecystectomy patients with sphincter of Oddi dysfunction as predicted by manometry and quantitative choledochoscintigraphy, **665**
- cholecystokinin**, Gastrin-cholecystokinin<sub>B</sub> receptor expression in AGS cells is associated with direct inhibition and indirect stimulation of cell proliferation via paracrine activation of the epidermal growth factor receptor, **827**
- chromosome 1q21 differential gene display method**, Novel human and mouse genes encoding an acid phosphatase family member and its downregulation in *W/W<sup>v</sup>* mouse jejunum, **790**
- chronic pancreatitis**, Apoptosis and proliferation of acinar and islet cells in chronic pancreatitis: evidence for differential cell loss mediating preservation of islet function, **542**  
Aspirin injury and *H pylori*, **589**  
Mutations in serine protease inhibitor Kazal type 1 are strongly associated with chronic pancreatitis, **687**  
Neural alterations in surgical stage chronic pancreatitis are independent of the underlying aetiology, **682**  
The N34S mutation of SPINK1 (PSTI) is associated with a familial pattern of idiopathic chronic pancreatitis but does not cause the disease, **675**
- cirrhosis**, Comparison of the effect of terlipressin and albumin on arterial blood volume in patients with cirrhosis and tense ascites treated by paracentesis: a randomised pilot study, **90**  
Pentoxifylline downregulates profibrogenic cytokines and procollagen I expression in rat secondary biliary fibrosis, **241**
- cisapride**, H<sub>2</sub> receptor antagonists and prokinetics in dyspepsia: a critical review: *review*, **iv58**
- classification**, Staging of hepatocellular carcinoma: assessment of the CLIP, Okuda, and Child-Pugh staging systems in a cohort of 257 patients in Toronto, **881**  
UGT1A1 polymorphisms and colorectal cancer susceptibility, **748**
- clinical burden**, Clinical and economic consequences of dyspepsia in the community: *review*, **iv10**
- clinical trial**, Combined analysis of the ORCHID and OCAY studies: does eradication of *Helicobacter pylori* lead to sustained improvement in functional dyspepsia symptoms?: *review*, **iv26**
- CLIP staging**, Staging of hepatocellular carcinoma: assessment of the CLIP, Okuda, and Child-Pugh staging systems in a cohort of 257 patients in Toronto, **881**  
UGT1A1 polymorphisms and colorectal cancer susceptibility, **748**
- coeliac disease**, Blisters in the small intestinal mucosa of coeliac patients contain T cells positive for cyclooxygenase 2, **84**  
Interleukin 18 and associated markers of T helper cell type 1 activity in coeliac disease, **186**  
Intestinal intraepithelial lymphocytes and anti-transglutaminase in a screening algorithm for coeliac disease: *letter*, **740**  
MHC class I chain related gene A (MICA) modulates the development of coeliac disease in patients with the high risk heterodimer DQA10501/DQB10201, **336**  
No harm from five year ingestion of oats in coeliac disease, **332**  
Recurrent diarrhoea and weight loss associated with cessation of smoking in undiagnosed coeliac disease: *letter*, **582**  
The first large population based twin study of coeliac disease, **624**
- colitis**, Combination therapy for hepatitis B, **443**  
Development of antigen induced colitis in SCID mice reconstituted with spleen derived memory type CD4<sup>+</sup> CD45RB<sup>+</sup> T cells, **299**  
Dichotomous role of inhibition of p38 MAPK with SB 203580 in experimental colitis, **507**

- collagenous colitis**, Expression of isoforms of nitric oxide synthase in collagenous colitis: *letter*, **899**
- colon cancer**, Associated changes of lipid peroxidation and transforming growth factor  $\beta 1$  levels in human colon cancer during tumour progression, **361**  
 Characteristics of the peroxisome proliferator activated receptor  $\gamma$  (PPAR $\gamma$ ) ligand induced apoptosis in colon cancer cells, **658**  
 Detection of epithelial tumour RNA in the plasma of colon cancer patients is associated with advanced stages and circulating tumour cells, **530**  
 Galectin-8 expression decreases in cancer compared with normal and dysplastic human colon tissue and acts significantly on human colon cancer cell migration as a suppressor, **392**  
 Stimulation of the intestinal Cdx2 homeobox gene by butyrate in colon cancer cells, **525**  
 Uncoupling the p38 MAPK kinase in IBD: a double edged sword?, **446**
- colon carcinoma**, Subcutaneous or intrahepatic injection of suicide gene modified tumour cells induces a systemic antitumour response in a metastatic model of colon carcinoma in rats, **387**
- colonic disease**, Natural history of dyspepsia: *review*, **iv2**
- colonic mucosa**, Mucosal protection against sulphide: importance of the enzyme rhodanese, **201**
- colon**, Bone marrow derivation of pericryptal myofibroblasts in the mouse and human small intestine and colon, **752**
- colonoscopy**, Adenoma prevalence and cancer risk in familial non-polyposis colorectal cancer, **228**  
 CT colonography and colorectal screening: *letter*, **284**  
 NORCCAP (Norwegian colorectal cancer prevention): a randomised trial to assess the safety and efficacy of carbon dioxide versus air insufflation in colonoscopy, **604**
- colorectal adenoma**, The spectrum of p53 mutations in colorectal adenomas differs from that in colorectal carcinomas, **834**
- colorectal cancer**, A polymorphism in the methylenetetrahydrofolate reductase gene predisposes to colorectal cancers with microsatellite instability, **520**  
 A randomised study of screening for colorectal cancer using faecal occult blood testing: results after 13 years and seven biennial screening rounds, **29**  
 Aberrant P-cadherin expression is an early event in hyperplastic and dysplastic transformation in the colon, **513**  
 Easy as 1, 2, 3? Histamine receptors and gastric acid, **747**  
 Effect of faecal occult blood screening on mortality from colorectal cancer: results from a randomised controlled trial, **840**  
 Excessive alcohol consumption favours high risk polyp or colorectal cancer occurrence among patients with adenomas: a case control study, **38**  
 Frequency of hereditary non-polyposis colorectal cancer in Danish colorectal cancer patients, **43**  
 Plasma insulin-like growth factor 1, insulin-like growth factor binding protein 3, and risk of colorectal cancer: a prospective study in northern Sweden, **642**  
 Polymorphisms of the human *UDP-glucuronosyltransferase (UGT) 1A7* gene in colorectal cancer, **851**  
 Protective effect of faecal occult blood test screening for colorectal cancer: worse prognosis for screening refusers, **33**  
 The changing scope of colorectal cancer: *letter*, **741**  
 The risk of subsequent primary cancers after colorectal cancer in southeast England, **647**  
 Treatment of colorectal metastases: surgery, cryotherapy, or radiofrequency ablation: *review*, **1**
- colorectal carcinoma**, The spectrum of p53 mutations in colorectal adenomas differs from that in colorectal carcinomas, **834**
- combination therapy**, Combination therapy for hepatitis B: *review*, **443**
- computed tomography**, You get what you expect? A critical appraisal of imaging methodology in endosonographic cancer staging, **599**
- confocal microscopy**, Augmented increase in tight junction permeability by luminal stimuli in the non-inflamed ileum of Crohn's disease, **307**
- connective tissue growth factor**, Pentoxifylline downregulates profibrogenic cytokines and procollagen I expression in rat secondary biliary fibrosis, **241**
- contraction**, Endothelin-1 stimulates human colonic myofibroblast contraction and migration, **65**
- cost effectiveness**, Cost effectiveness of adjuvant therapy for hepatocellular carcinoma during the waiting list for liver transplantation, **123**  
 Cost effectiveness of combination therapy for hepatitis C: a decision analytic model, **253**  
*Helicobacter pylori* test and treat strategy for young dyspeptic patients: new data: *review*, **iv47**
- costs to health service**, Clinical and economic consequences of dyspepsia in the community: *review*, **iv10**
- costs**, Natural history of dyspepsia: *review*, **iv2**
- creatinine clearance**, Evaluation of serum cystatin C concentration as a marker of renal function in patients with cirrhosis of the liver, **106**
- creatinine**, Evaluation of serum cystatin C concentration as a marker of renal function in patients with cirrhosis of the liver, **106**
- Creutzfeldt-Jakob disease**, Creutzfeldt-Jakob disease: implications for gastroenterology: *review*, **888**
- Crohn's disease**, Bowel ultrasound in assessment of Crohn's disease and detection of related small bowel strictures: a prospective comparative study versus x ray and intraoperative findings, **490**  
 IL-10 therapy in Crohn's disease: at the crossroads, **146**  
 Immunoregulation in the gut: success and failures in human disease: *review*, **iii60**  
 Infliximab treatment induces apoptosis of lamina propria T lymphocytes in Crohn's disease, **206**  
 Influence of treatment on morphological features of mucosal inflammation: *review*, **iii37**  
 Living related liver transplantation: medical and social aspects of a controversial therapy, **143**  
 Low ileal interleukin 10 concentrations are predictive of endoscopic recurrence in patients with Crohn's disease, **25**  
 Thalidomide reduces tumour necrosis factor  $\alpha$  and interleukin 12 production in patients with chronic active Crohn's disease, **196**  
 The efficacy of azathioprine for the treatment of inflammatory bowel disease: a 30 year review, **485**  
 The genetic jigsaw of inflammatory bowel disease: *review*, **iii31**  
 The vascularity of internal fistulae in Crohn's disease: an in vivo power Doppler ultrasonography assessment, **496**
- cryotherapy**, Treatment of colorectal metastases: surgery, cryotherapy, or radiofrequency ablation: *review*, **1**
- crypt fission**, Histogenesis of human colorectal adenomas and hyperplastic polyps: the role of cell proliferation and crypt fission, **212**
- CT colonography**, CT colonography and colorectal screening: *letter*, **284**
- cyclooxygenase 2**, A randomised, double blind, placebo controlled study of celecoxib, a selective cyclooxygenase 2 inhibitor, on duodenal polyposis in familial adenomatous polyposis, **857**  
 Blisters in the small intestinal mucosa of coeliac patients contain T cells positive for cyclooxygenase 2, **84**
- cyclooxygenase**, Calpain inhibitor I and colonic inflammation induced by DNBS in the rat: *letter*, **440**  
 Calpain inhibitor I and colonic inflammation induced by DNBS in the rat: *letter*, **440**  
 Cyclooxygenase inhibition: between the devil and the deep blue sea: *review*, **iii25**
- cyst infection**, Percutaneous evacuation (PEVAC) of multivesicular echinococcal cysts with or without cystobiliary fistulas which contain non-drainable material: first results of a modified PAIR method, **718**
- cystathionine beta-synthase**, A polymorphism in the methylenetetrahydrofolate reductase gene predisposes to colorectal cancers with microsatellite instability, **520**
- cystic echinococcosis**, Percutaneous evacuation (PEVAC) of multivesicular echinococcal cysts with or without cystobiliary fistulas which contain non-drainable material: first results of a modified PAIR method, **718**
- cytokines**, Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants, **451**  
 Human neutrophil lipocalin is a unique marker of neutrophil inflammation in ulcerative colitis and proctitis, **501**  
 Microflora reactive IL-10 producing regulatory T cells are present in the colon of IL-2 deficient mice but lack efficacious inhibition of IFN- $\gamma$  and TNF- $\alpha$  production, **170**  
 Pancreatic stellate cells respond to inflammatory cytokines: potential role in chronic pancreatitis, **535**
- cytosine deaminase**, Subcutaneous or intrahepatic injection of suicide gene modified tumour cells induces a systemic antitumour response in a metastatic model of colon carcinoma in rats, **387**
- Danish patients**, Frequency of hereditary non-polyposis colorectal cancer in Danish colorectal cancer patients, **43**
- defensin 5**, A Paneth cell surrogate?: *letter*, **741**
- dendritic cells**, Adhesion between dendritic cells and epithelial cells maintains the gut barrier during bacterial sampling, **449**
- developing countries**, Getting our journal to developing countries: *letter*, **284**
- dextran sulphate sodium colitis**, Interleukin 18 is a primary mediator of the inflammation associated with dextran sulphate sodium induced colitis: blocking interleukin 18 attenuates intestinal damage, **812**
- dextran**, Mucosal barrier function and the commensal flora: *letter*, **441**  
 Mucosal barrier function and the commensal flora: *letter*, **441**
- diagnosis**, Approaches to uninvestigated dyspepsia: *review*, **iv42**  
 Definitions of reflux disease and its separation from dyspepsia: *review*, **iv17**  
 Influence of treatment on morphological features of mucosal inflammation: *review*, **iii37**  
 Management of reflux disease: *review*, **iv67**

- diarrhoea**, *Lactobacillus acidophilus* (strain LB) from the resident adult human gastrointestinal microflora exerts activity against brush border damage promoted by a diarrhoeagenic *Escherichia coli* in human enterocyte-like cells, **803**  
Recurrent diarrhoea and weight loss associated with cessation of smoking in undiagnosed coeliac disease: *letter*, **582**
- diet**, Influence of clinical factors, diet, and drugs on the human upper gastrointestinal glutathione system, **235**
- DNA methylation**, A polymorphism in the methylenetetrahydrofolate reductase gene predisposes to colorectal cancers with microsatellite instability, **520**
- DPC4** Aberrant p16<sup>INK4A</sup> and DPC4/Smad4 expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma, **861**
- drug metabolisms**, Developmental aspects of human hepatic drug glucuronidation in young children and adults, **259**
- drug toxicity**, Developmental aspects of human hepatic drug glucuronidation in young children and adults, **259**
- duodenal cancer**, Duodenal cancer in patients with familial adenomatous polyposis (FAP): results of a 10 year prospective study, **636**
- duodenal ulcer**, Hospital admissions for peptic ulcer and indigestion in London and New York in the 19th and early 20th centuries: *review*, **568**  
Recent trends in admissions and mortality due to peptic ulcer in England: increasing frequency of haemorrhage among older subjects, **460**
- dysmotility**, The potential role of acid suppression in functional dyspepsia: the BOND, OPERA, PILOT, and ENCORE studies: *review*, **iv36**
- dyspepsia**, Clinical and economic consequences of dyspepsia in the community: *review*, **iv10**  
Combined analysis of the ORCHID and OCAY studies: does eradication of *Helicobacter pylori* lead to sustained improvement in functional dyspepsia symptoms?: *review*, **iv26**  
Definitions of reflux disease and its separation from dyspepsia: *Filler*, **iv17**  
Management of uninvestigated dyspepsia: *review and commentary*, **iv51**  
*Helicobacter pylori* test and treat strategy for young dyspeptic patients: new data: *review*, **iv47**  
Natural history of dyspepsia: *review*, **iv2**  
Use of antisecretory agents as a trial of therapy: *review*, **iv63**
- dysphagia**, Laser augmented by brachytherapy versus laser alone in the palliation of adenocarcinoma of the oesophagus and cardia: a randomised study, **224**
- dysplasia**, Excessive alcohol consumption favours high risk polyp or colorectal cancer occurrence among patients with adenomas: a case control study, **38**  
Galectin-8 expression decreases in cancer compared with normal and dysplastic human colon tissue and acts significantly on human colon cancer cell migration as a suppressor, **392**  
Minichromosome maintenance (MCM) proteins may be pre-cancer markers, **290**  
Proximal adenomas in hereditary non-polyposis colorectal cancer are prone to rapid malignant transformation, **382**
- E-cadherin**, An insight into the genetic pathway of adenocarcinoma of the small intestine, **218**
- economic burden**, Clinical and economic consequences of dyspepsia in the community: *review*, **iv10**
- efficacy**, The efficacy of azathioprine for the treatment of inflammatory bowel disease: a 30 year review, **485**
- electrical control activity**, Microprocessor controlled movement of solid colonic content using sequential neural electrical stimulation, **475**
- electrical pacing**, Microprocessor controlled movement of solid colonic content using sequential neural electrical stimulation, **475**
- electrical response activity**, Microprocessor controlled movement of solid colonic content using sequential neural electrical stimulation, **475**
- electrophysiological changes**, Impairment of epithelial transport but not of barrier function in idiopathic pouchitis after ulcerative colitis, **821**
- electroporation**, Attenuated acute liver injury in mice by naked hepatocyte growth factor gene transfer into skeletal muscle with electroporation, **558**
- empirical treatment**, Management of uninvestigated dyspepsia: *review and commentary*: *review*, **iv51**
- end tidal carbon dioxide**, NORCCAP (Norwegian colorectal cancer prevention): a randomised trial to assess the safety and efficacy of carbon dioxide versus air insufflation in colonoscopy, **604**
- endocrine tumours**, Identification of somatostatin receptor subtypes 1, 2A, 3, and 5 in neuroendocrine tumours with subtype specific antibodies, **52**
- endoscopic recurrence**, Low ileal interleukin 10 concentrations are predictive of endoscopic recurrence in patients with Crohn's disease, **25**
- endoscopic retrograde cholangiopancreatography**, Endoscopic transpapillary bile duct biopsy with the combination of intraductal ultrasonography in the diagnosis of biliary strictures, **326**
- endoscopic sphincterotomy**, Outcome of endoscopic sphincterotomy in post cholecystectomy patients with sphincter of Oddi dysfunction as predicted by manometry and quantitative choledochoscintigraphy, **665**
- endoscopic therapy**, Prediction of therapeutic failure after adrenaline injection plus heater probe treatment in patients with bleeding peptic ulcer, **322**
- endoscopic ultrasound**, You get what you expect? A critical appraisal of imaging methodology in endosonographic cancer staging, **599**
- endoscopy**, A survey on gastroenterology training in Europe, **724**  
Creutzfeldt-Jakob disease: implications for gastroenterology: *review*, **888**  
Definitions of reflux disease and its separation from dyspepsia: *Filler*, **iv17**  
Dyspepsia: management guidelines for the millennium: *review*, **iv72**  
Management of uninvestigated dyspepsia: *review and commentary*, **iv51**  
*Helicobacter pylori* test and treat strategy for young dyspeptic patients: new data: *review*, **iv47**  
Role of endoscopy and biopsy in the work up of dyspepsia: *review*, **iv13**  
The changing scope of colorectal cancer: *letter*, **741**
- endothelin**, Endothelin is an important determinant of renal function in a rat model of acute liver and renal failure, **111**  
Endothelin-1 stimulates human colonic myofibroblast contraction and migration, **65**
- endothelin receptor null rat**, Increased smooth muscle contractility of intestine in the genetic null of the endothelin ETB receptor: a rat model for long segment Hirschsprung's disease, **355**
- enkephalinase inhibitor**, Novel targets for the control of secretory diarrhoea: *review*, **iii15**
- enteric nervous system**, Novel targets for the control of secretory diarrhoea: *review*, **iii15**
- enteroendocrine**, Gut adaptation and the glucagon-like peptides: *review*, **428**
- enterohaemorrhagic Escherichia coli** Intimin type influences the site of human intestinal mucosal colonisation by enterohaemorrhagic *Escherichia coli* O157:H7, **180**
- enterotoxin**, Novel targets for the control of secretory diarrhoea: *review*, **iii15**
- environmental carcinogens**, Easy as 1, 2, 3? Histamine receptors and gastric acid, **747**  
Polymorphisms of the human *UDP-glucuronosyltransferase (UGT) 1A7* gene in colorectal cancer, **851**
- eocosanoid**, Small therapeutic molecules for the treatment of inflammatory bowel disease: *review*, **iii47**
- epidemiology**, Epidemiological differences between adenocarcinoma of the oesophagus and adenocarcinoma of the gastric cardia in the USA, **368**  
Epidemiology and economic burden of viral hepatitis: an observational population based study, **100**  
Hospital admissions for peptic ulcer and indigestion in London and New York in the 19th and early 20th centuries: *review*, **568**  
Prevalence of faecal incontinence in adults aged 40 years or more living in the community, **480**
- epidermal growth factor**, Gastrin-cholecystokinin<sub>B</sub> receptor expression in AGS cells is associated with direct inhibition and indirect stimulation of cell proliferation via paracrine activation of the epidermal growth factor receptor, **827**
- epithelial cells**, Adhesion between dendritic cells and epithelial cells maintains the gut barrier during bacterial sampling, **449**
- epithelium**, Host-pathogen interactions: the seduction of molecular cross talk: *review*, **iii2**
- faecal incontinence**, Prevalence of faecal incontinence in adults aged 40 years or more living in the community, **480**
- faecal occult blood testing**, A randomised study of screening for colorectal cancer using faecal occult blood testing: results after 13 years and seven biennial screening rounds, **29**  
Effect of faecal occult blood screening on mortality from colorectal cancer: results from a randomised controlled trial, **840**  
Protective effect of faecal occult blood test screening for colorectal cancer: worse prognosis for screening refusers, **33**
- familial adenomatous polyposis**, A randomised, double blind, placebo controlled study of celecoxib, a selective cyclooxygenase 2 inhibitor, on duodenal polyposis in familial adenomatous polyposis, **857**  
Duodenal cancer in patients with familial adenomatous polyposis (FAP): results of a 10 year prospective study, **636**  
Genetic and clinical characterisation of familial adenomatous polyposis: a population based study, **845**  
Serrated adenoma in familial adenomatous polyposis: relation to germline APC gene mutation, **402**
- familial cancer**, Family history of cancer and germline BRCA2 mutations in sporadic exocrine pancreatic cancer, **653**

- familial colorectal cancer**, Adenoma prevalence and cancer risk in familial non-polyposis colorectal cancer, **228**
- Fas/Fas ligand**, Apoptosis and proliferation of acinar and islet cells in chronic pancreatitis: evidence for differential cell loss mediating preservation of islet function, **542**
- fatty liver disease**, Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?: *review*, **585**
- female rats**, Acute restraint stress activates functional NK1 receptor in the colon of female rats: involvement of steroids, **349**
- ferritin**, Denatured H-ferritin subunit is a major constituent of haemosiderin in the liver of patients with iron overload, **413**
- fibre**, Stimulation of the intestinal Cdx2 homeobox gene by butyrate in colon cancer cells, **525**  
Uncoupling the p38 MAPK kinase in IBD: a double edged sword?, **446**
- fistulae**, The vascularity of internal fistulae in Crohn's disease: an in vivo power Doppler ultrasonography assessment, **496**
- flexible sigmoidoscopy**, The changing scope of colorectal cancer: *letter*, **741**
- focal nodular hyperplasia**, Focal nodular hyperplasia of the liver in men: is presentation the same in men and women?, **877**
- folate**, A polymorphism in the methylenetetrahydrofolate reductase gene predisposes to colorectal cancers with microsatellite instability, **520**
- folic acid**, Interventional study of high dose folic acid in gastric carcinogenesis in beagles, **61**
- founder effect**, Genetic and clinical characterisation of familial adenomatous polyposis: a population based study, **845**
- fractures**, Osteoporosis in patients with inflammatory bowel disease, **9**
- fulminant hepatic failure**, Diagnosis of Wilson's disease: an experience over three decades: *letter*, **136**  
Selective plasma filtration for treatment of fulminant hepatic failure induced by d-galactosamine in a pig model, **869**
- functional dyspepsia**, Assessment of outcome in dyspepsia: has progress been made?: *review*, **iv23**  
H<sub>2</sub> receptor antagonists and prokinetics in dyspepsia: a critical review: *review*, **iv58**  
*Helicobacter pylori* and functional dyspepsia: review of previous studies and commentary on new data: *review*, **iv33**  
Role of endoscopy and biopsy in the work up of dyspepsia: *review*, **iv13**  
The potential role of acid suppression in functional dyspepsia: the BOND, OPERA, PILOT, and ENCORE studies: *review*, **iv36**
- fundoplication**, Should abnormal oesophageal motility in gastro-oesophageal reflux disease (GORD) influence decisions about fundoplication?, **592**
- galactosamine**, Endothelin is an important determinant of renal function in a rat model of acute liver and renal failure, **111**
- galectin-8**, Galectin-8 expression decreases in cancer compared with normal and dysplastic human colon tissue and acts significantly on human colon cancer cell migration as a suppressor, **392**
- gall bladder**, Intraduodenal conjugated bile salts exert negative feedback control on gall bladder emptying in the fasting state without affecting cholecystokinin release or antroduodenal motility, **669**
- gastric acid secretion**, Regulation of gastric function by gastrin releasing peptide: *letter*, **897**  
Regulation of gastric function by gastrin releasing peptide: *letter*, **897**
- gastric cancer**, Does chemoradiotherapy after intended curative surgery increase survival of gastric cancer patients?, **751**  
Effect of physiological concentrations of vitamin C on gastric cancer cells and *Helicobacter pylori*, **165**  
Guidelines for the management of oesophageal and gastric cancer, **v1**  
Interventional study of high dose folic acid in gastric carcinogenesis in beagles, **61**  
The long term results of endoscopic surveillance of premalignant gastric lesions, **378**
- gastric cardia adenocarcinoma**, Epidemiological differences between adenocarcinoma of the oesophagus and adenocarcinoma of the gastric cardia in the USA, **368**
- gastric compliance**, Effects of glucagon-like peptide-1(7–36)amide on motility and sensation of the proximal stomach in humans, **341**
- gastric emptying**, Microprocessor controlled movement of solid colonic content using sequential neural electrical stimulation, **475**
- gastric epithelium**, Gastrin-cholecystokinin<sub>B</sub> receptor expression in AGS cells is associated with direct inhibition and indirect stimulation of cell proliferation via paracrine activation of the epidermal growth factor receptor, **827**
- gastric mucosal injury**, *Helicobacter pylori* infection potentiates aspirin induced gastric mucosal injury in Mongolian gerbils, **594**  
Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?, **585**
- gastric polyps**, Diagnostic accuracy of forceps biopsy versus polypectomy for gastric polyps: a prospective multicentre study, **465**
- gastric tone**, Effects of glucagon-like peptide-1(7–36)amide on motility and sensation of the proximal stomach in humans, **341**
- gastric ulcer**, Hospital admissions for peptic ulcer and indigestion in London and New York in the 19th and early 20th centuries: *review*, **568**  
Recent trends in admissions and mortality due to peptic ulcer in England: increasing frequency of haemorrhage among older subjects, **460**
- gastrin releasing peptide**, Regulation of gastric function by gastrin releasing peptide: *letter*, **897**
- gastrin**, Gastrin-cholecystokinin<sub>B</sub> receptor expression in AGS cells is associated with direct inhibition and indirect stimulation of cell proliferation via paracrine activation of the epidermal growth factor receptor, **827**  
Regulation of gastric function by gastrin releasing peptide: *letter*, **897**
- gastritis**, *Helicobacter pylori* and functional dyspepsia: review of previous studies and commentary on new data: *review*, **iv33**  
*Helicobacter* and gastric MALT lymphoma: *review*, **iii19**  
The long term results of endoscopic surveillance of premalignant gastric lesions, **378**
- gastrointestinal function**, *Lactobacillus acidophilus* (strain LB) from the resident adult human gastrointestinal microflora exerts activity against brush border damage promoted by a diarrhoeagenic *Escherichia coli* in human enterocyte-like cells, **803**
- gastrointestinal motility**, Novel human and mouse genes encoding an acid phosphatase family member and its downregulation in *W/W<sup>v</sup>* mouse jejunum, **790**
- gastrointestinal mucosa**, Influence of clinical factors, diet, and drugs on the human upper gastrointestinal glutathione system, **235**
- gastro-oesophageal reflux disease**, Control of transient lower oesophageal sphincter relaxations and reflux by the GABA<sub>B</sub> agonist baclofen in patients with gastro-oesophageal reflux disease, **19**  
Definitions of reflux disease and its separation from dyspepsia: *Filler*, **iv17**  
Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants, **451**  
Dyspepsia: management guidelines for the millennium: *review*, **iv72**  
Epidemiological differences between adenocarcinoma of the oesophagus and adenocarcinoma of the gastric cardia in the USA, **368**  
Intra-gastric maldistribution of a liquid meal in patients with reflux oesophagitis assessed by three dimensional ultrasonography, **153**  
Management of uninvestigated dyspepsia: *review and commentary*, **iv51**  
Natural history of dyspepsia: *review*, **iv2**  
Should abnormal oesophageal motility in gastro-oesophageal reflux disease (GORD) influence decisions about fundoplication?, **592**  
Treatment of colorectal metastases: surgery, cryotherapy, or radio-frequency ablation, **1**  
Use of antisecretory agents as a trial of therapy: *review*, **iv63**
- gastrosocopy**, Diagnostic accuracy of forceps biopsy versus polypectomy for gastric polyps: a prospective multicentre study, **465**
- gene therapy**, Attenuated acute liver injury in mice by naked hepatocyte growth factor gene transfer into skeletal muscle with electroporation, **558**  
Gene therapy for liver diseases: recent strategies for treatment of viral hepatitis and liver malignancies: *review*, **130**
- generic instrument**, Assessment of outcome in dyspepsia: has progress been made?: *review*, **iv23**
- genetic content**, The chips are down for *Helicobacter pylori*, **293**
- genetic diagnosis**, Pathogenicity of missense and splice site mutations in *hMSH2* and *hMLH1* mismatch repair genes: implications for genetic testing, **405**
- genetic markers**, Detection of epithelial tumour RNA in the plasma of colon cancer patients is associated with advanced stages and circulating tumour cells, **530**
- genetics**, The genetic jigsaw of inflammatory bowel disease: *review*, **iii31**
- gerbils**, *Helicobacter pylori* infection potentiates aspirin induced gastric mucosal injury in Mongolian gerbils, **594**  
Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?, **585**
- germline mutation**, Family history of cancer and germline BRCA2 mutations in sporadic exocrine pancreatic cancer, **653**
- GI bleeding**, Cyclooxygenase inhibition: between the devil and the deep blue sea: *review*, **iii25**
- global scale**, Assessment of outcome in dyspepsia: has progress been made?: *review*, **iv23**
- glomerular filtration rate**, Evaluation of serum cystatin C concentration as a marker of renal function in patients with cirrhosis of the liver, **106**

- glucagon-like peptides**, Gut adaptation and the glucagon-like peptides: *review*, **428**
- glutathione S-transferase**, Influence of clinical factors, diet, and drugs on the human upper gastrointestinal glutathione system, **235**
- glutathione**, Influence of clinical factors, diet, and drugs on the human upper gastrointestinal glutathione system, **235**
- gluten free diet**, Blisters in the small intestinal mucosa of coeliac patients contain T cells positive for cyclooxygenase 2, **84**  
No harm from five year ingestion of oats in coeliac disease, **332**
- granulocytes**, Impaired tuftsin activity in cirrhosis: relationship with splenic function and clinical outcome, **707**
- guidelines**, Guidelines for the management of oesophageal and gastric cancer, **v1**  
Guidelines on the management of osteoporosis associated with chronic liver disease, **i1**
- gut adaptation**, Gut adaptation and the glucagon-like peptides: *review*, **428**
- gut barrier**, Adhesion between dendritic cells and epithelial cells maintains the gut barrier during bacterial sampling, **449**
- haemosiderin**, Denatured H-ferritin subunit is a major constituent of haemosiderin in the liver of patients with iron overload, **413**
- health resource use**, Epidemiology and economic burden of viral hepatitis: an observational population based study, **100**
- heartburn**, Definitions of reflux disease and its separation from dyspepsia: *Filler*, **iv17**
- heat shock proteins**, Both thermal and non-thermal stress protect against caerulein induced pancreatitis and prevent trypsinogen activation in the pancreas, **78**
- Helicobacter pylori**, Analysis of apoptotic and antiapoptotic signaling pathways induced by *Helicobacter pylori*, **771**  
Combined analysis of the ORCHID and OCAY studies: does eradication of *Helicobacter pylori* lead to sustained improvement in functional dyspepsia symptoms?: *review*, **iv26**  
Definitions of reflux disease and its separation from dyspepsia: *Filler*, **iv17**  
Dyspepsia: management guidelines for the millennium: *review*, **iv72**  
Effect of physiological concentrations of vitamin C on gastric cancer cells and *Helicobacter pylori*, **165**  
Evidence that *cagA*<sup>+</sup> *Helicobacter pylori* strains are disappearing more rapidly than *cagA*<sup>-</sup> strains, **295**  
*Helicobacter pylori* and functional dyspepsia: review of previous studies and commentary on new data: *review*, **iv33**  
*Helicobacter* and gastric MALT lymphoma: *review*, **iii19**  
*Helicobacter pylori* infection potentiates aspirin induced gastric mucosal injury in Mongolian gerbils, **594**  
*Helicobacter pylori* test and treat strategy for young dyspeptic patients: new data: *review*, **iv47**  
*Helicobacter pylori* stimulates pepsinogen secretion from isolated human peptic cells, **13**  
Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?, **585**  
Management of uninvestigated dyspepsia: review and commentary: *review*, **iv51**  
Molecular testing for antibiotic resistance in *Helicobacter pylori*: *review*, **285**  
Risk factors for atrophic chronic gastritis in a European population: results of the Eurohepygast study, **779**  
The chips are down for *Helicobacter pylori*, **293**  
The non-*H. pylori* helicobacters: their expanding role in gastrointestinal and systemic diseases: *review*, **273**  
The potential role of acid suppression in functional dyspepsia: the BOND, OPERA, PILOT, and ENCORE studies: *review*, **iv36**
- hepatic cirrhosis**, Impaired tuftsin activity in cirrhosis: relationship with splenic function and clinical outcome, **707**
- hepatic energy metabolism**, Biliary drainage for obstructive jaundice enhances hepatic energy status in humans: a 31-phosphorus magnetic resonance spectroscopy study, **118**
- hepatic iron index**, The role of iron and haemochromatosis gene mutations in the progression of liver disease in chronic hepatitis C, **248**
- hepatic metastases**, Ablative therapy for liver tumours: *review*, **733**
- hepatic stellate cell**, Hepatic stellate cells: role in microcirculation and pathophysiology of portal hypertension: *review*, **571**  
Transcriptional regulation of hepatic stellate cell activation: *review*, **891**
- hepatic venous pressure gradient**, Assessment of therapeutic benefit of antiviral therapy in chronic hepatitis C: is hepatic venous pressure gradient a better end point?: *review*, **425**
- hepatitis B virus**, Antibodies to hepatitis B surface antigen prevent viral reactivation in recipients of liver grafts from anti-HBC positive donors, **95**  
Anti-relaxation therapy in GORD, **6**  
Combination therapy for hepatitis B: *review*, **443**
- hepatitis C virus**, Cost effectiveness of combination therapy for hepatitis C: a decision analytic model, **253**  
Infection rate and spontaneous seroreversion of anti-hepatitis C virus during the natural course of hepatitis C virus infection in the general population, **693**  
The role of iron and haemochromatosis gene mutations in the progression of liver disease in chronic hepatitis C, **248**
- hepatitis C**, Assessment of therapeutic benefit of antiviral therapy in chronic hepatitis C: is hepatic venous pressure gradient a better end point?: *review*, **425**  
Histology predicts cirrhotic evolution of post transplant hepatitis C, **697**
- hepatitis**, Hepatitis and liver dysfunction with rifampicin therapy for pruritus in primary biliary cirrhosis, **436**
- hepatocellular carcinoma**, A ligand for peroxisome proliferator activated receptor  $\gamma$  inhibits cell growth and induces apoptosis in human liver cancer cells, **563**  
Ablative therapy for liver tumours: *review*, **733**  
Cost effectiveness of adjuvant therapy for hepatocellular carcinoma during the waiting list for liver transplantation, **123**  
Staging of hepatocellular carcinoma: assessment of the CLIP, Okuda, and Child-Pugh staging systems in a cohort of 257 patients in Toronto, **881**  
UGT1A1 polymorphisms and colorectal cancer susceptibility, **748**
- hepatocyte growth factor**, Attenuated acute liver injury in mice by naked hepatocyte growth factor gene transfer into skeletal muscle with electroporation, **558**
- hepatorenal syndrome**, Endothelin is an important determinant of renal function in a rat model of acute liver and renal failure, **111**
- hereditary non-polyposis colorectal cancer**, Adenoma prevalence and cancer risk in familial non-polyposis colorectal cancer, **228**  
Frequency of hereditary non-polyposis colorectal cancer in Danish colorectal cancer patients, **43**  
Minichromosome maintenance (MCM) proteins may be pre-cancer markers, **290**  
Pathogenicity of missense and splice site mutations in *hMSH2* and *hMLH1* mismatch repair genes: implications for genetic testing, **405**  
Proximal adenomas in hereditary non-polyposis colorectal cancer are prone to rapid malignant transformation, **382**
- HFE mutations**, The role of iron and haemochromatosis gene mutations in the progression of liver disease in chronic hepatitis C, **248**
- H<sub>2</sub> receptor antagonist**, H<sub>2</sub> receptor antagonists and prokinetics in dyspepsia: a critical review: *review*, **iv58**  
Use of antisecretory agents as a trial of therapy: *review*, **iv63**
- Hirschsprung's disease**, Increased smooth muscle contractility of intestine in the genetic null of the endothelin ETB receptor: a rat model for long segment Hirschsprung's disease, **355**
- histamine H<sub>2</sub> receptors**, Effects of *N*-alpha-methyl-histamine on human H<sub>2</sub> receptors expressed in CHO cells, **786**  
Primary biliary cirrhosis: seeking the silent partner of autoimmunity, **743**
- histamine**, Tumour necrosis factor  $\alpha$  potentiates ion secretion induced by histamine in a human intestinal epithelial cell line and in mouse colon: involvement of the phospholipase D pathway, **314**
- histogenesis**, Histogenesis of human colorectal adenomas and hyperplastic polyps: the role of cell proliferation and crypt fission, **212**
- histological activity**, Histology predicts cirrhotic evolution of post transplant hepatitis C, **697**
- histology**, Histology predicts cirrhotic evolution of post transplant hepatitis C, **697**
- HLA typing**, The first large population based twin study of coeliac disease, **624**
- host**, Host-pathogen interactions: the seduction of molecular cross talk: *review*, **iii2**
- human leucocyte antigen**, MHC class I chain related gene A (MICA) modulates the development of coeliac disease in patients with the high risk heterodimer DQA10501/DQB10201, **336**
- hydrogen sulphide**, Mucosal protection against sulphide: importance of the enzyme rhodanese, **201**
- hyperplastic polyps**, Histogenesis of human colorectal adenomas and hyperplastic polyps: the role of cell proliferation and crypt fission, **212**
- hyperthermia**, Both thermal and non-thermal stress protect against caerulein induced pancreatitis and prevent trypsinogen activation in the pancreas, **78**
- hypomagnesaemia**, Hypomagnesaemia due to malabsorption is not always responsive to oral magnesium oxide supplementation alone: *letter*, **897**
- idiopathic chronic pancreatitis**, Neural alterations in surgical stage chronic pancreatitis are independent of the underlying aetiology, **682**
- idiopathic pancreatitis**, The N34S mutation of SPINK1 (PSTI) is associated with a familial pattern of idiopathic chronic pancreatitis but does not cause the disease, **675**
- immunity**, New horizons in gastroenterology: infection, inflammation, and immunity: *review*, **iii1**
- immunocytochemistry**, Distribution of the long leptin receptor isoform in brush border, basolateral membrane, and cytoplasm of enterocytes, **797**

- immunodeficiency**, Lack of simian immunodeficiency virus (SIV) specific IgA response in the intestine of SIV infected rhesus macaques, **608**
- immunoelectron microscopy**, Denatured H-ferritin subunit is a major constituent of haemosiderin in the liver of patients with iron overload, **413**
- immunohistochemistry**, Blisters in the small intestinal mucosa of coeliac patients contain T cells positive for cyclooxygenase 2, **84**  
Human neutrophil lipocalin is a unique marker of neutrophil inflammation in ulcerative colitis and proctitis, **501**  
Identification of somatostatin receptor subtypes 1, 2A, 3, and 5 in neuroendocrine tumours with subtype specific antibodies, **52**
- immunoregulation**, Immunoregulation in the gut: success and failures in human disease: *review*, **iii60**
- immunosuppressive therapy**, Characteristics of autoimmune hepatitis in patients who are not of European/Caucasoid ethnic origin, **713**
- in vitro organ culture**, Intimin type influences the site of human intestinal mucosal colonisation by enterohaemorrhagic *Escherichia coli* O157:H7, **180**
- indomethacin**, Neutrophil migration into indomethacin induced rat small intestinal injury is CD11a/CD18 and CD11b/CD18 co-dependent, **629**  
Recovery of ischaemic injured porcine ileum: evidence for a contributory role of COX-1 and COX-2, **615**
- infection**, New horizons in gastroenterology: infection, inflammation, and immunity: *review*, **iii1**  
The non-*H. pylori* helicobacters: their expanding role in gastrointestinal and systemic diseases: *review*, **273**  
Toxins and the gut: role in human disease: *review*, **iii9**
- inflammation**, Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants, **451**  
Interleukin 18 is a primary mediator of the inflammation associated with dextran sulphate sodium induced colitis: blocking interleukin 18 attenuates intestinal damage, **812**  
Living related liver transplantation: medical and social aspects of a controversial therapy, **143**  
Neural alterations in surgical stage chronic pancreatitis are independent of the underlying aetiology, **682**  
New horizons in gastroenterology: infection, inflammation, and immunity: *review*, **iii1**  
Probiotics: a role in the treatment of intestinal infection and inflammation?: *review*, **iii54**  
Treatment of Crohn's disease with recombinant human interleukin 10 induces the proinflammatory cytokine interferon  $\gamma$ , **191**
- inflammatory bowel disease**, A Paneth cell surrogate?: *letter*, **741**  
Augmented increase in tight junction permeability by luminal stimuli in the non-inflamed ileum of Crohn's disease, **307**  
Calpain inhibitor 1 and colonic inflammation induced by DNBS in the rat: *letter*, **440**  
Expression of isoforms of nitric oxide synthase in collagenous colitis: *letter*, **899**  
Human neutrophil lipocalin is a unique marker of neutrophil inflammation in ulcerative colitis and proctitis, **501**  
Immunoregulation in the gut: success and failures in human disease: *review*, **iii60**  
Living related liver transplantation: medical and social aspects of a controversial therapy, **143**  
New steroids and new salicylates in inflammatory bowel disease: a critical appraisal: *review*, **iii43**  
Osteoporosis in patients with inflammatory bowel disease, **9**  
The genetic jigsaw of inflammatory bowel disease: *review*, **iii31**  
Treatment of Crohn's disease with recombinant human interleukin 10 induces the proinflammatory cytokine interferon  $\gamma$ , **191**
- inflammatory diseases**, Understanding selective trafficking of lymphocyte subsets, **150**
- infliximab**, IL-10 therapy in Crohn's disease: at the crossroads, **146**  
Infliximab treatment induces apoptosis of lamina propria T lymphocytes in Crohn's disease, **206**
- inflammatory bowel disease**, Small therapeutic molecules for the treatment of inflammatory bowel disease: *review*, **iii47**
- insulin-like growth factor**, Plasma insulin-like growth factor 1, insulin-like growth factor binding protein 3, and risk of colorectal cancer: a prospective study in northern Sweden, **642**
- integrins**, Galectin-8 expression decreases in cancer compared with normal and dysplastic human colon tissue and acts significantly on human colon cancer cell migration as a suppressor, **392**
- interferon  $\alpha$** , Cost effectiveness of combination therapy for hepatitis C: a decision analytic model, **253**
- interferon  $\gamma$** , Living related liver transplantation: medical and social aspects of a controversial therapy, **143**  
Treatment of Crohn's disease with recombinant human interleukin 10 induces the proinflammatory cytokine interferon  $\gamma$ , **191**
- interleukin 10**, Living related liver transplantation: medical and social aspects of a controversial therapy, **143**  
Low ileal interleukin 10 concentrations are predictive of endoscopic recurrence in patients with Crohn's disease, **25**  
Treatment of Crohn's disease with recombinant human interleukin 10 induces the proinflammatory cytokine interferon  $\gamma$ , **191**
- interleukin 12**, Thalidomide reduces tumour necrosis factor  $\alpha$  and interleukin 12 production in patients with chronic active Crohn's disease, **196**
- interleukin 18**, Interleukin 18 and associated markers of T helper cell type 1 activity in coeliac disease, **186**  
Interleukin 18 is a primary mediator of the inflammation associated with dextran sulphate sodium induced colitis: blocking interleukin 18 attenuates intestinal damage, **812**
- interstitial cells of Cajal**, Novel human and mouse genes encoding an acid phosphatase family member and its downregulation in *W/W<sup>v</sup>* mouse jejunum, **790**
- intestinal antibodies**, Lack of simian immunodeficiency virus (SIV) specific IgA response in the intestine of SIV infected rhesus macaques, **608**
- intestinal cells**, *Lactobacillus acidophilus* (strain LB) from the resident adult human gastrointestinal microflora exerts activity against brush border damage promoted by a diarrhoeagenic *Escherichia coli* in human enterocyte-like cells, **803**
- intestinal epithelia**, Tumour necrosis factor  $\alpha$  potentiates ion secretion induced by histamine in a human intestinal epithelial cell line and in mouse colon: involvement of the phospholipase D pathway, **314**
- intestinal permeability**, Mucosal barrier function and the commensal flora: *letter*, **441**  
Small intestinal bacterial overgrowth, intestinal permeability, and non-alcoholic steatohepatitis: *letter*, **136**
- intestinal secretion**, Novel targets for the control of secretory diarrhoea: *review*, **iii15**
- intestinal wound healing**, Endothelin-1 stimulates human colonic myofibroblast contraction and migration, **65**
- intestine**, Gut adaptation and the glucagon-like peptides: *review*, **428**  
Host-pathogen interactions: the seduction of molecular cross talk: *review*, **iii2**  
Identification of somatostatin receptor subtypes 1, 2A, 3, and 5 in neuroendocrine tumours with subtype specific antibodies, **52**  
Intimin type influences the site of human intestinal mucosal colonisation by enterohaemorrhagic *Escherichia coli* O157:H7, **180**
- intimin**, Intimin type influences the site of human intestinal mucosal colonisation by enterohaemorrhagic *Escherichia coli* O157:H7, **180**
- intra-biliary rupture**, Percutaneous evacuation (PEVAC) of multivesicular echinococcal cysts with or without cystobiliary fistulas which contain non-drainable material: first results of a modified PAIR method, **718**
- intraductal papillary mucinous tumour**, Aberrant p16<sup>INK4A</sup> and DPC4/Smad4 expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma, **861**
- intraductal ultrasonography**, Endoscopic transpapillary bile duct biopsy with the combination of intraductal ultrasonography in the diagnosis of biliary strictures, **326**
- intussusception**, The link between rotavirus vaccination and intussusception: implications for vaccine strategies, **11**
- ion secretion**, Tumour necrosis factor  $\alpha$  potentiates ion secretion induced by histamine in a human intestinal epithelial cell line and in mouse colon: involvement of the phospholipase D pathway, **314**
- iron overload**, Denatured H-ferritin subunit is a major constituent of haemosiderin in the liver of patients with iron overload, **413**
- iron**, The role of iron and haemochromatosis gene mutations in the progression of liver disease in chronic hepatitis C, **248**
- irritable bowel syndrome**, The menstrual cycle affects rectal sensitivity in patients with irritable bowel syndrome but not healthy volunteers, **471**
- isobaric distension**, Effects of glucagon-like peptide-1(7-36)amide on motility and sensation of the proximal stomach in humans, **341**
- isoproterenol**, Both thermal and non-thermal stress protect against caerulein induced pancreatitis and prevent trypsinogen activation in the pancreas, **78**
- journals**, Getting our journal to developing countries: *letter*, **284**
- Klebsiella pneumoniae**, A global emerging disease of *Klebsiella pneumoniae* liver abscess: is serotype K1 an important factor for complicated endophthalmitis?, **420**
- lactobacillus**, *Lactobacillus acidophilus* (strain LB) from the resident adult human gastrointestinal microflora exerts activity against brush border damage promoted by a diarrhoeagenic *Escherichia coli* in human enterocyte-like cells, **803**
- lamivudine**, Combination therapy for hepatitis B: *review*, **443**
- laser therapy**, Laser augmented by brachytherapy versus laser alone in the palliation of adenocarcinoma of the oesophagus and cardia: a randomised study, **224**
- leptin receptor**, Distribution of the long leptin receptor isoform in brush border, basolateral membrane, and cytoplasm of enterocytes, **797**
- lipid peroxidation**, Associated changes of lipid peroxidation and transforming growth factor  $\beta$ 1 levels in human colon cancer during tumour progression, **361**

- liver abscess**, A global emerging disease of *Klebsiella pneumoniae* liver abscess: is serotype K1 an important factor for complicated endophthalmitis?, **420**
- liver cirrhosis**, Osteoporosis is not a specific complication of primary biliary cirrhosis (PBC): *letter*, **898**
- liver disease**, Characteristics of autoimmune hepatitis in patients who are not of European/Caucasoid ethnic origin, **713**  
Gene therapy for liver diseases: recent strategies for treatment of viral hepatitis and liver malignancies: *review*, **130**  
Guidelines on the management of osteoporosis associated with chronic liver disease, **11**  
Role of alpha-1-antichymotrypsin deficiency in promoting cirrhosis in two siblings with heterozygous alpha-1-antitrypsin deficiency phenotype SZ, **730**
- liver dysfunction**, Hepatitis and liver dysfunction with rifampicin therapy for pruritus in primary biliary cirrhosis, **436**  
Liver dysfunction among workers handling 5-nitro-*o*-toluidine, **266**
- liver fibrosis**, Transcriptional regulation of hepatic stellate cell activation: *review*, **891**
- liver grafts**, Antibodies to hepatitis B surface antigen prevent viral reactivation in recipients of liver grafts from anti-HBC positive donors, **95**  
Anti-relaxation therapy in GORD, **6**
- liver malignancies**, Gene therapy for liver diseases: recent strategies for treatment of viral hepatitis and liver malignancies: *review*, **130**
- liver metastases**, Treatment of colorectal metastases: surgery, cryotherapy, or radiofrequency ablation: *review*, **1**
- liver toxicity**, Liver dysfunction among workers handling 5-nitro-*o*-toluidine, **266**
- liver transplantation**, Antibodies to hepatitis B surface antigen prevent viral reactivation in recipients of liver grafts from anti-HBC positive donors, **95**  
Anti-relaxation therapy in GORD, **6**  
Cost effectiveness of adjuvant therapy for hepatocellular carcinoma during the waiting list for liver transplantation, **123**  
Histology predicts cirrhotic evolution of post transplant hepatitis C, **697**  
Living related liver transplantation: medical and social aspects of a controversial therapy: *review*, **143**
- liver**, Developmental aspects of human hepatic drug glucuronidation in young children and adults, **259**  
Diagnosis of Wilson's disease: an experience over three decades: *letter*, **136**  
Focal nodular hyperplasia of the liver in men: is presentation the same in men and women?, **877**  
Hepatic stellate cells: role in microcirculation and pathophysiology of portal hypertension: *review*, **571**
- living organ donors**, Living related liver transplantation: medical and social aspects of a controversial therapy: *review*, **143**
- London**, Hospital admissions for peptic ulcer and indigestion in London and New York in the 19th and early 20th centuries: *review*, **568**
- loss of heterozygosity**, The spectrum of p53 mutations in colorectal adenomas differs from that in colorectal carcinomas, **834**
- lower oesophageal sphincter**, Control of transient lower oesophageal sphincter relaxations and reflux by the GABA<sub>B</sub> agonist baclofen in patients with gastro-oesophageal reflux disease, **19**  
Effect of sildenafil on oesophageal motor function in healthy subjects and patients with oesophageal motor disorders, **758**  
Treatment of colorectal metastases: surgery, cryotherapy, or radiofrequency ablation, **1**
- lymphocytes**, Understanding selective trafficking of lymphocyte subsets, **150**
- magnesium oxide**, Hypomagnesaemia due to malabsorption is not always responsive to oral magnesium oxide supplementation alone: *letter*, **897**
- magnesium**, Hypomagnesaemia due to malabsorption is not always responsive to oral magnesium oxide supplementation alone: *letter*, **897**
- magnetic resonance imaging**, Ablative therapy for liver tumours: *review*, **733**  
You get what you expect? A critical appraisal of imaging methodology in endosonographic cancer staging, **599**
- magnetic resonance**, Focal nodular hyperplasia of the liver in men: is presentation the same in men and women?, **877**
- major histocompatibility complex**, MHC class I chain related gene A (MICA) modulates the development of coeliac disease in patients with the high risk heterodimer DQA10501/DQB10201, **336**
- MALT lymphoma**, *Helicobacter* and gastric MALT lymphoma: *review*, **iii19**
- management**, Approaches to uninvestigated dyspepsia: *review*, **iv42**
- mannitol**, Mucosal barrier function and the commensal flora: *letter*, **441**
- manometry**, Outcome of endoscopic sphincterotomy in post cholecystectomy patients with sphincter of Oddi dysfunction as predicted by manometry and quantitative choledochoscintigraphy, **665**
- MAPK**, Dichotomous role of inhibition of p38 MAPK with SB 203580 in experimental colitis, **507**
- megaileum**, Increased smooth muscle contractility of intestine in the genetic null of the endothelin ETB receptor: a rat model for long segment Hirschsprung's disease, **355**
- menstrual cycle**, The menstrual cycle affects rectal sensitivity in patients with irritable bowel syndrome but not healthy volunteers, **471**
- metabolic disorder**, Role of alpha-1-antichymotrypsin deficiency in promoting cirrhosis in two siblings with heterozygous alpha-1-antitrypsin deficiency phenotype SZ, **730**
- metastasis**, Subcutaneous or intrahepatic injection of suicide gene modified tumour cells induces a systemic antitumour response in a metastatic model of colon carcinoma in rats, **387**
- methylenetetrahydrofolate reductase**, A polymorphism in the methylenetetrahydrofolate reductase gene predisposes to colorectal cancers with microsatellite instability, **520**
- MHC class I chain related gene**, MHC class I chain related gene A (MICA) modulates the development of coeliac disease in patients with the high risk heterodimer DQA10501/DQB10201, **336**
- mice**, Microflora reactive IL-10 producing regulatory T cells are present in the colon of IL-2 deficient mice but lack efficacious inhibition of IFN- $\gamma$  and TNF- $\alpha$  production, **170**
- microflora**, Microflora reactive IL-10 producing regulatory T cells are present in the colon of IL-2 deficient mice but lack efficacious inhibition of IFN- $\gamma$  and TNF- $\alpha$  production, **170**  
Probiotics: a role in the treatment of intestinal infection and inflammation?: *review*, **iii54**
- microsatellite instability**, Frequency of hereditary non-polyposis colorectal cancer in Danish colorectal cancer patients, **43**
- migrating motor complex**, Intraduodenal conjugated bile salts exert negative feedback control on gall bladder emptying in the fasting state without affecting cholecystokinin release or antroduodenal motility, **669**
- migration**, Endothelin-1 stimulates human colonic myofibroblast contraction and migration, **65**  
Microflora reactive IL-10 producing regulatory T cells are present in the colon of IL-2 deficient mice but lack efficacious inhibition of IFN- $\gamma$  and TNF- $\alpha$  production, **170**  
Neutrophil migration into indomethacin induced rat small intestinal injury is CD11a/CD18 and CD11b/CD18 co-dependent, **629**
- minichromosome maintenance proteins**, Aberrant expression of minichromosome maintenance proteins 2 and 5, and Ki-67 in dysplastic squamous oesophageal epithelium and Barrett's mucosa, **373**  
Molecular testing for antibiotic resistance in *Helicobacter pylori*, **285**
- mismatch repair genes**, Pathogenicity of missense and splice site mutations in *hMSH2* and *hMLH1* mismatch repair genes: implications for genetic testing, **405**
- mismatch repair**, Minichromosome maintenance (MCM) proteins may be pre-cancer markers, **290**  
Proximal adenomas in hereditary non-polyposis colorectal cancer are prone to rapid malignant transformation, **382**
- missense and splice site mutations**, Pathogenicity of missense and splice site mutations in *hMSH2* and *hMLH1* mismatch repair genes: implications for genetic testing, **405**
- molecular testing**, Molecular testing for antibiotic resistance in *Helicobacter pylori*: *review*, **285**
- mortality**, Effect of faecal occult blood screening on mortality from colorectal cancer: results from a randomised controlled trial, **840**
- mouse**, Distribution of the long leptin receptor isoform in brush border, basolateral membrane, and cytoplasm of enterocytes, **797**
- mucosa**, Interleukin 18 is a primary mediator of the inflammation associated with dextran sulphate sodium induced colitis: blocking interleukin 18 attenuates intestinal damage, **812**
- mucosal immunity**, Lack of simian immunodeficiency virus (SIV) specific IgA response in the intestine of SIV infected rhesus macaques, **608**
- mucosal lesion**, Blisters in the small intestinal mucosa of coeliac patients contain T cells positive for cyclooxygenase 2, **84**
- mucositis**, Gut adaptation and the glucagon-like peptides: *review*, **428**
- mutation analysis**, Genetic and clinical characterisation of familial adenomatous polyposis: a population based study, **845**
- mutations**, Aspirin injury and *H pylori*, **589**  
Mutations in serine protease inhibitor Kazal type 1 are strongly associated with chronic pancreatitis, **687**
- N29T mutations**, Novel cationic trypsinogen (PRSS1) N29T and R122C mutations cause autosomal dominant hereditary pancreatitis, **271**
- N-alpha-methyl-histamine** Effects of N-alpha-methyl-histamine on human H<sub>2</sub> receptors expressed in CHO cells, **786**

- Primary biliary cirrhosis: seeking the silent partner of autoimmunity, **743**
- N-ethyl-N-nitrosoguanidine** Interventional study of high dose folic acid in gastric carcinogenesis in beagles, **61**
- negative feedback**, Intraduodenal conjugated bile salts exert negative feedback control on gall bladder emptying in the fasting state without affecting cholecystokinin release or antroduodenal motility, **669**
- neopterin**, Living related liver transplantation: medical and social aspects of a controversial therapy, **143**  
Treatment of Crohn's disease with recombinant human interleukin 10 induces the proinflammatory cytokine interferon  $\gamma$ , **191**
- nerves**, Neural alterations in surgical stage chronic pancreatitis are independent of the underlying aetiology, **682**
- neurological impairment**, A shake of the head to a wink of the anus: *letter*, **440**
- neutropenia**, The efficacy of azathioprine for the treatment of inflammatory bowel disease: a 30 year review, **485**
- neutrophils**, Human neutrophil lipocalin is a unique marker of neutrophil inflammation in ulcerative colitis and proctitis, **501**  
*Helicobacter pylori* infection potentiates aspirin induced gastric mucosal injury in Mongolian gerbils, **594**  
Neutrophil migration into indomethacin induced rat small intestinal injury is CD11a/CD18 and CD11b/CD18 co-dependent, **629**  
Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?, **585**
- New York**, Hospital admissions for peptic ulcer and indigestion in London and New York in the 19th and early 20th centuries: *review*, **568**
- Nippostrongylus** Activation of caspases in intestinal villus epithelial cells of normal and nematode infected rats, **71**
- nitric oxide synthase**, Expression of isoforms of nitric oxide synthase in collagenous colitis: *letter*, **899**
- nitric oxide**, Calpain inhibitor I and colonic inflammation induced by DNBS in the rat: *letter*, **440**  
Expression of isoforms of nitric oxide synthase in collagenous colitis: *letter*, **899**  
*Helicobacter pylori* stimulates pepsinogen secretion from isolated human peptic cells, **13**  
Small therapeutic molecules for the treatment of inflammatory bowel disease: *review*, **iii47**
- NK1 receptor**, Acute restraint stress activates functional NK1 receptor in the colon of female rats: involvement of steroids, **349**
- non-alcoholic steatohepatitis**, Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?: *review*, **585**  
Small intestinal bacterial overgrowth, intestinal permeability, and non-alcoholic steatohepatitis: *letter*, **136**
- non-helicobacters**, The non-*H. pylori* helicobacters: their expanding role in gastrointestinal and systemic diseases: *review*, **273**
- non-insulin dependent diabetes mellitus**, Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?: *review*, **585**
- non-steroidal anti-inflammatory drugs**, *Helicobacter pylori* infection potentiates aspirin induced gastric mucosal injury in Mongolian gerbils, **594**  
Non-alcoholic steatohepatitis (NASH): where are we now and where are we going?, **585**  
Recovery of ischaemic injured porcine ileum: evidence for a contributory role of COX-1 and COX-2, **615**
- NSAID**, Cyclooxygenase inhibition: between the devil and the deep blue sea: *review*, **iii25**
- nuclear hormone receptors**, A ligand for peroxisome proliferator activated receptor  $\gamma$  inhibits cell growth and induces apoptosis in human liver cancer cells, **563**
- nutcracker oesophagus**, Effect of sildenafil on oesophageal motor function in healthy subjects and patients with oesophageal motor disorders, **758**
- nutrition**, Gut adaptation and the glucagon-like peptides: *review*, **428**
- oats**, No harm from five year ingestion of oats in coeliac disease, **332**
- observational study**, Epidemiology and economic burden of viral hepatitis: an observational population based study, **100**
- obstructive jaundice**, Biliary drainage for obstructive jaundice enhances hepatic energy status in humans: a 31-phosphorus magnetic resonance spectroscopy study, **118**
- OCAY study**, Combined analysis of the ORCHID and OCAY studies: does eradication of *Helicobacter pylori* lead to sustained improvement in functional dyspepsia symptoms?: *review*, **iv26**
- octreotide scintigraphy**, Identification of somatostatin receptor subtypes 1, 2A, 3, and 5 in neuroendocrine tumours with subtype specific antibodies, **52**
- oesophageal adenocarcinoma**, Epidemiological differences between adenocarcinoma of the oesophagus and adenocarcinoma of the gastric cardia in the USA, **368**
- oesophageal cancer**, Aberrant expression of minichromosome maintenance proteins 2 and 5, and Ki-67 in dysplastic squamous oesophageal epithelium and Barrett's mucosa, **373**  
Guidelines for the management of oesophageal and gastric cancer, **v1**  
Laser augmented by brachytherapy versus laser alone in the palliation of adenocarcinoma of the oesophagus and cardia: a randomised study, **224**  
Molecular testing for antibiotic resistance in *Helicobacter pylori*, **285**
- oesophageal motility disorders**, A scintigraphic study of local oesophageal bolus transit: differences between patients with Barrett's oesophagus and healthy controls, **159**
- oesophageal motility**, Control of transient lower oesophageal sphincter relaxations and reflux by the GABA<sub>B</sub> agonist baclofen in patients with gastro-oesophageal reflux disease, **19**  
Should abnormal oesophageal motility in gastro-oesophageal reflux disease (GORD) influence decisions about fundoplication?, **592**  
Treatment of colorectal metastases: surgery, cryotherapy, or radiofrequency ablation, **1**
- oesophageal spasm**, Effect of sildenafil on oesophageal motor function in healthy subjects and patients with oesophageal motor disorders, **758**
- oesophageal sphincter**, A scintigraphic study of local oesophageal bolus transit: differences between patients with Barrett's oesophagus and healthy controls, **159**
- oesophageal squamous epithelium**, Aberrant expression of minichromosome maintenance proteins 2 and 5, and Ki-67 in dysplastic squamous oesophageal epithelium and Barrett's mucosa, **373**  
Molecular testing for antibiotic resistance in *Helicobacter pylori*, **285**
- oesophagitis**, Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants, **451**
- oesophagogastric junction**, A scintigraphic study of local oesophageal bolus transit: differences between patients with Barrett's oesophagus and healthy controls, **159**
- omeprazole**, Dyspepsia: management guidelines for the millennium: *Filler*, **iv72**  
The potential role of acid suppression in functional dyspepsia: the BOND, OPERA, PILOT, and ENCORE studies: *review*, **iv36**  
Use of antisecretory agents as a trial of therapy: *review*, **iv63**
- ontogenesis**, Developmental aspects of human hepatic drug glucuronidation in young children and adults, **259**
- ORCHID study**, Combined analysis of the ORCHID and OCAY studies: does eradication of *Helicobacter pylori* lead to sustained improvement in functional dyspepsia symptoms?: *review*, **iv26**
- organ donors**, Living related liver transplantation: medical and social aspects of a controversial therapy: *review*, **143**
- organic dyspepsia**, Role of endoscopy and biopsy in the work up of dyspepsia: *review*, **iv13**
- osteoporosis**, Guidelines on the management of osteoporosis associated with chronic liver disease, **11**  
Osteoporosis in patients with inflammatory bowel disease, **9**  
Osteoporosis is not a specific complication of primary biliary cirrhosis (PBC): *letter*, **898**
- outcome measure**, Assessment of outcome in dyspepsia: has progress been made?: *review*, **iv23**
- ovalbumin**, Development of antigen induced colitis in SCID mice reconstituted with spleen derived memory type CD4<sup>+</sup> CD45RB<sup>+</sup> T cells, **299**
- ovarian steroid**, Acute restraint stress activates functional NK1 receptor in the colon of female rats: involvement of steroids, **349**
- oxidative stress**, Effect of ursodeoxycholic acid on methionine adenosyltransferase activity and hepatic glutathione metabolism in rats, **701**
- p16**, Aberrant p16<sup>INK4A</sup> and *DPC4*/*Smad4* expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma, **861**
- p53**, Aberrant p16<sup>INK4A</sup> and *DPC4*/*Smad4* expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma, **861**  
An insight into the genetic pathway of adenocarcinoma of the small intestine, **218**  
The spectrum of p53 mutations in colorectal adenomas differs from that in colorectal carcinomas, **834**
- pacemaker deficient mice**, Novel human and mouse genes encoding an acid phosphatase family member and its downregulation in *W/W<sup>v</sup>* mouse jejunum, **790**
- palliation**, Laser augmented by brachytherapy versus laser alone in the palliation of adenocarcinoma of the oesophagus and cardia: a randomised study, **224**
- pancreas**, Identification of somatostatin receptor subtypes 1, 2A, 3, and 5 in neuroendocrine tumours with subtype specific antibodies, **52**  
Pancreatic stellate cells respond to inflammatory cytokines: potential role in chronic pancreatitis, **535**

- pancreatic adenocarcinoma**, Aberrant p16<sup>INK4A</sup> and *DPC4*/Smad4 expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma, **861**
- pancreatic cancer**, Family history of cancer and germline BRCA2 mutations in sporadic exocrine pancreatic cancer, **653**  
Photodynamic therapy for cancer of the pancreas, **549**
- pancreatitis**, Novel cationic trypsinogen (PRSS1) N29T and R122C mutations cause autosomal dominant hereditary pancreatitis, **271**  
Pancreatic stellate cells respond to inflammatory cytokines: potential role in chronic pancreatitis, **535**
- Paneth cells**, A Paneth cell surrogate?: *letter*, **741**
- paracentesis**, Comparison of the effect of terlipressin and albumin on arterial blood volume in patients with cirrhosis and tense ascites treated by paracentesis: a randomised pilot study, **90**
- pathogen**, Host–pathogen interactions: the seduction of molecular cross talk: *review*, **iii2**
- pentoxifylline**, Pentoxifylline downregulates profibrogenic cytokines and procollagen I expression in rat secondary biliary fibrosis, **241**
- pepsinogen**, *Helicobacter pylori* stimulates pepsinogen secretion from isolated human peptic cells, **13**
- peptic cells**, *Helicobacter pylori* stimulates pepsinogen secretion from isolated human peptic cells, **13**
- peptic ulcer haemorrhage**, Recent trends in admissions and mortality due to peptic ulcer in England: increasing frequency of haemorrhage among older subjects, **460**
- peptic ulcer perforation**, Recent trends in admissions and mortality due to peptic ulcer in England: increasing frequency of haemorrhage among older subjects, **460**
- peptic ulcer**, Hospital admissions for peptic ulcer and indigestion in London and New York in the 19th and early 20th centuries: *review*, **568**  
Recent trends in admissions and mortality due to peptic ulcer in England: increasing frequency of haemorrhage among older subjects, **460**
- percutaneous evacuation**, Percutaneous evacuation (PEVAC) of multivesicular echinococcal cysts with or without cystobiliary fistulas which contain non-drainable material: first results of a modified PAIR method, **718**
- percutaneous treatment**, Cost effectiveness of adjuvant therapy for hepatocellular carcinoma during the waiting list for liver transplantation, **123**
- pericryptal myofibroblasts**, Bone marrow derivation of pericryptal myofibroblasts in the mouse and human small intestine and colon, **752**
- permeability**, Augmented increase in tight junction permeability by luminal stimuli in the non-inflamed ileum of Crohn's disease, **307**  
Impairment of epithelial transport but not of barrier function in idiopathic pouchitis after ulcerative colitis, **821**
- peroxisome proliferator activated receptor  $\gamma$** , A ligand for peroxisome proliferator activated receptor  $\gamma$  inhibits cell growth and induces apoptosis in human liver cancer cells, **563**  
Characteristics of the peroxisome proliferator activated receptor  $\gamma$  (PPAR $\gamma$ ) ligand induced apoptosis in colon cancer cells, **658**
- phosphodiesterase**, Small therapeutic molecules for the treatment of inflammatory bowel disease: *review*, **iii47**
- phospholipase D**, Tumour necrosis factor  $\alpha$  potentiates ion secretion induced by histamine in a human intestinal epithelial cell line and in mouse colon: involvement of the phospholipase D pathway, **314**
- phospholipids**, Intraduodenal conjugated bile salts exert negative feedback control on gall bladder emptying in the fasting state without affecting cholecystokinin release or antroduodenal motility, **669**
- phosphorus magnetic resonance spectroscopy**, Biliary drainage for obstructive jaundice enhances hepatic energy status in humans: a 31-phosphorus magnetic resonance spectroscopy study, **118**
- photodynamic therapy**, Photodynamic therapy for cancer of the pancreas, **549**
- plasma exchange**, Selective plasma filtration for treatment of fulminant hepatic failure induced by d-galactosamine in a pig model, **869**
- plasma RNA**, Detection of epithelial tumour RNA in the plasma of colon cancer patients is associated with advanced stages and circulating tumour cells, **530**
- pneumatic dilation**, Timed barium oesophagram: better predictor of long term success after pneumatic dilation in achalasia than symptom assessment, **765**
- polyp**, Aberrant P-cadherin expression is an early event in hyperplastic and dysplastic transformation in the colon, **513**  
Protective effect of faecal occult blood test screening for colorectal cancer: worse prognosis for screening refusers, **33**
- polyposis**, A randomised, double blind, placebo controlled study of celecoxib, a selective cyclooxygenase 2 inhibitor, on duodenal polyposis in familial adenomatous polyposis, **857**
- population based study**, Infection rate and spontaneous seroreversion of anti-hepatitis C virus during the natural course of hepatitis C virus infection in the general population, **693**
- portal hypertension**, Hepatic stellate cells: role in microcirculation and pathophysiology of portal hypertension: *review*, **571**
- pouchitis**, Impairment of epithelial transport but not of barrier function in idiopathic pouchitis after ulcerative colitis, **821**
- prevalence**, Natural history of dyspepsia: *review*, **iv2**
- primary biliary cirrhosis**, Hepatitis and liver dysfunction with rifampicin therapy for pruritus in primary biliary cirrhosis, **436**  
Osteoporosis is not a specific complication of primary biliary cirrhosis (PBC): *letter*, **898**  
Primary biliary cirrhosis: seeking the silent partner of autoimmunity: *review*, **743**
- primary cancers**, The risk of subsequent primary cancers after colorectal cancer in southeast England, **647**
- primary care**, Approaches to uninvestigated dyspepsia: *review*, **iv42**
- probiotic**, Probiotics: a role in the treatment of intestinal infection and inflammation?: *review*, **iii54**
- prognosis**, Staging of hepatocellular carcinoma: assessment of the CLIP, Okuda, and Child-Pugh staging systems in a cohort of 257 patients in Toronto, **881**  
UGT1A1 polymorphisms and colorectal cancer susceptibility, **748**
- prokinetics**, Dyspepsia: management guidelines for the millennium: *review*, **iv72**  
H<sub>2</sub> receptor antagonists and prokinetics in dyspepsia: a critical review: *review*, **iv58**
- proliferation**, Apoptosis and proliferation of acinar and islet cells in chronic pancreatitis: evidence for differential cell loss mediating preservation of islet function, **542**  
Gastrin-cholecystokinin<sub>B</sub> receptor expression in AGS cells is associated with direct inhibition and indirect stimulation of cell proliferation via paracrine activation of the epidermal growth factor receptor, **827**  
Histogenesis of human colorectal adenomas and hyperplastic polyps: the role of cell proliferation and crypt fission, **212**
- prostaglandin**, Cyclooxygenase inhibition: between the devil and the deep blue sea: *review*, **iii25**
- prostaglandins**, Recovery of ischaemic injured porcine ileum: evidence for a contributory role of COX-1 and COX-2, **615**
- proton pump inhibitor**, Cyclooxygenase inhibition: between the devil and the deep blue sea: *review*, **iii25**  
Dyspepsia: management guidelines for the millennium: *review*, **iv72**
- proximal colon**, Minichromosome maintenance (MCM) proteins may be pre-cancer markers, **290**  
Proximal adenomas in hereditary non-polyposis colorectal cancer are prone to rapid malignant transformation, **382**
- PRSS1**, Aspirin injury and *H pylori*, **589**  
Mutations in serine protease inhibitor Kazal type 1 are strongly associated with chronic pancreatitis, **687**
- pruritus**, Hepatitis and liver dysfunction with rifampicin therapy for pruritus in primary biliary cirrhosis, **436**
- PST1**, The N34S mutation of SPINK1 (PST1) is associated with a familial pattern of idiopathic chronic pancreatitis but does not cause the disease, **675**
- puncture, aspiration, injection, reaspiration**, Percutaneous evacuation (PEVAC) of multivesicular echinococcal cysts with or without cystobiliary fistulas which contain non-drainable material: first results of a modified PAIR method, **718**
- quality of life**, Clinical and economic consequences of dyspepsia in the community: *review*, **iv10**  
Combined analysis of the ORCHID and OCAY studies: does eradication of *Helicobacter pylori* lead to sustained improvement in functional dyspepsia symptoms?: *review*, **iv26**  
Prevalence of faecal incontinence in adults aged 40 years or more living in the community, **480**
- R122C mutations**, Novel cationic trypsinogen (PRSS1) N29T and R122C mutations cause autosomal dominant hereditary pancreatitis, **271**
- race**, Characteristics of autoimmune hepatitis in patients who are not of European/Caucasoid ethnic origin, **713**
- radiofrequency ablation**, Treatment of colorectal metastases: surgery, cryotherapy, or radiofrequency ablation: *review*, **1**
- radionuclide imaging**, A scintigraphic study of local oesophageal bolus transit: differences between patients with Barrett's oesophagus and healthy controls, **159**
- rat**, Activation of caspases in intestinal villus epithelial cells of normal and nematode infected rats, **71**  
Calpain inhibitor I and colonic inflammation induced by DNBS in the rat: *letter*, **440**  
Distribution of the long leptin receptor isoform in brush border, basolateral membrane, and cytoplasm of enterocytes, **797**  
Mucosal barrier function and the commensal flora: *letter*, **441**
- rebleeding**, Prediction of therapeutic failure after adrenaline injection plus heater probe treatment in patients with bleeding peptic ulcer, **322**
- reflux disease**, Definitions of reflux disease and its separation from dyspepsia: *review*, **iv17**

- Management of reflux disease: *review*, **iv67**
- reflux oesophagitis**, Intra-gastric maldistribution of a liquid meal in patients with reflux oesophagitis assessed by three dimensional ultrasonography, **153**
- reflux**, The potential role of acid suppression in functional dyspepsia: the BOND, OPERA, PILOT, and ENCORE studies: *review*, **iv36**
- remodelling**, Aberrant P-cadherin expression is an early event in hyperplastic and dysplastic transformation in the colon, **513**
- renal failure**, Endothelin is an important determinant of renal function in a rat model of acute liver and renal failure, **111**
- replication error**, An insight into the genetic pathway of adenocarcinoma of the small intestine, **218**
- rhodanese**, Mucosal protection against sulphide: importance of the enzyme rhodanese, **201**
- ribavirin**, Cost effectiveness of combination therapy for hepatitis C: a decision analytic model, **253**
- rifampicin**, Hepatitis and liver dysfunction with rifampicin therapy for pruritus in primary biliary cirrhosis, **436**
- risk factors**, Staging of hepatocellular carcinoma: assessment of the CLIP, Okuda, and Child-Pugh staging systems in a cohort of 257 patients in Toronto, **881**
- UGT1A1 polymorphisms and colorectal cancer susceptibility, **748**
- rotavirus**, The link between rotavirus vaccination and intussusception: implications for vaccine strategies, **11**
- S-adenosylmethionine metabolism**, Effect of ursodeoxycholic acid on methionine adenosyltransferase activity and hepatic glutathione metabolism in rats, **701**
- salicylate**, New steroids and new salicylates in inflammatory bowel disease: a critical appraisal: *review*, **iii43**
- SB 203580**, Dichotomous role of inhibition of p38 MAPK with SB 203580 in experimental colitis, **507**
- SCID**, Development of antigen induced colitis in SCID mice reconstituted with spleen derived memory type CD4<sup>+</sup> CD45RB<sup>+</sup> T cells, **299**
- screening**, A randomised study of screening for colorectal cancer using faecal occult blood testing: results after 13 years and seven biennial screening rounds, **29**
- Effect of faecal occult blood screening on mortality from colorectal cancer: results from a randomised controlled trial, **840**
- The changing scope of colorectal cancer: *letter*, **741**
- The long term results of endoscopic surveillance of premalignant gastric lesions, **378**
- screen**, Protective effect of faecal occult blood test screening for colorectal cancer: worse prognosis for screening refusers, **33**
- selective plasma filtration**, Selective plasma filtration for treatment of fulminant hepatic failure induced by D-galactosamine in a pig model, **869**
- seroconversion**, Evidence that *cagA*<sup>+</sup> *Helicobacter pylori* strains are disappearing more rapidly than *cagA*<sup>-</sup> strains, **295**
- seroreversion**, Infection rate and spontaneous seroreversion of anti-hepatitis C virus during the natural course of hepatitis C virus infection in the general population, **693**
- serotype K1**, A global emerging disease of *Klebsiella pneumoniae* liver abscess: is serotype K1 an important factor for complicated endophthalmitis?, **420**
- serrated adenoma**, Serrated adenoma in familial adenomatous polyposis: relation to germline APC gene mutation, **402**
- severity assessment**, Management of reflux disease: *review*, **iv67**
- short bowel**, Gut adaptation and the glucagon-like peptides: *review*, **428**
- signal transduction**, Combination therapy for hepatitis B, **443**
- Dichotomous role of inhibition of p38 MAPK with SB 203580 in experimental colitis, **507**
- signalling pathway**, Analysis of apoptotic and antiapoptotic signalling pathways induced by *Helicobacter pylori*, **771**
- SIV infection**, Lack of simian immunodeficiency virus (SIV) specific IgA response in the intestine of SIV infected rhesus macaques, **608**
- Smad4**, Aberrant p16<sup>INK4A</sup> and *DPC4/Smad4* expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma, **861**
- small bowel strictures**, Bowel ultrasound in assessment of Crohn's disease and detection of related small bowel strictures: a prospective comparative study versus x ray and intraoperative findings, **490**
- small intestinal bacterial overgrowth**, Small intestinal bacterial overgrowth, intestinal permeability, and non-alcoholic steatohepatitis: *letter*, **136**
- small intestine**, Activation of caspases in intestinal villus epithelial cells of normal and nematode infected rats, **71**
- An insight into the genetic pathway of adenocarcinoma of the small intestine, **218**
- Bone marrow derivation of pericryptal myofibroblasts in the mouse and human small intestine and colon, **752**
- Distribution of the long leptin receptor isoform in brush border, basolateral membrane, and cytoplasm of enterocytes, **797**
- smoking**, Recurrent diarrhoea and weight loss associated with cessation of smoking in undiagnosed coeliac disease: *letter*, **582**
- smooth muscle**, Increased smooth muscle contractility of intestine in the genetic null of the endothelin ETB receptor: a rat model for long segment Hirschsprung's disease, **355**
- somatostatin receptors**, Identification of somatostatin receptor subtypes 1, 2A, 3, and 5 in neuroendocrine tumours with subtype specific antibodies, **52**
- sphincter of Oddi**, Outcome of endoscopic sphincterotomy in post cholecystectomy patients with sphincter of Oddi dysfunction as predicted by manometry and quantitative choledochoscintigraphy, **665**
- SPINK1**, Aspirin injury and *H pylori*, **589**
- Mutations in serine protease inhibitor Kazal type 1 are strongly associated with chronic pancreatitis, **687**
- The N34S mutation of SPINK1 (PSTI) is associated with a familial pattern of idiopathic chronic pancreatitis but does not cause the disease, **675**
- splenic function**, Impaired tuftsin activity in cirrhosis: relationship with splenic function and clinical outcome, **707**
- stellate cells**, Pancreatic stellate cells respond to inflammatory cytokines: potential role in chronic pancreatitis, **535**
- steroid**, New steroids and new salicylates in inflammatory bowel disease: a critical appraisal: *review*, **iii43**
- stomach neoplasms**, Diagnostic accuracy of forceps biopsy versus polypectomy for gastric polyps: a prospective multicentre study, **465**
- stress**, Acute restraint stress activates functional NK1 receptor in the colon of female rats: involvement of steroids, **349**
- subepithelial myofibroblasts**, Endothelin-1 stimulates human colonic myofibroblast contraction and migration, **65**
- suicide gene therapy**, Subcutaneous or intrahepatic injection of suicide gene modified tumour cells induces a systemic antitumour response in a metastatic model of colon carcinoma in rats, **387**
- surgery**, Bowel ultrasound in assessment of Crohn's disease and detection of related small bowel strictures: a prospective comparative study versus x ray and intraoperative findings, **490**
- Does chemoradiotherapy after intended curative surgery increase survival of gastric cancer patients?, **751**
- surgical resection**, Cost effectiveness of adjuvant therapy for hepatocellular carcinoma during the waiting list for liver transplantation, **123**
- surveillance**, Adenoma prevalence and cancer risk in familial non-polyposis colorectal cancer, **228**
- symptom control**, Management of reflux disease: *review*, **iv67**
- symptom evaluation**, Management of reflux disease: *review*, **iv67**
- symptom improvement**, *Helicobacter pylori* and functional dyspepsia: review of previous studies and commentary on new data: *review*, **iv33**
- symptom profile**, Natural history of dyspepsia: *review*, **iv2**
- symptom relief**, Combined analysis of the ORCHID and OCA studies: does eradication of *Helicobacter pylori* lead to sustained improvement in functional dyspepsia symptoms?: *review*, **iv26**
- symptomatic treatment**, Management of uninvestigated dyspepsia: review and commentary: *review*, **iv51**
- symptomatology**, The menstrual cycle affects rectal sensitivity in patients with irritable bowel syndrome but not healthy volunteers, **471**
- systemic disease**, The non-*H pylori* helicobacters: their expanding role in gastrointestinal and systemic diseases: *review*, **273**
- T cells**, Blisters in the small intestinal mucosa of coeliac patients contain T cells positive for cyclooxygenase 2, **84**
- Development of antigen induced colitis in SCID mice reconstituted with spleen derived memory type CD4<sup>+</sup> CD45RB<sup>+</sup> T cells, **299**
- Microflora reactive IL-10 producing regulatory T cells are present in the colon of IL-2 deficient mice but lack efficacious inhibition of IFN- $\gamma$  and TNF- $\alpha$  production, **170**
- T lymphocytes**, Combination therapy for hepatitis B, **443**
- Dichotomous role of inhibition of p38 MAPK with SB 203580 in experimental colitis, **507**
- Infliximab treatment induces apoptosis of lamina propria T lymphocytes in Crohn's disease, **206**
- T staging**, You get what you expect? A critical appraisal of imaging methodology in endosonographic cancer staging, **599**
- teaching**, A survey on gastroenterology training in Europe, **724**
- terlipressin**, Comparison of the effect of terlipressin and albumin on arterial blood volume in patients with cirrhosis and tense ascites treated by paracentesis: a randomised pilot study, **90**
- test and treat strategy**, *Helicobacter pylori* test and treat strategy for young dyspeptic patients: new data: *review*, **iv47**
- Th1 response**, Interleukin 18 and associated markers of T helper cell type 1 activity in coeliac disease, **186**
- thalidomide**, Small therapeutic molecules for the treatment of inflammatory bowel disease: *review*, **iii47**
- Thalidomide reduces tumour necrosis factor  $\alpha$  and interleukin 12 production in patients with chronic active Crohn's disease, **196**
- thiol methyltransferase**, Mucosal protection against sulphide: importance of the enzyme rhodanese, **201**

- thiopurine methyltransferase**, Mucosal protection against sulphide: importance of the enzyme rhodanese, **201**
- tight junctions**, Augmented increase in tight junction permeability by luminal stimuli in the non-inflamed ileum of Crohn's disease, **307**
- timed barium oesophagram**, Timed barium oesophagram: better predictor of long term success after pneumatic dilation in achalasia than symptom assessment, **765**
- tissue transglutaminase**, Intestinal intraepithelial lymphocytes and anti-transglutaminase in a screening algorithm for coeliac disease: *letter*, **740**
- toxicity**, Liver dysfunction among workers handling 5-nitro-*o*-toluidine, **266**
- toxin**, Toxins and the gut: role in human disease: *review*, **iii9**
- TP53**, The spectrum of p53 mutations in colorectal adenomas differs from that in colorectal carcinomas, **834**
- training**, A survey on gastroenterology training in Europe, **724**
- transcriptional regulation**, Transcriptional regulation of hepatic stellate cell activation: *review*, **891**
- transcription**, Stimulation of the intestinal Cdx2 homeobox gene by butyrate in colon cancer cells, **525**
- Uncoupling the p38 MAPK kinase in IBD: a double edged sword?, **446**
- transforming growth factor  $\beta$ 1**, Associated changes of lipid peroxidation and transforming growth factor  $\beta$ 1 levels in human colon cancer during tumour progression, **361**
- treatment failure**, Prediction of therapeutic failure after adrenaline injection plus heater probe treatment in patients with bleeding peptic ulcer, **322**
- treatment**, Influence of treatment on morphological features of mucosal inflammation: *review*, **iii37**
- trial of therapy**, Use of antisecretory agents as a trial of therapy: *review*, **iv63**
- troglitazone**, A ligand for peroxisome proliferator activated receptor  $\gamma$  inhibits cell growth and induces apoptosis in human liver cancer cells, **563**
- tropical chronic pancreatitis**, Neural alterations in surgical stage chronic pancreatitis are independent of the underlying aetiology, **682**
- trypsin**, Aspirin injury and *H pylori*, **589**
- Mutations in serine protease inhibitor Kazal type 1 are strongly associated with chronic pancreatitis, **687**
- tuftsin**, Impaired tuftsin activity in cirrhosis: relationship with splenic function and clinical outcome, **707**
- tumour cells**, Detection of epithelial tumour RNA in the plasma of colon cancer patients is associated with advanced stages and circulating tumour cells, **530**
- tumour necrosis factor  $\alpha$** , Development of antigen induced colitis in SCID mice reconstituted with spleen derived memory type CD4<sup>+</sup> CD45RB<sup>+</sup> T cells, **299**
- Thalidomide reduces tumour necrosis factor  $\alpha$  and interleukin 12 production in patients with chronic active Crohn's disease, **196**
- Tumour necrosis factor  $\alpha$  potentiates ion secretion induced by histamine in a human intestinal epithelial cell line and in mouse colon: involvement of the phospholipase D pathway, **314**
- tumour necrosis factor**, IL-10 therapy in Crohn's disease: at the crossroads, **146**
- Infliximab treatment induces apoptosis of lamina propria T lymphocytes in Crohn's disease, **206**
- tumour progression**, Adenoma prevalence and cancer risk in familial non-polyposis colorectal cancer, **228**
- Associated changes of lipid peroxidation and transforming growth factor  $\beta$ 1 levels in human colon cancer during tumour progression, **361**
- twins**, The first large population based twin study of coeliac disease, **624**
- UGT1A7**, Easy as 1, 2, 3? Histamine receptors and gastric acid, **747**
- Polymorphisms of the human *UDP-glucuronosyltransferase (UGT) 1A7* gene in colorectal cancer, **851**
- UGT1A**, Developmental aspects of human hepatic drug glucuronidation in young children and adults, **259**
- UGT2B**, Developmental aspects of human hepatic drug glucuronidation in young children and adults, **259**
- UGT1A gene locus** Easy as 1, 2, 3? Histamine receptors and gastric acid, **747**
- Polymorphisms of the human *UDP-glucuronosyltransferase (UGT) 1A7* gene in colorectal cancer, **851**
- ulcerative colitis**, Expression of isoforms of nitric oxide synthase in collagenous colitis: *letter*, **899**
- Human neutrophil lipocalin is a unique marker of neutrophil inflammation in ulcerative colitis and proctitis, **501**
- Immunoregulation in the gut: success and failures in human disease: *review*, **iii60**
- Impairment of epithelial transport but not of barrier function in idiopathic pouchitis after ulcerative colitis, **821**
- Influence of treatment on morphological features of mucosal inflammation: *review*, **iii37**
- Mucosal protection against sulphide: importance of the enzyme rhodanese, **201**
- The efficacy of azathioprine for the treatment of inflammatory bowel disease: a 30 year review, **485**
- The genetic jigsaw of inflammatory bowel disease: *review*, **iii31**
- ulcer**, Cyclooxygenase inhibition: between the devil and the deep blue sea: *review*, **iii25**
- The potential role of acid suppression in functional dyspepsia: the BOND, OPERA, PILOT, and ENCORE studies: *review*, **iv36**
- ultrasonography**, Intra-gastric maldistribution of a liquid meal in patients with reflux oesophagitis assessed by three dimensional ultrasonography, **153**
- The vascularity of internal fistulae in Crohn's disease: an in vivo power Doppler ultrasonography assessment, **496**
- uninvestigated dyspepsia**, Approaches to uninvestigated dyspepsia: *review*, **iv42**
- Management of uninvestigated dyspepsia: review and commentary: *review*, **iv51**
- upper gastrointestinal bleeding**, Prediction of therapeutic failure after adrenaline injection plus heater probe treatment in patients with bleeding peptic ulcer, **322**
- urea**, Evaluation of serum cystatin C concentration as a marker of renal function in patients with cirrhosis of the liver, **106**
- VacA antibodies**, Risk factors for atrophic chronic gastritis in a European population: results of the Eurohepygast study, **779**
- vaccination**, Subcutaneous or intrahepatic injection of suicide gene modified tumour cells induces a systemic antitumour response in a metastatic model of colon carcinoma in rats, **387**
- The link between rotavirus vaccination and intussusception: implications for vaccine strategies, **11**
- villous atrophy**, No harm from five year ingestion of oats in coeliac disease, **332**
- villus**, Activation of caspases in intestinal villus epithelial cells of normal and nematode infected rats, **71**
- viral hepatitis**, Epidemiology and economic burden of viral hepatitis: an observational population based study, **100**
- Gene therapy for liver diseases: recent strategies for treatment of viral hepatitis and liver malignancies: *review*, **130**
- viral infection**, Primary biliary cirrhosis: seeking the silent partner of autoimmunity: *review*, **743**
- visceral sensitivity**, The menstrual cycle affects rectal sensitivity in patients with irritable bowel syndrome but not healthy volunteers, **471**
- vitamin C**, Effect of physiological concentrations of vitamin C on gastric cancer cells and *Helicobacter pylori*, **165**
- volume waves**, Effects of glucagon-like peptide-1(7–36)amide on motility and sensation of the proximal stomach in humans, **341**
- Wilson's disease**, Diagnosis of Wilson's disease: an experience over three decades: *letter*, **136**
- xenobiotic metabolism**, Easy as 1, 2, 3? Histamine receptors and gastric acid, **747**
- Polymorphisms of the human *UDP-glucuronosyltransferase (UGT) 1A7* gene in colorectal cancer, **851**
- Y chromosome**, Bone marrow derivation of pericryptal myofibroblasts in the mouse and human small intestine and colon, **752**