

Supplementary table 4. Clinical success and GCSI score&lt;2 at 12 months by previous treatment groups and participating centers.

	Clinical success at 12 months		p value	GCSI score<2 at 12 months		p value
	Clinical failure	Clinical success		GCSI score>2	GCSI score<2	
<b>Previous treatment</b>			0.177			0.194
<b>Prokinetics</b>	6 (27.3%)	16 (72.7%)		3 (13.6%)	19 (86.4%)	
<b>Prokinetic and botulinum toxin injection</b>	12 (44.4%)	15 (55.6%)		11 (40.7%)	16 (59.3%)	
<b>Prokinetic and transpyloric stenting</b>	9 (64.3%)	5 (35.7%)		5 (35.7%)	9 (64.3%)	
<b>Prokinetic, botulinum toxin injection, and transpyloric stenting</b>	6 (50%)	6 (50%)		5 (41.7%)	7 (58.3%)	
<b>Participating centers</b>			0.151			0.121
<b>Centers which recruited &gt;10 cases per year</b>	18 (37.5%)	30 (62.5%)		12 (25%)	36 (75%)	
<b>Centers which recruited &lt; 10 cases per year</b>	15 (55.6%)	12 (44.4%)		12 (44.4%)	15 (55.6%)	